

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	offset	slope
LB90489BLW	100	02/10/2017 16:39	0.20	4.46	6.91	105
LB90489BSW	100	02/10/2017 16:41	50.44	8.59	6.91	105
I5526-01	50	02/10/2017 16:46	598.40	6.73	6.91	105
I5526-02DLX10	50	02/10/2017 17:45	219.44	6.74	6.91	105
I5526-03DLX10	50	02/10/2017 18:01	171.60	7.12	6.91	105
I5526-04	50	02/10/2017 17:49	1400.48	7.03	6.91	105
I5543-01	50	02/10/2017 18:06	71.60	5.71	6.91	105
I5543-02	50	02/10/2017 18:10	523.36	6.44	6.91	105
I5543-03	50	02/10/2017 18:17	469.28	6.52	6.91	105
I5543-04	50	02/10/2017 18:24	505.52	6.62	6.91	105
I5559-01	50	02/10/2017 18:30	786.16	6.01	6.91	105
I5559-02	50	02/10/2017 18:37	187.44	6.90	6.91	105
I5559-02DUP	50	02/10/2017 18:43	184.08	6.75	6.91	105
I5559-03	50	02/10/2017 18:48	183.68	6.95	6.91	105
I5559-04	50	02/10/2017 18:53	1027.60	5.14	6.91	105
I5559-05	50	02/10/2017 19:03	604.64	5.29	6.91	105
I5559-06	50	02/10/2017 19:09	185.76	7.54	6.91	105

10/02/17 IB