



PERCENT SOLID

Analyst Name: JIGNESH
Date: 10/5/2017

OVENTEMP IN Celsius(°C): 108
Time IN: 15:15
In Date: 10/04/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 10/05/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M SC-1

QC: 1b90560

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
I5403-11	B-53 (9.5-10)	1	1.12	9.97	8.87	87.6
I5403-13	B-51 (9.5-10)	2	1.16	9.94	8.55	84.2
I5404-02	B-72 (13.5-14)	3	1.16	9.58	7.3	72.9
I5530-04	LB-32 (1.5-2)	51	1.16	9.68	8.51	86.3
I5530-08	LB-33 (0-0.5)	52	1.17	9.72	9.14	93.2
I5530-10	LB-34 (0-0.5)	53	1.13	9.83	8.66	86.6
I5640-01	DRUM-1	4	1.00	2.00	2.00	100
I5640-02	DRUM-2	5	1.00	2.00	2.00	100
I5640-03	DRUM-3	6	1.00	2.00	2.00	100
I5640-06	DRUM-6	7	1.18	2.00	2.00	100
I5640-07	DRUM-7	8	1.00	2.00	2.00	100
I5640-08	DRUM-8	9	1.00	2.00	2.00	100
I5649-01	B-39 (0.5-1.5) -100317	10	1.17	9.72	8.59	86.8
I5649-02	B-39 (5-7) -100317	11	1.13	9.76	8.35	83.7
I5649-03	B-59 (FILL) -100317	12	1.13	9.58	9.26	96.2
I5649-04	I5649-03MS	13	1.13	9.58	9.26	96.2
I5649-05	I5649-03MSD	14	1.13	9.58	9.26	96.2
I5649-06	B-59 (5-7) -100317	15	1.13	9.64	8.83	90.5
I5649-07	B-59 (12-13.5) -100317	16	1.17	9.92	8.73	86.4
I5649-08	B-57 (1-2) -100317	17	1.16	9.7	8.37	84.4
I5649-09	B-57 (2-4) -100317	18	1.11	9.95	6.92	65.7
I5649-10	DUP-2	19	1.14	9.61	8.84	90.9
I5649-12	B-42 (7-9) -100217	20	1.16	9.87	7.06	67.7
I5649-13	VHBLK01	21	1.00	2.00	2.00	100
I5651-01	ENV-115-2 (0-5)	22	1.13	9.52	8.53	88.2
I5651-02	ENV-115-2 (5-10)	23	1.11	9.94	8.79	87
I5651-03	ENV-115-2 (10-15)	24	1.14	9.97	9.11	90.3
I5651-04	ENV-115-2 (15-20)	25	1.16	9.88	8.8	87.6
I5651-05	ENV-115-2 (20-30)	26	1.14	9.95	7.98	77.6
I5651-06	ENV-115-2 (30-40)	27	1.14	9.96	8.99	89
I5651-07	ENV-115-2 (40-50)	28	1.13	9.84	7.93	78.1
I5651-08	ENV-116-1 (0-5)	29	1.13	9.94	8.7	85.9
I5651-09	ENV-116-1 (5-10)	30	1.13	9.7	9.35	95.9
I5651-10	ENV-116-1 (10-15)	31	1.16	9.96	9.37	93.3
I5651-11	ENV-116-7 (0-5)	32	1.11	9.8	8.8	88.5
I5651-12	ENV-116-7 (5-10)	33	1.14	9.8	8.74	87.8
I5651-13	ENV-116-7 (10-15)	34	1.14	9.95	9.16	91
I5651-13DUP	ENV-116-7 (10-15) DUP	35	1.16	9.97	9.19	91.1
I5652-01	B-39 (0.5-1.5) -100317	36	1.17	9.72	8.59	86.8



PERCENT SOLID

Analyst Name: JIGNESH
Date: 10/5/2017

OVENTEMP IN Celsius(°C): 108
Time IN: 15:15
In Date: 10/04/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 10/05/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M SC-1

QC: 1b90560

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
I5652-02	B-39(5-7)-100317	37	1.13	9.76	8.35	83.7
I5652-03	B-59(FILL)-100317	38	1.13	9.58	9.26	96.2
I5652-04	B-59(FILL)-100317D	39	1.13	9.58	9.26	96.2
I5652-05	B-59(FILL)-100317S	40	1.13	9.58	9.26	96.2
I5652-06	B-59(5-7)-100317	41	1.13	9.64	8.83	90.5
I5652-07	B-59(12-13.5)-100317	42	1.17	9.92	8.73	86.4
I5652-08	B-57(1-2)-100317	43	1.16	9.7	8.37	84.4
I5652-09	B-57(2-4)-100317	44	1.11	9.95	6.92	65.7
I5652-10	DUP-2	45	1.14	9.61	8.84	90.9
I5652-11	B-42(7-9)-100217	46	1.16	9.87	7.06	67.7
I5658-01	SU-02-100417	47	1.13	9.97	9.38	93.3
I5658-02	SU-02-100417	48	1.13	9.97	9.38	93.3
I5658-03	SU-02-100417	49	1.13	9.97	9.38	93.3
I5663-01	LOT-091-87	50	1.00	2.00	2.00	100
I5676-01	352	54	1.17	9.68	9.3	95.5
I5678-01	OR-03-100417	55	1.1	9.79	9.24	93.7
I5678-02	OR-03-100417	56	1.1	9.79	9.24	93.7
I5678-03	OR-03-100417	57	1.1	9.79	9.24	93.7
I5691-01	ENV-115-8(0-5)	70	1.14	9.59	9.11	94.3
I5691-02	ENV-115-8(5-10)	71	1.1	9.82	9.32	94.3
I5691-03	ENV-115-8(10-15)	72	1.14	9.76	9.32	94.9
I5691-04	ENV-115-8(15-20)	73	1.15	9.95	8.93	88.4
I5691-05	ENV-117-1(0-5)	74	1.2	9.68	8.58	87
I5691-06	ENV-117-1(5-10)	75	1.17	9.95	9.38	93.5
I5691-07	ENV-117-1(10-15)	76	1.13	9.8	8.39	83.7
I5693-01	B-55(0.5-1.5)-100317	58	1.13	9.71	8.94	91
I5693-02	B-55(3.5-5)-100317	59	1.15	9.88	8.34	82.4
I5693-03	B-32(1-2)-100417	60	1.14	9.67	8.86	90.5
I5693-04	B-32(2-4)-100417	61	1.18	9.97	8.2	79.9
I5693-05	B-33(0.5-1.5)-100417	62	1.11	9.7	9.29	95.2
I5693-06	B-33(3.5-4.5)-100417	63	1.1	9.78	8.2	81.8
I5693-07	B-30(0-1)-100417	64	1.16	9.6	8.76	90
I5693-08	B-30(3-3.8)-100417	65	1.14	9.74	8.34	83.7
I5693-11	VHBLK01	66	1.00	2.00	2.00	100
I5695-03	B-74(0-1)-100417	67	1.16	9.7	9.53	98
I5695-04	B-74(3-4)-100417	68	1.14	9.98	8.75	86.1
I5695-06	VHBLK02	69	1.00	2.00	2.00	100

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

2B 90560

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-100417

WorkList ID : 103649

Date : 10/4/2017 7:37:40 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I5403-11	Percent Solids	Cool 4 deg C	LANG02	H23	B-53(9.5-10)	09/22/2017	Chemtech -SO
	Solid	I5403-13	Percent Solids	Cool 4 deg C	LANG02	H23	B-51(9.5-10)	09/22/2017	Chemtech -SO
	Solid	I5404-02	Percent Solids	Cool 4 deg C	LANG02	H23	B-72(13.5-14)	09/22/2017	Chemtech -SO
	Solid	I5530-04	Percent Solids	Cool 4 deg C	LANG02	H52	LB-32(1.5-2)	09/28/2017	Chemtech -SO
	Solid	I5530-08	Percent Solids	Cool 4 deg C	LANG02	H52	LB-33(0-0.5)	09/28/2017	Chemtech -SO
	Solid	I5530-10	Percent Solids	Cool 4 deg C	LANG02	H52	LB-34(0-0.5)	09/28/2017	Chemtech -SO
	Solid	I5640-01	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-1	09/29/2017	Chemtech -SO
	Solid	I5640-02	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-2	09/29/2017	Chemtech -SO
	Solid	I5640-03	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-3	09/29/2017	Chemtech -SO
	Solid	I5640-04	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-4	09/29/2017	Chemtech -SO
	Solid	I5640-05	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-5	09/29/2017	Chemtech -SO
	Solid	I5640-06	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-6	09/29/2017	Chemtech -SO
	Solid	I5640-07	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-7	09/29/2017	Chemtech -SO
	Solid	I5640-08	Percent Solids	Cool 4 deg C	ATLA08	J31	DRUM-8	09/29/2017	Chemtech -SO
	Solid	I5649-01	Percent Solids	Cool 4 deg C	WOOD09	J32	B-39(0.5-1.5)-100317	10/03/2017	Chemtech -SO
	Solid	I5649-02	Percent Solids	Cool 4 deg C	WOOD09	J32	B-39(5-7)-100317	10/03/2017	Chemtech -SO
	Solid	I5649-03	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(FILL)-100317	10/03/2017	Chemtech -SO
	Solid	I5649-04	Percent Solids	Cool 4 deg C	WOOD09	J32	I5649-03MS	10/03/2017	Chemtech -SO
	Solid	I5649-05	Percent Solids	Cool 4 deg C	WOOD09	J32	I5649-03MSD	10/03/2017	Chemtech -SO
	Solid	I5649-06	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(5-7)-100317	10/03/2017	Chemtech -SO
	Solid	I5649-07	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(12-13.5)-100317	10/03/2017	Chemtech -SO

Date/Time 10/04/17 6:00 PM

Received by: JP

Relinquished by: CP

Date/Time 10/04/17 5:25 PM

Received by: JP

Relinquished by: JP

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-100417

WorkList ID : 103649

Date : 10/4/2017 7:37:40 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I5649-08	Percent Solids	Cool 4 deg C	WOOD09	J32	B-57(1-2)-100317	10/03/2017	Chemtech -SO
	Solid	I5649-09	Percent Solids	Cool 4 deg C	WOOD09	J32	B-57(2-4)-100317	10/03/2017	Chemtech -SO
	Solid	I5649-10	Percent Solids	Cool 4 deg C	WOOD09	J32	DUP-2	10/03/2017	Chemtech -SO
	Solid	I5649-12	Percent Solids	Cool 4 deg C	WOOD09	J32	B-42(7-9)-100217	10/03/2017	Chemtech -SO
	Solid	I5649-13	Percent Solids	Cool 4 deg C	WOOD09	J32	VHBLK01	10/03/2017	Chemtech -SO
	Solid	I5651-01	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-115-2(0-5)	10/02/2017	Chemtech -SO
	Solid	I5651-02	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-115-2(5-10)	10/02/2017	Chemtech -SO
	Solid	I5651-03	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-115-2(10-15)	10/02/2017	Chemtech -SO
	Solid	I5651-04	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-115-2(15-20)	10/02/2017	Chemtech -SO
	Solid	I5651-05	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-115-2(20-30)	10/02/2017	Chemtech -SO
	Solid	I5651-06	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-115-2(30-40)	10/02/2017	Chemtech -SO
	Solid	I5651-07	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-115-2(40-50)	10/02/2017	Chemtech -SO
	Solid	I5651-08	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-116-1(0-5)	10/03/2017	Chemtech -SO
	Solid	I5651-09	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-116-1(5-10)	10/03/2017	Chemtech -SO
	Solid	I5651-10	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-116-1(10-15)	10/03/2017	Chemtech -SO
	Solid	I5651-11	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-116-7(0-5)	10/03/2017	Chemtech -SO
	Solid	I5651-12	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-116-7(5-10)	10/03/2017	Chemtech -SO
	Solid	I5651-13	Percent Solids	Cool 4 deg C	THEP04	I13	ENV-116-7(10-15)	10/03/2017	Chemtech -SO
	Solid	I5652-01	Percent Solids	Cool 4 deg C	WOOD09	J32	B-39(0.5-1.5)-100317	10/03/2017	Chemtech -SO
	Solid	I5652-02	Percent Solids	Cool 4 deg C	WOOD09	J32	B-39(5-7)-100317	10/03/2017	Chemtech -SO
	Solid	I5652-03	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(FILL)-100317	10/03/2017	Chemtech -SO

Date/Time 10/4/17 6:00 PM

Received by: JP

Relinquished by: CG

Date/Time 10/04/17 5:25 PM

Received by: JP

Relinquished by: JP

1090560

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-100417

WorkList ID : 103649

Date : 10/4/2017 7:37:40 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I5652-04	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(FILL)-100317D	10/03/2017	Chemtech -SO
	Solid	I5652-05	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(FILL)-100317S	10/03/2017	Chemtech -SO
	Solid	I5652-06	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(5-7)-100317	10/03/2017	Chemtech -SO
	Solid	I5652-07	Percent Solids	Cool 4 deg C	WOOD09	J32	B-59(12-13.5)-100317	10/03/2017	Chemtech -SO
	Solid	I5652-08	Percent Solids	Cool 4 deg C	WOOD09	J32	B-57(1-2)-100317	10/03/2017	Chemtech -SO
	Solid	I5652-09	Percent Solids	Cool 4 deg C	WOOD09	J32	B-57(2-4)-100317	10/03/2017	Chemtech -SO
	Solid	I5652-10	Percent Solids	Cool 4 deg C	WOOD09	J32	DUP-2	10/03/2017	Chemtech -SO
	Solid	I5652-11	Percent Solids	Cool 4 deg C	WOOD09	J32	B-42(7-9)-100217	10/02/2017	Chemtech -SO
	Solid	I5658-01	Percent Solids	Cool 4 deg C	PSEG05	H52	SU-02-100417	10/04/2017	Chemtech -SO
	Solid	I5658-02	Percent Solids	Cool 4 deg C	PSEG05	H52	SU-02-100417	10/04/2017	Chemtech -SO
	Solid	I5658-03	Percent Solids	Cool 4 deg C	PSEG05	H52	SU-02-100417	10/04/2017	Chemtech -SO
	Solid	I5663-01	Percent Solids	Cool 4 deg C	DAIR01	I11	LOT-091-87	09/18/2017	Chemtech -SO
	Solid	I5676-01	Percent Solids	Cool 4 deg C	PSEG01	H52	352	10/04/2017	Chemtech -SO
	Solid	I5678-01	Percent Solids	Cool 4 deg C	PSEG05	H52	OR-03-100417	10/04/2017	Chemtech -SO
	Solid	I5678-02	Percent Solids	Cool 4 deg C	PSEG05	H52	OR-03-100417	10/04/2017	Chemtech -SO
	Solid	I5678-03	Percent Solids	Cool 4 deg C	PSEG05	H52	OR-03-100417	10/04/2017	Chemtech -SO
	Solid	I5691-01	Percent Solids	Cool 4 deg C	THEP04	H52	ENV-115-8(0-5)	10/04/2017	Chemtech -SO
	Solid	I5691-02	Percent Solids	Cool 4 deg C	THEP04	H52	ENV-115-8(5-10)	10/04/2017	Chemtech -SO
	Solid	I5691-03	Percent Solids	Cool 4 deg C	THEP04	H52	ENV-115-8(10-15)	10/04/2017	Chemtech -SO
	Solid	I5691-04	Percent Solids	Cool 4 deg C	THEP04	H52	ENV-115-8(15-20)	10/04/2017	Chemtech -SO
	Solid	I5691-05	Percent Solids	Cool 4 deg C	THEP04	H52	ENV-117-1(0-5)	10/04/2017	Chemtech -SO

Date/Time 10/04/17-4:00 PM

Received by: JP

Relinquished by: CP

Date/Time 10/04/17-5:25 PM

Received by: CP

Relinquished by: JD

1390560

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-100417

WorkList ID : 103649

Date : 10/4/2017 7:37:40 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I5691-06	Percent Solids	Cool 4 deg C	THEP04	H52	ENV-117-1(5-10)	10/04/2017	Chemtech -SO
	Solid	I5691-07	Percent Solids	Cool 4 deg C	THEP04	H52	ENV-117-1(10-15)	10/04/2017	Chemtech -SO
	Solid	I5693-01	Percent Solids	Cool 4 deg C	WOOD09	J42	B-55(0.5-1.5)-100317	10/03/2017	Chemtech -SO
	Solid	I5693-02	Percent Solids	Cool 4 deg C	WOOD09	J42	B-55(3.5-5)-100317	10/03/2017	Chemtech -SO
	Solid	I5693-03	Percent Solids	Cool 4 deg C	WOOD09	J42	B-32(1-2)-100417	10/04/2017	Chemtech -SO
	Solid	I5693-04	Percent Solids	Cool 4 deg C	WOOD09	J42	B-32(2-4)-100417	10/04/2017	Chemtech -SO
	Solid	I5693-05	Percent Solids	Cool 4 deg C	WOOD09	J42	B-33(0.5-1.5)-100417	10/04/2017	Chemtech -SO
	Solid	I5693-06	Percent Solids	Cool 4 deg C	WOOD09	J42	B-33(3.5-4.5)-100417	10/04/2017	Chemtech -SO
	Solid	I5693-07	Percent Solids	Cool 4 deg C	WOOD09	J42	B-30(0-1)-100417	10/04/2017	Chemtech -SO
	Solid	I5693-08	Percent Solids	Cool 4 deg C	WOOD09	J42	B-30(3-3.8)-100417	10/04/2017	Chemtech -SO
	Solid	I5693-11	Percent Solids	Cool 4 deg C	WOOD09	J42	VHBLK01	10/04/2017	Chemtech -SO
	Solid	I5695-03	Percent Solids	Cool 4 deg C	WOOD09	J41	B-74(0-1)-100417	10/04/2017	Chemtech -SO
	Solid	I5695-04	Percent Solids	Cool 4 deg C	WOOD09	J41	B-74(3-4)-100417	10/04/2017	Chemtech -SO
	Solid	I5695-06	Percent Solids	Cool 4 deg C	WOOD09	J41	VHBLK02	10/04/2017	Chemtech -SO

Date/Time 10/04/17 4:00 PM

Received by: 78

Relinquished by: [Signature]

Date/Time 10/04/17-5258 PM

Received by: [Signature]

Relinquished by: 78