

## TitriSoft Report

| Ident       | Amount | DateTime                    | Alkalinity | Initial pH (sample) | offset | slope |
|-------------|--------|-----------------------------|------------|---------------------|--------|-------|
| LB90945BLW  | 100    | <del>19/10/2017</del> 15:49 | 0.00       | 3.63                | 7.1    | 103.7 |
| LB90945BSW  | 100    | 19/10/2017 15:53            | 45.12      | 8.80                | 7.1    | 103.7 |
| I5967-01    | 50     | 19/10/2017 15:58            | 177.76     | 9.92                | 7.1    | 103.7 |
| I5967-03    | 50     | 19/10/2017 16:04            | 67.12      | 8.68                | 7.1    | 103.7 |
| I5967-03DUP | 50     | 19/10/2017 16:10            | 68.32      | 8.76                | 7.1    | 103.7 |
| I5967-06    | 50     | 19/10/2017 16:15            | 298.24     | 7.03                | 7.1    | 103.7 |
| I5967-07    | 50     | 19/10/2017 16:20            | 178.72     | 8.08                | 7.1    | 103.7 |
| I5967-08    | 50     | 19/10/2017 16:26            | 262.48     | 7.18                | 7.1    | 103.7 |
| I5967-10    | 50     | 19/10/2017 16:35            | 331.52     | 6.43                | 7.1    | 103.7 |
| I5967-11    | 50     | 19/10/2017 16:44            | 298.64     | 6.34                | 7.1    | 103.7 |
| I5967-12    | 50     | 19/10/2017 16:50            | 206.80     | 6.86                | 7.1    | 103.7 |
| I5967-13    | 50     | 19/10/2017 16:55            | 204.48     | 7.20                | 7.1    | 103.7 |
| I5967-14    | 50     | 19/10/2017 17:01            | 206.32     | 7.17                | 7.1    | 103.7 |
| I5967-15    | 50     | 19/10/2017 17:06            | 185.68     | 7.48                | 7.1    | 103.7 |
| I5998-01    | 50     | 20/10/2017 08:37            | 222.00     | 8.34                | 7.1    | 103.7 |
| I5998-03    | 50     | 20/10/2017 08:43            | 166.00     | 7.64                | 7.1    | 103.7 |
| I5998-04    | 50     | 20/10/2017 08:48            | 114.64     | 7.61                | 7.1    | 103.7 |
| I5967-09    | 100    | 20/10/2017 08:53            | 0.00       | 4.35                | 7.1    | 103.7 |
| LB90945BLW2 | 100    | 20/10/2017 10:17            | 0.00       | 3.67                | 7.1    | 103.7 |
| LB90945BSW2 | 100    | <del>20/10/2017</del> 10:19 | 44.28      | 8.74                | 7.1    | 103.7 |

10/19/17 - 10/20/17 IS