



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 10/25/2017

OVENTEMP IN Celsius(°C): 109  
Time IN: 17:20  
In Date: 10/24/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:17  
Out Date: 10/25/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB91053

| Lab ID   | Client Sample ID    | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|---------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| I6089-01 | SB-01               | 1     | 1.13              | 9.76                          | 8.8                               | 88.9    |
| I6089-02 | SB-02               | 2     | 1.13              | 9.93                          | 9.41                              | 94.1    |
| I6093-01 | TEC-B6-B7-COMP-0-4  | 3     | 1.13              | 9.92                          | 8.01                              | 78.3    |
| I6093-02 | TEC-B7-27           | 4     | 1.13              | 9.75                          | 7.94                              | 79      |
| I6093-03 | TEC-B7-136          | 5     | 1.16              | 9.61                          | 8.5                               | 86.9    |
| I6093-04 | TEC-B6-B7-COMP-4-12 | 6     | 1.14              | 9.96                          | 9.02                              | 89.3    |
| I6093-05 | TEC-B8-VOC-6        | 7     | 1.19              | 9.79                          | 8.72                              | 87.6    |
| I6093-06 | TEC-B8-VOC-4        | 8     | 1.12              | 9.94                          | 8.4                               | 82.5    |
| I6093-07 | TEC-B8-B9-COMP-1-4  | 9     | 1.19              | 9.83                          | 8.93                              | 89.6    |
| I6093-08 | TEC-B8-B9-COMP-4-12 | 10    | 1.11              | 9.58                          | 8.73                              | 90      |
| I6099-01 | ERM-P-1             | 11    | 1.15              | 9.97                          | 5.42                              | 48.4    |
| I6099-02 | ERM-P-2             | 12    | 1.16              | 9.69                          | 4.85                              | 43.3    |
| I6099-03 | ERM-FS-1            | 13    | 1.13              | 9.71                          | 5.6                               | 52.1    |
| I6099-04 | ERM-FS-2            | 14    | 1.17              | 9.55                          | 3.65                              | 29.6    |
| I6099-05 | ERM-FS-2-FD         | 15    | 1.19              | 9.7                           | 3.7                               | 29.5    |
| I6109-01 | S13-SP1-C           | 16    | 1.19              | 9.69                          | 9.08                              | 92.8    |
| I6109-02 | S13-SP1-G           | 17    | 1.15              | 9.83                          | 8.47                              | 84.3    |
| I6112-01 | 1-MARION26KV- (2-3) | 18    | 1.14              | 9.7                           | 8.63                              | 87.5    |
| I6112-02 | 1-MARION26KV- (3)   | 19    | 1.19              | 9.74                          | 8.74                              | 88.3    |
| I6112-03 | 1-MARION26KV- (3)   | 20    | 1.19              | 9.74                          | 8.74                              | 88.3    |
| I6112-04 | 1-MARION26KV- (2-3) | 21    | 1.14              | 9.7                           | 8.63                              | 87.5    |
| I6112-05 | 2-MARION26KV- (2-3) | 22    | 1.13              | 9.96                          | 9.75                              | 97.6    |
| I6112-06 | 2-MARION26KV- (3)   | 23    | 1.17              | 9.93                          | 9.72                              | 97.6    |
| I6112-07 | 2-MARION26KV- (3)   | 24    | 1.17              | 9.93                          | 9.72                              | 97.6    |
| I6112-08 | 2-MARION26KV- (2-3) | 25    | 1.13              | 9.96                          | 9.75                              | 97.6    |
| I6112-09 | 3-MARION26KV- (2-3) | 26    | 1.15              | 9.55                          | 8.12                              | 83      |
| I6112-10 | 3-MARION26KV- (3)   | 27    | 1.18              | 9.67                          | 8.58                              | 87.2    |
| I6112-11 | 3-MARION26KV- (3)   | 28    | 1.18              | 9.67                          | 8.58                              | 87.2    |
| I6112-12 | 3-MARION26KV- (2-3) | 29    | 1.15              | 9.55                          | 8.12                              | 83      |
| I6112-13 | 4-MARION26KV- (2-3) | 30    | 1.13              | 9.69                          | 8.47                              | 85.7    |
| I6112-14 | 4-MARION26KV- (3)   | 31    | 1.19              | 9.89                          | 8.73                              | 86.7    |
| I6112-15 | 4-MARION26KV- (3)   | 32    | 1.19              | 9.89                          | 8.73                              | 86.7    |
| I6112-16 | 4-MARION26KV- (2-3) | 33    | 1.13              | 9.69                          | 8.47                              | 85.7    |
| I6112-17 | 5-MARION26KV- (2-3) | 34    | 1.16              | 9.6                           | 8.86                              | 91.2    |
| I6112-18 | 5-MARION26KV- (3)   | 35    | 1.17              | 9.85                          | 8.98                              | 90      |
| I6112-19 | 5-MARION26KV- (3)   | 36    | 1.17              | 9.85                          | 8.98                              | 90      |
| I6112-20 | 5-MARION26KV- (2-3) | 37    | 1.16              | 9.6                           | 8.86                              | 91.2    |
| I6112-21 | 6-MARION26KV- (2-3) | 38    | 1.13              | 9.93                          | 8.79                              | 87      |
| I6112-22 | 6-MARION26KV- (3)   | 39    | 1.11              | 9.64                          | 8.68                              | 88.7    |



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 10/25/2017

OVENTEMP IN Celsius(°C): 109  
Time IN: 17:20  
In Date: 10/24/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:17  
Out Date: 10/25/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB91053

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|----------------------------------------------------|--------------------------------------------------------|----------------|
| I6112-23      | 6-MARION26KV- (3)       | 40           | 1.11                            | 9.64                                               | 8.68                                                   | 88.7           |
| I6112-24      | 6-MARION26KV- (2-3)     | 41           | 1.13                            | 9.93                                               | 8.79                                                   | 87             |
| I6113-01      | SU-01-102417            | 42           | 1.19                            | 9.9                                                | 9.31                                                   | 93.2           |
| I6113-02      | SU-01-102417            | 43           | 1.19                            | 9.9                                                | 9.31                                                   | 93.2           |
| I6117-01      | JC-01-102417            | 44           | 1.12                            | 9.78                                               | 8.79                                                   | 88.6           |
| I6117-02      | JC-01-102417            | 45           | 1.12                            | 9.78                                               | 8.79                                                   | 88.6           |
| I6123-01      | A302357                 | 46           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| I6123-02      | B302363                 | 47           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

1391053

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-102417

WorkList ID : 104559

Date : 10/24/2017 8:23:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample     | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|---------------------|--------------|--------------|
| 10/26/2017 | Solid  | I6089-01 | Percent Solids | Cool 4 deg C | ATCE02   | --Select--       | SB-01               | 10/23/2017   | Chemtech -SO |
| 10/26/2017 | Solid  | I6089-02 | Percent Solids | Cool 4 deg C | ATCE02   | --Select--       | SB-02               | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-01 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B6-B7-COMP-0-4  | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-02 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B7-27           | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-03 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B7-136          | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-04 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B6-B7-COMP-4-12 | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-05 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B8-VOC-6        | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-06 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B8-VOC-4        | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-07 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B8-B9-COMP-1-4  | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6093-08 | Percent Solids | Cool 4 deg C | TECT01   | D22              | TEC-B8-B9-COMP-4-12 | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6099-01 | Percent Solids | Cool 4 deg C | ECOL03   | D61              | ERM-P-1             | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6099-02 | Percent Solids | Cool 4 deg C | ECOL03   | D61              | ERM-P-2             | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6099-03 | Percent Solids | Cool 4 deg C | ECOL03   | D61              | ERM-FS-1            | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6099-04 | Percent Solids | Cool 4 deg C | ECOL03   | D61              | ERM-FS-2            | 10/23/2017   | Chemtech -SO |
| 11/02/2017 | Solid  | I6099-05 | Percent Solids | Cool 4 deg C | ECOL03   | D61              | ERM-FS-2-FD         | 10/23/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6109-01 | Percent Solids | Cool 4 deg C | SKAN06   | D52              | S13-SP1-C           | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6109-02 | Percent Solids | Cool 4 deg C | SKAN06   | D52              | S13-SP1-G           | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-01 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 1-MARION26KV-(2-3)  | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-02 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 1-MARION26KV-(3)    | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-03 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 1-MARION26KV-(3)    | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-04 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 1-MARION26KV-(2-3)  | 10/24/2017   | Chemtech -SO |

Date/Time 10-24-17 5:30pm  
 Received by: JH  
 Relinquished by: JP

1891053

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-102417

WorkList ID : 104559

Date : 10/24/2017 8:23:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|--------------------|--------------|--------------|
| 10/27/2017 | Solid  | I6112-05 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 2-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-06 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 2-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-07 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 2-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-08 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 2-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-09 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 3-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-10 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 3-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-11 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 3-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-12 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 3-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-13 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 4-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-14 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 4-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-15 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 4-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-16 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 4-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-17 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 5-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-18 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 5-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-19 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 5-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-20 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 5-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-21 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 6-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-22 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 6-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-23 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 6-MARION26KV-(3)   | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6112-24 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | 6-MARION26KV-(2-3) | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6113-01 | Percent Solids | Cool 4 deg C | PSEG05   | D52              | SU-01-102417       | 10/24/2017   | Chemtech -SO |

Date/Time 10-24-17 11:00 PM Date/Time 10-24-17 5:30 PM  
 Received by: JP Received by: JP  
 Relinquished by: JP Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-102417

WorkList ID : 104559

Date : 10/24/2017 8:23:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 10/27/2017 | Solid  | I6113-02 | Percent Solids | Cool 4 deg C | PSEG05   | D52              | SU-01-102417    | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6117-01 | Percent Solids | Cool 4 deg C | PSEG05   | D52              | JC-01-102417    | 10/24/2017   | Chemtech -SO |
| 10/27/2017 | Solid  | I6117-02 | Percent Solids | Cool 4 deg C | PSEG05   | D52              | JC-01-102417    | 10/24/2017   | Chemtech -SO |
| 10/24/2017 | Solid  | I6123-01 | Percent Solids | Cool 4 deg C | CLEA07   | E11              | A302357         | 10/24/2017   | Chemtech -SO |
| 10/24/2017 | Solid  | I6123-02 | Percent Solids | Cool 4 deg C | CLEA07   | E11              | B302363         | 10/24/2017   | Chemtech -SO |

Date/Time 10/24/17 4:00 PM

Received by: JP

Relinquished by: JP

Date/Time 10/24/17 5:30 PM

Received by: JP

Relinquished by: JP