



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB91277

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I6249-01	COMP-1	1	100.03	0.00	11/01/2017	10:30
2	I6249-01DUP	COMP-1DUP	1	100.02	0.00	11/01/2017	10:45
3	I6249-03	COMP-2	1	100.04	0.00	11/01/2017	10:55
4	I6252-01	HR-05-103117	1	100.04	0.00	11/01/2017	11:05
5	I6253-01	SA-01-103117	1	100.02	0.00	11/01/2017	11:15
6	I6254-01	DRUM-1-2	1	100.02	0.00	11/01/2017	11:25

WORKLIST(Hardcopy Internal Chain)

LB 91277

WorkList Name : PF11117

WorkList ID : 104974

Date : 11/1/2017 8:42:28 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/31/2017	Solid	I6249-01	Paint Filter	Cool 4 deg C	PSEG01	D52	COMP-1	10/31/2017	9095A
10/31/2017	Solid	I6249-03	Paint Filter	Cool 4 deg C	PSEG01	D52	COMP-2	10/31/2017	9095A
10/31/2017	Solid	I6252-01	Paint Filter	Cool 4 deg C	PSEG05	D52	HR-05-103117	10/31/2017	9095A
10/31/2017	Solid	I6253-01	Paint Filter	Cool 4 deg C	PSEG05	D52	SA-01-103117	10/31/2017	9095A
10/31/2017	Solid	I6254-01	Paint Filter	Cool 4 deg C	PSEG01	D52	DRUM-1-2	10/31/2017	9095A

Date/Time 11/1/17 9:00 AM
 Received by: KS
 Relinquished by: CP

Date/Time 11/1/17 11:30 AM
 Received by: CP
 Relinquished by: KS