



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB91328

BalanceID: WC SC-4

Reagent/Standard	Lot/Log #
COD ICV-LCS std, 50ppm	WP59085
COD calibration std. 100 ppm	WP59082
COD calibration std. 10 ppm	WP59081
COD calibration std. 150 ppm	WP59083
COD calibration std. 50 ppm	WP59084
COD calibration std. 0 ppm	WP59087
COD ICV-LCS std, 50ppm	WP59370
COD CCV std, 50ppm	WP59371
COD Digestion Vials Low Level 0-150Mg/L	W2268

Temp In (C): <u>150</u>	Date In: <u>11/03/2017</u>	Time In: <u>09:40</u>
Temp Out (C): <u>150</u>	Date Out: <u>11/03/2017</u>	Time Out: <u>11:45</u>

Intercept: 0.3627

Slope: 1.0071

Regression: 0.9999

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	10/26/2017	11:10
2	CAL2	10	1	Water	11.000	10/26/2017	11:10
3	CAL3	50	1	Water	50.000	10/26/2017	11:11
4	CAL4	100	1	Water	102.000	10/26/2017	11:11
5	CAL5	150	1	Water	151.000	10/26/2017	11:12



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB91328

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50			1	Water	50.000	49.287	10/26/2017	11:12
2	ICB				1	Water	0.000	-0.360	10/26/2017	11:13
3	CCV1	50			1	Water	51.000	50.280	11/03/2017	12:40
4	CCB1				1	Water	0.000	-0.360	11/03/2017	12:40
5	LB91328BL		5.00	100	1	Solid	0.000	-0.360	11/03/2017	12:41
6	LB91328BS	50	5.02	100	1	Solid	49.000	48.294	11/03/2017	12:41
7	I6157-01		5.05	100	1	Solid	50.000	49.287	11/03/2017	12:42
8	I6157-02		5.10	100	1	Solid	60.000	59.217	11/03/2017	12:42
9	I6157-03		5.05	100	1	Solid	80.000	79.076	11/03/2017	12:43
10	I6157-04		5.10	100	1	Solid	52.000	51.273	11/03/2017	12:43
11	I6157-04DUP		5.09	100	1	Solid	50.000	49.287	11/03/2017	12:44
12	I6157-04MS	50	5.11	100	1	Solid	103.000	101.914	11/03/2017	12:44
13	I6157-04MSD	50	5.10	100	1	Solid	104.000	102.907	11/03/2017	12:45
14	I6157-05		4.99	100	1	Solid	60.000	59.217	11/03/2017	12:45
15	CCV2	50			1	Water	51.000	50.280	11/03/2017	12:46
16	CCB2				1	Water	0.000	-0.360	11/03/2017	12:46
17	I6157-06		5.13	100	1	Solid	70.000	69.146	11/03/2017	12:47
18	CCV3	50			1	Water	51.000	50.280	11/03/2017	12:47
19	CCB3				1	Water	0.000	-0.360	11/03/2017	12:48

2891328

WORKLIST(Hardcopy Internal Chain)

WorkList Name : COD110217

WorkList ID : 105048

Date : 11/2/2017 10:17:59 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/09/2017	Solid	I6157-01	COD	Cool 4 deg C	CHAZ02	F11	RLF-SD-1	10/25/2017	SM5220 D
11/09/2017	Solid	I6157-02	COD	Cool 4 deg C	CHAZ02	F11	RLF-SD-3	10/25/2017	SM5220 D
11/09/2017	Solid	I6157-03	COD	Cool 4 deg C	CHAZ02	F11	RLF-SD-4	10/25/2017	SM5220 D
11/09/2017	Solid	I6157-04	COD	Cool 4 deg C	CHAZ02	F11	RLF-SD-5	10/25/2017	SM5220 D
11/09/2017	Solid	I6157-05	COD	Cool 4 deg C	CHAZ02	F11	RLF-SD-6	10/25/2017	SM5220 D
11/09/2017	Solid	I6157-06	COD	Cool 4 deg C	CHAZ02	F11	RLF-FD-02	10/25/2017	SM5220 D

Date/Time

Received by:

Relinquished by:

11/3/17 9:00

IB

IB

Date/Time

Received by:

Relinquished by:

11/3/17 10:00

IB

IB