



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB91360

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I6289-01	SU-03-110217	1	100.03	0.00	11/03/2017	10:15
2	I6289-01DUP	SU-03-110217DUP	1	100.02	0.00	11/03/2017	10:25
3	I6299-01	OK-02-110217	1	100.04	0.00	11/03/2017	10:40

LB 9/360

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF11317

WorkList ID : 105086

Date : 11/3/2017 8:58:13 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/02/2017	Solid	I6289-01 <i>A</i>	Paint Filter	Cool 4 deg C	PSEG05	H52	SU-03-110217	11/02/2017	9095A
11/02/2017	Solid	I6299-01 <i>A</i>	Paint Filter	Cool 4 deg C	PSEG05	H52	OK-02-110217	11/02/2017	9095A

Date/Time 11/3/17 9:00 AM
Received by: KS
Relinquished by: CF

Date/Time 11/3/17 10:45 AM
Received by: CF
Relinquished by: KS