



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB91400

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I6305-01	PL-01-110317	1	100.03	0.00	11/06/2017	11:25
2	I6305-01DUP	PL-01-110317DUP	1	100.02	0.00	11/06/2017	11:35
3	I6334-01	278	1	100.04	0.00	11/06/2017	11:46
4	I6337-01	WOODLAKE-COMP-5:1	1	100.02	0.00	11/06/2017	11:58

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF11617

WorkList ID : 105165

Date : 11/6/2017 9:38:41 AM

LB91400.

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/03/2017	Solid	I6305-01 ✓	Paint Filter	Cool 4 deg C	PSEG05	H52	PL-01-110317	11/03/2017	9095A
11/03/2017	Solid	I6334-01 B	Paint Filter	Cool 4 deg C	PSEG01	H52	278	11/03/2017	9095A
11/03/2017	Solid	I6337-01 ✓	Paint Filter	Cool 4 deg C	PSEG01	H52	WOODLAKE-COMP-5:1	11/03/2017	9095A

Date/Time 11/6/17 9:45 AM

Received by: CP

Relinquished by: KS

Date/Time 11/6/17 12:05 PM

Received by: CP

Relinquished by: KS