



PERCENT SOLID

Analyst Name: JIGNESH
Date: 11/14/2017

OVENTEMP IN Celsius(°C): 108
Time IN: 17:15
In Date: 11/13/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 11/14/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M SC-1

QC: LB91555

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
I6445-01	84-COMPOSITE (1-2)	1	1.13	9.96	4.82	41.8
I6445-02	84-3	2	1.17	9.91	4.77	41.2
I6445-03	84-COMPOSITE (1-2) DUP	3	1.16	9.94	4.96	43.3
I6445-04	82-COMPOSITE (1-2)	4	1.15	9.56	4.55	40.4
I6445-05	I6445-04MS	5	1.15	9.56	4.55	40.4
I6445-06	I6445-04MSD	6	1.15	9.56	4.55	40.4
I6445-07	80S-COMPOSITE (1-2)	7	1.19	9.73	4.38	37.4
I6445-08	80N-COMP (1-2)	8	1.13	9.52	4.34	38.3
I6445-09	PAMT-COMP- (1-2)	9	1.11	9.97	5.52	49.8
I6445-10	PAMT-3	10	1.14	9.65	4.68	41.6
I6445-11	122-COMP (1-2)	11	1.13	9.82	4.96	44.1
I6445-12	122-COMP (3-4)	12	1.13	9.58	4.65	41.7
I6445-13	122-5	13	1.17	9.75	5.62	51.9
I6445-14	TBLT-COMP- (1-2)	14	1.17	9.88	5.03	44.3
I6454-01	N-NARANJITO-S001-0001-01	15	1.19	9.85	8.14	80.3
I6454-02	I6454-01MS	16	1.19	9.85	8.14	80.3
I6454-03	I6454-01MSD	17	1.19	9.85	8.14	80.3
I6454-04	N-NARANJITO-S001-0001-02	18	1.12	9.8	8.1	80.4
I6454-05	N-GURABO-S001-0001-01	19	1.18	9.56	7.08	70.4
I6454-06	N-GURABO-S001-0001-02	20	1.18	9.97	7.29	69.5
I6456-05	SVOC-GPC-BLANK	21	1.00	2.00	2.00	100
I6456-06	PEST-GPC-BLANK	22	1.00	2.00	2.00	100
I6456-07	PEST-GPC-BLANK-SPIKE	23	1.00	2.00	2.00	100
I6456-08	PCB-GPC-BLANK	24	1.00	2.00	2.00	100
I6456-09	PCB-GPC-SPIKE	25	1.00	2.00	2.00	100
I6456-10	SVOC-GPC2-BLANK	26	1.00	2.00	2.00	100
I6456-11	PEST-GPC2-BLANK	27	1.00	2.00	2.00	100
I6456-12	PEST-GPC2-BLANK-SPIKE	28	1.00	2.00	2.00	100
I6456-13	PCB-GPC2-BLANK	29	1.00	2.00	2.00	100
I6456-14	PCB-GPC2-BLANKSPIKE	30	1.00	2.00	2.00	100
I6460-01	G-28-2-0-1.5	33	1.17	9.53	8.68	89.8
I6460-02	G-28-2-1.5-3	34	1.11	9.61	8.29	84.5
I6460-03	G-31-2-0-1.5	35	1.15	9.82	9.22	93.1
I6460-04	G-31-2-1.5-3	36	1.11	9.96	8.87	87.7
I6462-01	FK-EF-01-004-ABCD	31	1.16	9.7	8.99	91.7
I6462-02	FK-EF-01-004-ABCD	32	1.13	9.92	9.2	91.8
I6466-01	CHAP-5-E (0-1)	37	1.12	9.53	8.5	87.8
I6466-02	CHAP-5-E (4-5)	38	1.14	9.98	9.18	91
I6466-03	CHAP-5-E (7-8)	39	1.16	9.77	8.63	86.8



PERCENT SOLID

Analyst Name: JIGNESH
Date: 11/14/2017

OVENTEMP IN Celsius(°C): 108
Time IN: 17:15
In Date: 11/13/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 11/14/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M SC-1

QC: LB91555

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Dish#</u>	<u>Dish Wt(g)</u> <u>(A)</u>	<u>Dish +</u> <u>Sample Wt(g)</u> <u>(B)</u>	<u>Dish + Dry</u> <u>Sample Wt(g)</u> <u>(C)</u>	<u>% Solid</u>
I6466-04	CHAP-4-E (0-1)	40	1.13	9.77	9.02	91.3
I6466-05	CHAP-4-E (3-4)	41	1.2	9.97	8.99	88.8
I6466-06	CHAP-4-E (7-8)	42	1.16	9.66	8.74	89.2
I6466-07	CHAP-2-E (0-1)	43	1.19	9.82	8.74	87.5
I6466-08	CHAP-2-E (4-5)	44	1.18	9.95	8.84	87.3
I6466-09	CHAP-2-E (6-7)	45	1.11	9.51	8.31	85.7
I6468-01	H-1	46	1.14	9.97	8.71	85.7
I6468-02	H-2	47	1.13	9.62	8.57	87.6
I6468-03	H-3	48	1.11	9.7	8.34	84.2
I6468-04	H-4	49	1.14	9.75	8.7	87.8

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

LB91555

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-111317

WorkList ID : 105406

Date : 11/13/2017 7:44:18 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/17/2017	Solid	I6445-01	Percent Solids	Cool 4 deg C	ADVA06	J11	84-COMPOSITE(1-2)	11/07/2017	Chemtech -SO
11/17/2017	Solid	I6445-02	Percent Solids	Cool 4 deg C	ADVA06	J11	84-3	11/07/2017	Chemtech -SO
11/17/2017	Solid	I6445-03	Percent Solids	Cool 4 deg C	ADVA06	J11	84-COMPOSITE(1-2)DUP	11/07/2017	Chemtech -SO
11/17/2017	Solid	I6445-04	Percent Solids	Cool 4 deg C	ADVA06	J11	82-COMPOSITE(1-2)	11/07/2017	Chemtech -SO
11/17/2017	Solid	I6445-05	Percent Solids	Cool 4 deg C	ADVA06	J11	I6445-04MS	11/07/2017	Chemtech -SO
11/17/2017	Solid	I6445-06	Percent Solids	Cool 4 deg C	ADVA06	J11	I6445-04MSD	11/07/2017	Chemtech -SO
11/17/2017	Solid	I6445-07	Percent Solids	Cool 4 deg C	ADVA06	J11	80S-COMPOSITE(1-2)	11/07/2017	Chemtech -SO
11/17/2017	Solid	I6445-08	Percent Solids	Cool 4 deg C	ADVA06	J11	80N-COMP(1-2)	11/08/2017	Chemtech -SO
11/17/2017	Solid	I6445-09	Percent Solids	Cool 4 deg C	ADVA06	J11	PAMT-COMP-(1-2)	11/08/2017	Chemtech -SO
11/17/2017	Solid	I6445-10	Percent Solids	Cool 4 deg C	ADVA06	J11	PAMT-3	11/08/2017	Chemtech -SO
11/17/2017	Solid	I6445-11	Percent Solids	Cool 4 deg C	ADVA06	J11	122-COMP(1-2)	11/08/2017	Chemtech -SO
11/17/2017	Solid	I6445-12	Percent Solids	Cool 4 deg C	ADVA06	J11	122-COMP(3-4)	11/08/2017	Chemtech -SO
11/17/2017	Solid	I6445-13	Percent Solids	Cool 4 deg C	ADVA06	J11	122-5	11/08/2017	Chemtech -SO
11/17/2017	Solid	I6445-14	Percent Solids	Cool 4 deg C	ADVA06	J11	TBLT-COMP-(1-2)	11/09/2017	Chemtech -SO
11/18/2017	Solid	I6454-01	Percent Solids	Cool 4 deg C	ROYF02	B12	N-NARANJITO-S001-0001-01	11/09/2017	Chemtech -SO
11/18/2017	Solid	I6454-02	Percent Solids	Cool 4 deg C	ROYF02	B12	I6454-01MS	11/09/2017	Chemtech -SO
11/18/2017	Solid	I6454-03	Percent Solids	Cool 4 deg C	ROYF02	B12	I6454-01MSD	11/09/2017	Chemtech -SO
11/18/2017	Solid	I6454-04	Percent Solids	Cool 4 deg C	ROYF02	B12	N-NARANJITO-S001-0001-02	11/09/2017	Chemtech -SO
11/18/2017	Solid	I6454-05	Percent Solids	Cool 4 deg C	ROYF02	B12	N-GURABO-S001-0001-01	11/09/2017	Chemtech -SO
11/18/2017	Solid	I6454-06	Percent Solids	Cool 4 deg C	ROYF02	B12	N-GURABO-S001-0001-02	11/09/2017	Chemtech -SO
11/16/2017	Solid	I6456-05	Percent Solids	Cool 4 deg C	CHEM02	A11	SVOC-GPC-BLANK	11/06/2017	Chemtech -SO

Date/Time

11-13-17 11:00 AM

Received by:

Jm

Relinquished by:

CR

Date/Time

11-13-17

5:20 PM

Received by:

Relinquished by:

Jm

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-111317

WorkList ID : 105406

Date : 11/13/2017 7:44:18 AM

LB 91555

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/16/2017	Solid	I6456-06	Percent Solids	Cool 4 deg C	CHEM02	A11	PEST-GPC-BLANK	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-07	Percent Solids	Cool 4 deg C	CHEM02	A11	PEST-GPC-BLANK-SPIKE	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-08	Percent Solids	Cool 4 deg C	CHEM02	A11	PCB-GPC-BLANK	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-09	Percent Solids	Cool 4 deg C	CHEM02	A11	PCB-GPC-SPIKE	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-10	Percent Solids	Cool 4 deg C	CHEM02	A11	SVOC-GPC2-BLANK	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-11	Percent Solids	Cool 4 deg C	CHEM02	A11	PEST-GPC2-BLANK	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-12	Percent Solids	Cool 4 deg C	CHEM02	A11	PEST-GPC2-BLANK-SPIKE	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-13	Percent Solids	Cool 4 deg C	CHEM02	A11	PCB-GPC2-BLANK	11/06/2017	Chemtech -SO
11/16/2017	Solid	I6456-14	Percent Solids	Cool 4 deg C	CHEM02	A11	PCB-GPC2-BLANK-SPIKE	11/06/2017	Chemtech -SO
11/23/2017	Solid	I6460-01	Percent Solids	Cool 4 deg C	TECT01	J11	G-28-2-0-1.5	11/13/2017	Chemtech -SO
11/23/2017	Solid	I6460-02	Percent Solids	Cool 4 deg C	TECT01	J11	G-28-2-1.5-3	11/13/2017	Chemtech -SO
11/23/2017	Solid	I6460-03	Percent Solids	Cool 4 deg C	TECT01	J11	G-31-2-0-1.5	11/13/2017	Chemtech -SO
11/23/2017	Solid	I6460-04	Percent Solids	Cool 4 deg C	TECT01	J11	G-31-2-1.5-3	11/13/2017	Chemtech -SO
11/19/2017	Solid	I6462-01	Percent Solids	Cool 4 deg C	TULL02	J52	FK-EF-01-004-ABCD	11/13/2017	Chemtech -SO
11/19/2017	Solid	I6462-02	Percent Solids	Cool 4 deg C	TULL02	J52	FK-EF-01-004-ABCD	11/13/2017	Chemtech -SO
11/20/2017	Solid	I6466-01	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-5-E(0-1)	11/10/2017	Chemtech -SO
11/20/2017	Solid	I6466-02	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-5-E(4-5)	11/10/2017	Chemtech -SO
11/20/2017	Solid	I6466-03	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-5-E(7-8)	11/10/2017	Chemtech -SO
11/20/2017	Solid	I6466-04	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-4-E(0-1)	11/10/2017	Chemtech -SO
11/20/2017	Solid	I6466-05	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-4-E(3-4)	11/10/2017	Chemtech -SO
11/20/2017	Solid	I6466-06	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-4-E(7-8)	11/10/2017	Chemtech -SO

Date/Time 11-13-17 11:00 AM Date/Time 11-13-17 5:20 PM
 Received by: JD Received by: CD
 Relinquished by: CD Relinquished by: JD

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-111317

WorkList ID : 105406

Date : 11/13/2017 7:44:18 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/20/2017	Solid	I6466-07	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-2-E(0-1)	11/10/2017	Chemtech -SO
11/20/2017	Solid	I6466-08	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-2-E(4-5)	11/10/2017	Chemtech -SO
11/20/2017	Solid	I6466-09	Percent Solids	Cool 4 deg C	WOOD06	J43	CHAP-2-E(6-7)	11/10/2017	Chemtech -SO
11/19/2017	Solid	I6468-01	Percent Solids	Cool 4 deg C	RMJE02	J41	H-1	11/13/2017	Chemtech -SO
11/19/2017	Solid	I6468-02	Percent Solids	Cool 4 deg C	RMJE02	J41	H-2	11/13/2017	Chemtech -SO
11/19/2017	Solid	I6468-03	Percent Solids	Cool 4 deg C	RMJE02	J41	H-3	11/13/2017	Chemtech -SO
11/19/2017	Solid	I6468-04	Percent Solids	Cool 4 deg C	RMJE02	J41	H-4	11/13/2017	Chemtech -SO

Date/Time

Received by:

Relinquished by:

11-13-17 4:00 PM

JP

CP

Date/Time

Received by:

Relinquished by:

11-13-17 5:20 PM

CP

JP