

Analysis Method: 9034

ANALYST: HIRAL

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: apatel

Run Number: LB91635

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2252
IODINE SOLUTION .025N 1L	W2261
Starch Solution, 4L	W2121

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB104314BL		1	5.00	50	2.00	0.00	1.78	1.78	0.22	0.00	0.00	11/16/2017	11:40
2	I6309-02		1	5.04	50	2.00	1.78	3.46	1.68	0.32	0.10	7.94	11/16/2017	11:42
3	I6309-02DUP		1	5.03	50	2.00	3.46	5.12	1.66	0.34	0.12	9.54	11/16/2017	11:45

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume