

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	slope	offset
LB91743BLW	100	22/11/2017 12:18	0.00	3.70	104.7	7.03
LB91743BSW	100	22/11/2017 12:20	58.40	8.66	104.7	7.03
I6576-01	50	22/11/2017 12:25	78.96	7.09	104.7	7.03
I6576-02	50	22/11/2017 12:30	67.84	5.52	104.7	7.03
I6576-03	50	22/11/2017 12:33	124.56	6.34	104.7	7.03
I6576-04	50	22/11/2017 12:37	104.16	6.12	104.7	7.03
I6576-05	50	22/11/2017 12:42	0.00	4.14	104.7	7.03
I6576-06	50	22/11/2017 12:44	191.68	6.79	104.7	7.03
I6576-07	50	22/11/2017 12:49	190.08	6.83	104.7	7.03
I6576-08	50	22/11/2017 12:54	120.96	7.15	104.7	7.03
I6576-09	50	22/11/2017 12:59	18.96	5.39	104.7	7.03
I6576-10	50	22/11/2017 13:02	156.32	6.89	104.7	7.03
I6576-11	50	22/11/2017 13:07	77.12	6.69	104.7	7.03
I6576-12	50	22/11/2017 13:11	78.72	6.63	104.7	7.03
I6576-13	50	22/11/2017 13:15	77.04	6.68	104.7	7.03
I6576-14	50	22/11/2017 13:30	78.16	6.71	104.7	7.03
I6576-14DUP	50	22/11/2017 13:34	77.12	6.51	104.7	7.03
I6576-05	100	22/11/2017 13:38	0.00	3.95	104.7	7.03
I6576-09	100	22/11/2017 13:40	18.08	5.12	104.7	7.03

11/22/2017 IB