

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	offset	slope
LB91776BLW	100	27/11/2017 11:10	0.00	3.80	7.11	104.8
LB91776BSW	100	27/11/2017 11:12	55.12	8.60	7.11	104.8
I6575-01	50	27/11/2017 11:18	151.44	6.49	7.11	104.8
I6575-02	50	27/11/2017 11:22	76.96	5.82	7.11	104.8
I6575-03	50	27/11/2017 11:26	150.24	6.71	7.11	104.8
I6575-04	50	27/11/2017 11:31	150.48	6.79	7.11	104.8
I6575-05	50	27/11/2017 11:36	126.72	6.80	7.11	104.8
I6575-06	100	27/11/2017 11:41	0.00	4.23	7.11	104.8
I6575-07	50	27/11/2017 11:44	125.76	6.69	7.11	104.8
I6575-08	50	27/11/2017 11:48	130.56	6.77	7.11	104.8
I6575-09	50	27/11/2017 11:53	249.36	6.57	7.11	104.8
I6575-10	50	27/11/2017 11:57	182.16	6.93	7.11	104.8
I6575-10DUP	50	27/11/2017 12:12	180.32	6.72	7.11	104.8

11/27/17 IB