

Analysis Method: 9034

ANALYST: Sweta

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: apatel

Run Number: LB91962

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2252
IODINE SOLUTION .025N 1L	W2261
Starch Solution, 4L	W2121

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (mL)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB104740BL		1	50	50	2.00	0.00	1.54	1.54	0.46	0.00	0.00	12/05/2017	15:49
2	I6726-02		1	50	50	2.00	0.00	1.12	1.12	0.88	0.42	3.36	12/05/2017	15:55
3	I6726-02DUP		1	50	50	2.00	1.12	2.26	1.14	0.86	0.40	3.20	12/05/2017	16:03

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 \* Normality1) - ((T1 - Value Corrected With Blank) \* Normality2)) \* Constant / Initial Volume