

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB92082

ANALYST: HIRAL

SUPERVISOR REVIEW BY: apatel

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2252
IODINE SOLUTION .025N 1L	W2261
Starch Solution, 4L	W2121

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB104895BL		1	50	50	2.00	0.00	1.62	1.62	0.38	0.00	0.00	12/11/2017	12:14
2	I6813-04		1	50	50	2.00	0.00	1.52	1.52	0.48	0.10	0.80	12/11/2017	12:19
3	I6813-04DUP		1	50	50	2.00	1.52	3.06	1.54	0.46	0.08	0.64	12/11/2017	12:25

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume