



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB92168

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I6678-01	JC-01-121317	1	100.02	0.00	12/14/2017	10:32
2	I6678-01DUP	JC-01-121317DUP	1	100.04	0.00	12/14/2017	10:42
3	I6679-03	HR-05-121317-A	1	100.03	0.00	12/14/2017	10:50
4	I6679-05	HR-05-121317-B	1	100.05	0.00	12/14/2017	10:58
5	I6679-07	HR-05-121317-C	1	100.03	0.00	12/14/2017	11:10
6	I6889-02	GIS-1 (0-3)	1	100.05	0.00	12/14/2017	11:20
7	I6889-04	T-1 (0-3)	1	100.04	0.00	12/14/2017	11:28

LB 92168

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF121417

WorkList ID : 106534

Date : 12/14/2017 8:29:57 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/13/2017	Solid	I6678-01	Paint Filter	Cool 4 deg C	PSEG05	D52	JC-01-121317	12/13/2017	9095A
12/13/2017	Solid	I6679-03	Paint Filter	Cool 4 deg C	PSEG05	D52	HR-05-121317-A	12/13/2017	9095A
12/13/2017	Solid	I6679-05	Paint Filter	Cool 4 deg C	PSEG05	D52	HR-05-121317-B	12/13/2017	9095A
12/13/2017	Solid	I6679-07	Paint Filter	Cool 4 deg C	PSEG05	D52	HR-05-121317-C	12/13/2017	9095A
12/13/2017	Solid	I6889-02	Paint Filter	Cool 4 deg C	PSEG01	D52	GIS-1(0-3)	12/13/2017	9095A
12/13/2017	Solid	I6889-04	Paint Filter	Cool 4 deg C	PSEG01	D52	T-1(0-3)	12/13/2017	9095A

Date/Time

Received by:

Relinquished by:

Date/Time

Received by:

Relinquished by: