



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB92310

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I6683-07	EO-02-122017-A	1	100.02	0.00	12/21/2017	11:25
2	I6683-07DUP	EO-02-122017-ADUP	1	100.03	0.00	12/21/2017	11:36
3	I6683-09	EO-02-122017-B	1	100.05	0.00	12/21/2017	11:45
4	I6683-11	EO-02-122017-C	1	100.04	0.00	12/21/2017	11:55

WORKLIST(Hardcopy Internal Chain)

LB 92310

WorkList Name : PF122117

WorkList ID : 106819

Date : 12/21/2017 8:16:10 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/20/2017	Solid	I6683-07	Paint Filter	Cool 4 deg C	PSEG05	F52	EO-02-122017-A	12/20/2017	9095A
12/20/2017	Solid	I6683-09	Paint Filter	Cool 4 deg C	PSEG05	F52	EO-02-122017-B	12/20/2017	9095A
12/20/2017	Solid	I6683-11	Paint Filter	Cool 4 deg C	PSEG05	F52	EO-02-122017-C	12/20/2017	9095A

Date/Time 12/21/17 8:30 AM

Received by: KS

Relinquished by: CP

Date/Time 12/21/17 12:08 PM

Received by: CP

Relinquished by: KS