



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: HIRAL

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB92343

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I6677-09	OR-02-122117-A	1	100.02	0.00	12/22/2017	10:02
2	I6677-09DUP	OR-02-122117-ADUP	1	100.04	0.00	12/22/2017	10:15
3	I6677-11	OR-02-122117-B	1	100.05	0.00	12/22/2017	10:25
4	I7022-01	352	1	100.06	0.00	12/22/2017	10:36
5	I7022-03	72-11938	1	100.02	0.00	12/22/2017	10:45
6	I7022-06	160	1	100.04	0.00	12/22/2017	10:55
7	I7037-01	VNJ-221-OILY-STONES	1	100.01	0.00	12/22/2017	11:05

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF122217

WorkList ID : 106879

Date : 12/22/2017 8:17:53 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/21/2017	Solid	I6677-09	B	Paint Filter	Cool 4 deg C	PSEG05	OR-02-122117-A	12/21/2017	9095A
12/21/2017	Solid	I6677-11	B	Paint Filter	Cool 4 deg C	PSEG05	OR-02-122117-B	12/21/2017	9095A
12/21/2017	Solid	I7022-01	A	Paint Filter	Cool 4 deg C	PSEG01	352	12/21/2017	9095A
12/21/2017	Solid	I7022-03	A	Paint Filter	Cool 4 deg C	PSEG01	72-11938	12/21/2017	9095A
12/21/2017	Solid	I7022-06	B	Paint Filter	Cool 4 deg C	PSEG01	160	12/21/2017	9095A
12/21/2017	Solid	I7037-01	B	Paint Filter	Cool 4 deg C	PSEG02	VNJ-221-OILY-STONES	12/21/2017	9095A

Date/Time 12/22/17 8:30 AM
 Received by: HP
 Relinquished by: CP

Date/Time 12/22/17 11:15 AM
 Received by: CP
 Relinquished by: HP