



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: HIRAL

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB92400

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I6685-05	AU-05-122617-A	1	100.04	0.00	12/27/2017	08:55
2	I6685-05DUP	AU-05-122617-ADUP	1	100.01	0.00	12/27/2017	09:02
3	I6685-07	AU-05-122617-B	1	100.02	0.00	12/27/2017	09:09
4	I6685-09	AU-05-122617-C	1	100.05	0.00	12/27/2017	09:16
5	I6685-11	AU-05-122617-D	1	100.05	0.00	12/27/2017	09:23
6	I7077-02	SB-07-COMP	1	100.02	0.00	12/27/2017	09:29
7	I7077-04	SB-21-COMP	1	100.01	0.00	12/27/2017	09:36

WORKLIST(Hardcopy Internal Chain)

LB 92400

Worklist Name : PF122717

Worklist ID : 106984

Date : 12/27/2017 8:07:55 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/26/2017	Solid	I6685-05	H Paint Filter	Cool 4 deg C	PSEG05	F52	AU-05-122617-A	12/26/2017	9095A
12/26/2017	Solid	I6685-07	H Paint Filter	Cool 4 deg C	PSEG05	F52	AU-05-122617-B	12/26/2017	9095A
12/26/2017	Solid	I6685-09	H Paint Filter	Cool 4 deg C	PSEG05	F52	AU-05-122617-C	12/26/2017	9095A
12/26/2017	Solid	I6685-11	H Paint Filter	Cool 4 deg C	PSEG05	F52	AU-05-122617-D	12/26/2017	9095A
12/22/2017	Solid	I7077-02	Paint Filter	Cool 4 deg C	LIR001		SB-07-COMP	12/22/2017	9095A
12/22/2017	Solid	I7077-04	Paint Filter	Cool 4 deg C	LIR001		SB-21-COMP	12/22/2017	9095A

Date/Time 12/27/17 8:15
 Received by: HP
 Relinquished by: CP

Date/Time 12/27/17 09:45
 Received by: CP
 Relinquished by: HP