



PERCENT SOLID

Analyst Name: jignesh

Date: 3/1/2018

OVENTEMP IN Celsius(°C): 109

Time IN: 17:30

In Date: 02/28/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104

Time OUT: 08:26

Out Date: 03/01/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB93584

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|----------------------------------------------------|--------------------------------------------------------|----------------|
| J1402-07      | PL-01-022818-A          | 129          | 1.18                            | 9.67                                               | 8.26                                                   | 83.4           |
| J1402-09      | PL-01-022818-B          | 130          | 1.11                            | 9.85                                               | 8.18                                                   | 80.9           |
| J1402-11      | PL-01-022818-C          | 131          | 1.15                            | 9.95                                               | 7.19                                                   | 68.6           |
| J1402-13      | PL-01-022818-D          | 132          | 1.14                            | 9.69                                               | 7.41                                                   | 73.3           |
| J1716-01      | SB-01-17-18             | 1            | 1.14                            | 9.74                                               | 6.28                                                   | 59.8           |
| J1716-02      | SB-01-08-12             | 2            | 1.19                            | 9.73                                               | 6.87                                                   | 66.5           |
| J1716-03      | SB-03-17-18             | 3            | 1.16                            | 9.63                                               | 7.94                                                   | 80             |
| J1716-04      | SB-03-12-16             | 4            | 1.13                            | 9.84                                               | 8.52                                                   | 84.8           |
| J1716-06      | SB-08-12-13             | 5            | 1.13                            | 9.54                                               | 8.52                                                   | 87.9           |
| J1716-07      | SB-08-10-17             | 6            | 1.16                            | 9.76                                               | 8.25                                                   | 82.4           |
| J1719-01      | TP-2                    | 142          | 1.12                            | 9.9                                                | 8.16                                                   | 80.2           |
| J1720-01      | SP-31                   | 7            | 1.15                            | 9.64                                               | 8.88                                                   | 91             |
| J1720-02      | SP-31                   | 8            | 1.15                            | 9.64                                               | 8.88                                                   | 91             |
| J1720-03      | SP-38                   | 9            | 1.19                            | 9.95                                               | 9.14                                                   | 90.8           |
| J1720-04      | SP-38                   | 10           | 1.19                            | 9.95                                               | 9.14                                                   | 90.8           |
| J1720-05      | SP-44                   | 11           | 1.14                            | 9.63                                               | 8.81                                                   | 90.3           |
| J1720-06      | SP-44                   | 12           | 1.14                            | 9.63                                               | 8.81                                                   | 90.3           |
| J1720-07      | SP-30                   | 13           | 1.11                            | 9.72                                               | 9.02                                                   | 91.9           |
| J1720-08      | SP-30                   | 14           | 1.11                            | 9.72                                               | 9.02                                                   | 91.9           |
| J1720-09      | SP-37                   | 15           | 1.13                            | 9.88                                               | 9.1                                                    | 91.1           |
| J1720-10      | SP-37                   | 16           | 1.13                            | 9.88                                               | 9.1                                                    | 91.1           |
| J1720-11      | SP-43                   | 17           | 1.18                            | 9.9                                                | 9.12                                                   | 91.1           |
| J1720-12      | SP-43                   | 18           | 1.18                            | 9.9                                                | 9.12                                                   | 91.1           |
| J1720-13      | SP-49                   | 19           | 1.12                            | 9.71                                               | 8.96                                                   | 91.3           |
| J1720-14      | SP-49                   | 20           | 1.12                            | 9.71                                               | 8.96                                                   | 91.3           |
| J1720-15      | SP-29                   | 21           | 1.11                            | 9.68                                               | 8.92                                                   | 91.1           |
| J1720-16      | SP-29                   | 22           | 1.11                            | 9.68                                               | 8.92                                                   | 91.1           |
| J1720-17      | SP-36                   | 23           | 1.18                            | 9.94                                               | 9.24                                                   | 92             |
| J1720-18      | SP-36                   | 24           | 1.18                            | 9.94                                               | 9.24                                                   | 92             |
| J1720-19      | SP-42                   | 25           | 1.13                            | 9.63                                               | 8.81                                                   | 90.4           |
| J1720-20      | SP-42                   | 26           | 1.13                            | 9.63                                               | 8.81                                                   | 90.4           |
| J1721-01      | SP-48                   | 27           | 1.17                            | 9.88                                               | 8.85                                                   | 88.2           |
| J1721-02      | SP-48                   | 28           | 1.17                            | 9.88                                               | 8.85                                                   | 88.2           |
| J1721-03      | SP-28                   | 29           | 1.12                            | 9.58                                               | 8.69                                                   | 89.5           |
| J1721-04      | SP-28                   | 30           | 1.12                            | 9.58                                               | 8.69                                                   | 89.5           |
| J1721-05      | SP-35                   | 31           | 1.13                            | 9.71                                               | 8.86                                                   | 90.1           |
| J1721-06      | SP-35                   | 32           | 1.13                            | 9.71                                               | 8.86                                                   | 90.1           |
| J1721-07      | SP-41                   | 33           | 1.1                             | 9.82                                               | 8.92                                                   | 89.7           |
| J1721-08      | SP-41                   | 34           | 1.1                             | 9.82                                               | 8.92                                                   | 89.7           |



PERCENT SOLID

Analyst Name: jignesh  
Date: 3/1/2018

OVENTEMP IN Celsius(°C): 109  
Time IN: 17:30  
In Date: 02/28/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:26  
Out Date: 03/01/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB93584

| Lab ID   | Client Sample ID | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J1721-09 | SP-47            | 35    | 1.13              | 9.88                          | 8.95                              | 89.4    |
| J1721-10 | SP-47            | 36    | 1.13              | 9.88                          | 8.95                              | 89.4    |
| J1721-11 | SP-50            | 37    | 1.15              | 9.51                          | 8.49                              | 87.8    |
| J1721-12 | SP-50            | 38    | 1.15              | 9.51                          | 8.49                              | 87.8    |
| J1721-13 | SP-46            | 39    | 1.16              | 9.98                          | 9.3                               | 92.3    |
| J1721-14 | SP-46            | 40    | 1.16              | 9.98                          | 9.3                               | 92.3    |
| J1721-15 | SP-40            | 41    | 1.17              | 9.81                          | 8.97                              | 90.3    |
| J1721-16 | SP-40            | 42    | 1.17              | 9.81                          | 8.97                              | 90.3    |
| J1721-17 | SP-34            | 43    | 1.16              | 9.57                          | 8.65                              | 89.1    |
| J1721-18 | SP-34            | 44    | 1.16              | 9.57                          | 8.65                              | 89.1    |
| J1721-19 | SP-27            | 45    | 1.14              | 9.97                          | 9.34                              | 92.9    |
| J1721-20 | SP-27            | 46    | 1.14              | 9.97                          | 9.34                              | 92.9    |
| J1722-01 | SP-24            | 47    | 1.2               | 9.71                          | 8.86                              | 90      |
| J1722-02 | SP-24            | 48    | 1.2               | 9.71                          | 8.86                              | 90      |
| J1722-03 | SP-21            | 49    | 1.14              | 9.88                          | 8.91                              | 88.9    |
| J1722-04 | SP-21            | 50    | 1.14              | 9.88                          | 8.91                              | 88.9    |
| J1722-05 | SP-18            | 51    | 1.13              | 9.65                          | 8.74                              | 89.3    |
| J1722-06 | SP-18            | 52    | 1.13              | 9.65                          | 8.74                              | 89.3    |
| J1722-07 | SP-15            | 53    | 1.15              | 9.88                          | 8.97                              | 89.6    |
| J1722-08 | SP-15            | 54    | 1.15              | 9.88                          | 8.97                              | 89.6    |
| J1722-09 | SP-5             | 55    | 1.16              | 9.75                          | 8.67                              | 87.4    |
| J1722-10 | SP-5             | 56    | 1.16              | 9.75                          | 8.67                              | 87.4    |
| J1722-11 | SP-7             | 57    | 1.1               | 9.64                          | 8.72                              | 89.2    |
| J1722-12 | SP-7             | 58    | 1.1               | 9.64                          | 8.72                              | 89.2    |
| J1722-13 | SP-9             | 59    | 1.12              | 9.81                          | 8.82                              | 88.6    |
| J1722-14 | SP-9             | 60    | 1.12              | 9.81                          | 8.82                              | 88.6    |
| J1722-15 | SP-11            | 61    | 1.17              | 9.58                          | 8.78                              | 90.5    |
| J1722-16 | SP-11            | 62    | 1.17              | 9.58                          | 8.78                              | 90.5    |
| J1722-17 | SP-14            | 63    | 1.13              | 9.98                          | 9.36                              | 93      |
| J1722-18 | SP-14            | 64    | 1.13              | 9.98                          | 9.36                              | 93      |
| J1722-19 | SP-17            | 65    | 1.14              | 9.96                          | 9.27                              | 92.2    |
| J1722-20 | SP-17            | 66    | 1.14              | 9.96                          | 9.27                              | 92.2    |
| J1723-01 | SP-20            | 67    | 1.15              | 9.94                          | 9.14                              | 90.9    |
| J1723-02 | SP-20            | 68    | 1.15              | 9.94                          | 9.14                              | 90.9    |
| J1723-03 | SP-23            | 69    | 1.11              | 9.93                          | 9.46                              | 94.7    |
| J1723-04 | SP-23            | 70    | 1.11              | 9.93                          | 9.46                              | 94.7    |
| J1723-05 | SP-1             | 71    | 1.13              | 9.52                          | 8.73                              | 90.6    |
| J1723-06 | SP-1             | 72    | 1.13              | 9.52                          | 8.73                              | 90.6    |
| J1723-07 | SP-2             | 73    | 1.2               | 9.65                          | 8.91                              | 91.2    |



PERCENT SOLID

Analyst Name: jignesh  
Date: 3/1/2018

OVENTEMP IN Celsius(°C): 109  
Time IN: 17:30  
In Date: 02/28/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:26  
Out Date: 03/01/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB93584

| Lab ID   | Client Sample ID | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J1723-08 | SP-2             | 74    | 1.2               | 9.65                          | 8.91                              | 91.2    |
| J1723-09 | SP-3             | 75    | 1.13              | 9.72                          | 8.86                              | 90      |
| J1723-10 | SP-3             | 76    | 1.13              | 9.72                          | 8.86                              | 90      |
| J1723-11 | SP-4             | 77    | 1.14              | 9.95                          | 9.02                              | 89.4    |
| J1723-12 | SP-4             | 78    | 1.14              | 9.95                          | 9.02                              | 89.4    |
| J1723-13 | SP-26            | 79    | 1.14              | 9.86                          | 8.94                              | 89.4    |
| J1723-14 | SP-26            | 80    | 1.14              | 9.86                          | 8.94                              | 89.4    |
| J1723-15 | SP-33            | 81    | 1.2               | 9.93                          | 8.95                              | 88.8    |
| J1723-16 | SP-33            | 82    | 1.2               | 9.93                          | 8.95                              | 88.8    |
| J1723-17 | SP-39            | 83    | 1.1               | 9.78                          | 8.91                              | 90      |
| J1723-18 | SP-39            | 84    | 1.1               | 9.78                          | 8.91                              | 90      |
| J1723-19 | SP-45            | 85    | 1.13              | 9.79                          | 8.84                              | 89      |
| J1723-20 | SP-45            | 86    | 1.13              | 9.79                          | 8.84                              | 89      |
| J1724-01 | SP-6             | 87    | 1.13              | 9.82                          | 8.88                              | 89.2    |
| J1724-02 | SP-6             | 88    | 1.13              | 9.82                          | 8.88                              | 89.2    |
| J1724-03 | SP-8             | 89    | 1.12              | 9.61                          | 8.73                              | 89.6    |
| J1724-04 | SP-8             | 90    | 1.12              | 9.61                          | 8.73                              | 89.6    |
| J1724-05 | SP-10            | 91    | 1.17              | 9.97                          | 9.22                              | 91.5    |
| J1724-06 | SP-10            | 92    | 1.17              | 9.97                          | 9.22                              | 91.5    |
| J1724-07 | SP-13            | 93    | 1.18              | 9.68                          | 8.76                              | 89.2    |
| J1724-08 | SP-13            | 94    | 1.18              | 9.68                          | 8.76                              | 89.2    |
| J1724-09 | SP-16            | 95    | 1.17              | 9.67                          | 8.78                              | 89.5    |
| J1724-10 | SP-16            | 96    | 1.17              | 9.67                          | 8.78                              | 89.5    |
| J1724-11 | SP-19            | 97    | 1.1               | 9.88                          | 8.92                              | 89.1    |
| J1724-12 | SP-19            | 98    | 1.1               | 9.88                          | 8.92                              | 89.1    |
| J1724-13 | SP-22            | 99    | 1.19              | 9.75                          | 9.06                              | 91.9    |
| J1724-14 | SP-22            | 100   | 1.19              | 9.75                          | 9.06                              | 91.9    |
| J1724-15 | SP-25            | 101   | 1.11              | 9.8                           | 8.93                              | 90      |
| J1724-16 | SP-25            | 102   | 1.11              | 9.8                           | 8.93                              | 90      |
| J1724-17 | SP-32            | 103   | 1.18              | 9.97                          | 9.29                              | 92.3    |
| J1724-18 | SP-32            | 104   | 1.18              | 9.97                          | 9.29                              | 92.3    |
| J1724-19 | SP-12            | 105   | 1.18              | 9.82                          | 8.97                              | 90.2    |
| J1724-20 | SP-12            | 106   | 1.18              | 9.82                          | 8.97                              | 90.2    |
| J1725-01 | SP-17            | 107   | 1.11              | 9.55                          | 8.95                              | 92.9    |
| J1725-02 | SP-19            | 108   | 1.13              | 9.92                          | 9.16                              | 91.4    |
| J1725-03 | SP-28            | 109   | 1.14              | 9.73                          | 9.04                              | 92      |
| J1725-04 | SP-29            | 110   | 1.19              | 9.98                          | 9.35                              | 92.8    |
| J1725-05 | SP-1             | 111   | 1.16              | 9.69                          | 9.17                              | 93.9    |
| J1725-06 | SP-8             | 112   | 1.18              | 9.65                          | 9.13                              | 93.9    |



PERCENT SOLID

Analyst Name: jignesh

Date: 3/1/2018

OVENTEMP IN Celsius(°C): 109

Time IN: 17:30

In Date: 02/28/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104

Time OUT: 08:26

Out Date: 03/01/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB93584

| Lab ID   | Client Sample ID | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J1725-07 | SP-13            | 113   | 1.17              | 9.94                          | 9.47                              | 94.6    |
| J1725-08 | SP-20            | 114   | 1.11              | 9.81                          | 9.13                              | 92.2    |
| J1725-09 | SP-26            | 115   | 1.11              | 9.81                          | 9.21                              | 93.1    |
| J1725-10 | SP-32            | 116   | 1.14              | 9.96                          | 9.06                              | 89.8    |
| J1725-11 | SP-36            | 117   | 1.18              | 9.95                          | 9.23                              | 91.8    |
| J1725-12 | SP-42            | 118   | 1.19              | 9.52                          | 8.69                              | 90      |
| J1725-13 | SP-16            | 119   | 1.2               | 9.98                          | 9.31                              | 92.4    |
| J1725-14 | SP-23            | 120   | 1.18              | 9.61                          | 8.94                              | 92.1    |
| J1725-15 | SP-38            | 121   | 1.19              | 9.65                          | 8.57                              | 87.2    |
| J1725-16 | SP-44            | 122   | 1.17              | 9.9                           | 9.2                               | 92      |
| J1725-17 | SP-40            | 123   | 1.18              | 9.96                          | 9.32                              | 92.7    |
| J1725-18 | SP-50            | 124   | 1.13              | 9.96                          | 9.47                              | 94.5    |
| J1725-19 | SP-3             | 125   | 1.13              | 9.92                          | 9.12                              | 90.9    |
| J1725-20 | SP-11            | 126   | 1.1               | 9.76                          | 9.11                              | 92.5    |
| J1730-01 | ROLLOFF-20408    | 127   | 1.18              | 9.76                          | 8.45                              | 84.7    |
| J1730-02 | ROLLOFF-20408    | 128   | 1.18              | 9.76                          | 8.45                              | 84.7    |
| J1733-01 | RT-4223-RO-144   | 143   | 1.18              | 9.96                          | 8.4                               | 82.2    |
| J1733-02 | CHVB0788         | 144   | 1.00              | 2.00                          | 2.00                              | 100     |
| J1735-01 | SSDM             | 133   | 1.00              | 2.00                          | 2.00                              | 100     |
| J1736-01 | OILY-STONE       | 134   | 1.00              | 2.00                          | 2.00                              | 100     |
| J1736-03 | OILY-DEBRIS      | 135   | 1.00              | 2.00                          | 2.00                              | 100     |
| J1738-01 | OILY-DEBRIS      | 136   | 1.00              | 2.00                          | 2.00                              | 100     |
| J1738-02 | OILY-STONE       | 137   | 1.00              | 2.00                          | 2.00                              | 100     |
| J1741-01 | SB-09-17-18      | 138   | 1.16              | 9.82                          | 8.58                              | 85.7    |
| J1741-02 | SB-09-10-17      | 139   | 1.19              | 9.98                          | 8.77                              | 86.2    |
| J1746-01 | A307637          | 140   | 1.00              | 2.00                          | 2.00                              | 100     |
| J1746-02 | B243635          | 141   | 1.00              | 2.00                          | 2.00                              | 100     |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

20 03584

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-022818

WorkList ID : 109036

Date : 2/28/2018 7:34:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 03/04/2018 | Solid  | J1402-07 | Percent Solids | Cool 4 deg C | PSEG05   |                  | PL-01-022818-A  | 02/28/2018   | Chemtech -SO |
| 03/04/2018 | Solid  | J1402-09 | Percent Solids | Cool 4 deg C | PSEG05   |                  | PL-01-022818-B  | 02/28/2018   | Chemtech -SO |
| 03/04/2018 | Solid  | J1402-11 | Percent Solids | Cool 4 deg C | PSEG05   |                  | PL-01-022818-C  | 02/28/2018   | Chemtech -SO |
| 03/04/2018 | Solid  | J1402-13 | Percent Solids | Cool 4 deg C | PSEG05   |                  | PL-01-022818-D  | 02/28/2018   | Chemtech -SO |
| 03/09/2018 | Solid  | J1716-01 | Percent Solids | Cool 4 deg C | GZAG04   | D12              | SB-01-17-18     | 02/27/2018   | Chemtech -SO |
| 03/09/2018 | Solid  | J1716-02 | Percent Solids | Cool 4 deg C | GZAG04   | D12              | SB-01-08-12     | 02/27/2018   | Chemtech -SO |
| 03/09/2018 | Solid  | J1716-03 | Percent Solids | Cool 4 deg C | GZAG04   | D12              | SB-03-17-18     | 02/27/2018   | Chemtech -SO |
| 03/09/2018 | Solid  | J1716-04 | Percent Solids | Cool 4 deg C | GZAG04   | D12              | SB-03-12-16     | 02/27/2018   | Chemtech -SO |
| 03/09/2018 | Solid  | J1716-06 | Percent Solids | Cool 4 deg C | GZAG04   | D12              | SB-08-12-13     | 02/27/2018   | Chemtech -SO |
| 03/09/2018 | Solid  | J1716-07 | Percent Solids | Cool 4 deg C | GZAG04   | D12              | SB-08-10-17     | 02/27/2018   | Chemtech -SO |
| 03/04/2018 | Solid  | J1719-01 | Percent Solids | Cool 4 deg C | PSEG01   | G11              | TP-2            | 02/28/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-01 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-31           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-02 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-31           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-03 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-38           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-04 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-38           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-05 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-44           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-06 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-44           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-07 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-30           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-08 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-30           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-09 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-37           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-10 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-37           | 02/27/2018   | Chemtech -SO |

Date/Time 02-28-18 6:30 PM Date/Time 02-28-18 5:35 PM  
 Received by: [Signature] Received by: [Signature]  
 Relinquished by: [Signature] Relinquished by: [Signature]

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-022818

WorkList ID : 109036

Date : 2/28/2018 7:34:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 03/06/2018 | Solid  | J1720-11 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-43           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-12 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-43           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-13 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-49           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-14 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-49           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-15 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-29           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-16 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-29           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-17 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-36           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-18 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-36           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-19 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-42           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1720-20 | Percent Solids | Cool 4 deg C | UNIO02   | E11              | SP-42           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-01 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-48           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-02 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-48           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-03 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-28           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-04 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-28           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-05 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-35           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-06 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-35           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-07 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-41           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-08 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-41           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-09 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-47           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-10 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-47           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-11 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-50           | 02/27/2018   | Chemtech -SO |

Date/Time 022818 3:30PM

Received by: JP

Relinquished by: JP

Date/Time 022818 5:35PM

Received by: JP

Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-022818

WorkList ID : 109036

Date : 2/28/2018 7:34:14 AM

2893584

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 03/06/2018 | Solid  | J1721-12 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-50           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-13 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-46           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-14 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-46           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-15 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-40           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-16 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-40           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-17 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-34           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-18 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-34           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-19 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-27           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1721-20 | Percent Solids | Cool 4 deg C | UNIO02   | E21              | SP-27           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-01 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-24           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-02 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-24           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-03 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-21           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-04 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-21           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-05 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-18           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-06 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-18           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-07 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-15           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-08 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-15           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-09 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-5            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-10 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-5            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-11 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-7            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-12 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-7            | 02/27/2018   | Chemtech -SO |

Date/Time 0228'18 3:30PM

Received by: JO

Relinquished by: CS

Date/Time 0228'18 5:35PM

Received by: CS

Relinquished by: JO



# WORKLIST(Hardcopy Internal Chain)

1843584

WorkList Name : %1-022818 WorkList ID : 109036

Date : 2/28/2018 7:34:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 03/06/2018 | Solid  | J1722-13 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-9            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-14 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-9            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-15 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-11           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-16 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-11           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-17 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-14           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-18 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-14           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-19 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-17           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1722-20 | Percent Solids | Cool 4 deg C | UNIO02   | E22              | SP-17           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-01 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-20           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-02 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-20           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-03 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-23           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-04 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-23           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-05 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-1            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-06 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-1            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-07 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-2            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-08 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-2            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-09 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-3            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-10 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-3            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-11 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-4            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-12 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-4            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-13 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-26           | 02/27/2018   | Chemtech -SO |

Date/Time 02-28-18 3:30 PM Date/Time 02-28-18 5:35 PM  
 Received by: JP Received by: CP  
 Relinquished by: JP Relinquished by: JP



# WORKLIST(Hardcopy Internal Chain)

1393584

WorkList Name : %1-022818

WorkList ID : 109036

Date : 2/28/2018 7:34:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 03/06/2018 | Solid  | J1723-14 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-26           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-15 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-33           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-16 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-33           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-17 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-39           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-18 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-39           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-19 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-45           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1723-20 | Percent Solids | Cool 4 deg C | UNIO02   | E31              | SP-45           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-01 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-6            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-02 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-6            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-03 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-8            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-04 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-8            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-05 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-10           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-06 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-10           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-07 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-13           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-08 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-13           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-09 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-16           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-10 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-16           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-11 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-19           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-12 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-19           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-13 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-22           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-14 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-22           | 02/27/2018   | Chemtech -SO |

Date/Time 02-28-18 3:30 PM Date/Time 02-28-18 5:35 PM  
 Received by: SA Received by: CO  
 Relinquished by: 8 Relinquished by: JB

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-022818

WorkList ID : 109036

Date : 2/28/2018 7:34:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 03/06/2018 | Solid  | J1724-15 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-25           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-16 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-25           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-17 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-32           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-18 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-32           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-19 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-12           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1724-20 | Percent Solids | Cool 4 deg C | UNIO02   | E41              | SP-12           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-01 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-17           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-02 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-19           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-03 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-28           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-04 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-29           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-05 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-1            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-06 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-8            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-07 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-13           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-08 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-20           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-09 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-26           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-10 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-32           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-11 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-36           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-12 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-42           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-13 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-16           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-14 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-23           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-15 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-38           | 02/27/2018   | Chemtech -SO |

Date/Time 2/28/18 3:30 PM

Received by: JP

Relinquished by: [Signature]

Date/Time 2/28/18 5:35 PM

Received by: [Signature]

Relinquished by: JB

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-022818

WorkList ID : 109036

Date : 2/28/2018 7:34:14 AM

1743584

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 03/06/2018 | Solid  | J1725-16 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-44           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-17 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-40           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-18 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-50           | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-19 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-3            | 02/27/2018   | Chemtech -SO |
| 03/06/2018 | Solid  | J1725-20 | Percent Solids | Cool 4 deg C | UNIO02   | E42              | SP-11           | 02/27/2018   | Chemtech -SO |
| 03/04/2018 | Solid  | J1730-01 | Percent Solids | Cool 4 deg C | PSEG01   | G11              | ROLLOFF-20408   | 02/28/2018   | Chemtech -SO |
| 03/04/2018 | Solid  | J1730-02 | Percent Solids | Cool 4 deg C | PSEG01   | G11              | ROLLOFF-20408   | 02/28/2018   | Chemtech -SO |
| 03/07/2018 | Solid  | J1733-01 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | RT-4223-RO-144  | 02/28/2018   | Chemtech -SO |
| 03/07/2018 | Solid  | J1733-02 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | CHVB0788        | 02/28/2018   | Chemtech -SO |
| 03/07/2018 | Solid  | J1735-01 | Percent Solids | Cool 4 deg C | PSEG02   | G12              | SSDM            | 02/28/2018   | Chemtech -SO |
| 03/07/2018 | Solid  | J1736-01 | Percent Solids | Cool 4 deg C | PSEG02   | G21              | OILY-STONE      | 02/28/2018   | Chemtech -SO |
| 03/07/2018 | Solid  | J1736-03 | Percent Solids | Cool 4 deg C | PSEG02   | G21              | OILY-DEBRIS     | 02/28/2018   | Chemtech -SO |
| 03/07/2018 | Solid  | J1738-01 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | OILY-DEBRIS     | 02/28/2018   | Chemtech -SO |
| 03/07/2018 | Solid  | J1738-02 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | OILY-STONE      | 02/28/2018   | Chemtech -SO |
| 03/10/2018 | Solid  | J1741-01 | Percent Solids | Cool 4 deg C | GZAG04   |                  | SB-09-17-18     | 02/28/2018   | Chemtech -SO |
| 03/10/2018 | Solid  | J1741-02 | Percent Solids | Cool 4 deg C | GZAG04   |                  | SB-09-10-17     | 02/28/2018   | Chemtech -SO |
| 02/28/2018 | Solid  | J1746-01 | Percent Solids | Cool 4 deg C | CLEA07   | D22              | A307637         | 02/28/2018   | Chemtech -SO |
| 02/28/2018 | Solid  | J1746-02 | Percent Solids | Cool 4 deg C | CLEA07   | D22              | B243635         | 02/28/2018   | Chemtech -SO |

Date/Time 02/28/18 3:20 PM

Received by: [Signature]

Relinquished by: [Signature]

Date/Time 02/28/18 5:35 PM

Received by: [Signature]

Relinquished by: [Signature]