



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: KETANKUMAR

Run Number: LB94001

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J1755-03	OK-01-031618	1	100.02	0.00	03/19/2018	10:12
2	J1755-03DUP	OK-01-031618DUP	1	100.04	0.00	03/19/2018	10:19
3	J1963-01	1-4-RO	1	100.05	0.00	03/19/2018	10:26

WORKLIST(Hardcopy Internal Chain)

LB94001

Worklist Name : PF31918

Worklist ID : 109711

Date : 3/19/2018 8:14:53 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/16/2018	Solid	J1755-03 H	Paint Filter	Cool 4 deg C	PSEG05		OK-01-031618	03/16/2018	9095A
03/16/2018	Solid	J1963-01 A	Paint Filter	Cool 4 deg C	PSEG01	I62	1-4-RO	03/16/2018	9095A

Date/Time

3/19/18 10:05

Received by:

HP

Relinquished by:

CP

Date/Time

3/19/18 10:30

Received by:

CP

Relinquished by:

HP