



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: KETANKUMAR

Run Number: LB94109

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J1748-07	AU-05-032218-A	1	100.02	0.00	03/23/2018	10:12
2	J1748-07DUP	AU-05-032218-ADUP	1	100.05	0.00	03/23/2018	10:19
3	J1748-09	AU-05-032218-B	1	100.01	0.00	03/23/2018	10:26
4	J1748-11	AU-05-032218-C	1	100.04	0.00	03/23/2018	10:33
5	J1748-13	AU-05-032218-D	1	100.03	0.00	03/23/2018	10:39

WORKLIST(Hardcopy Internal Chain)

LB 94109

Worklist Name : PF32318

Worklist ID : 109903

Date : 3/23/2018 7:57:42 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/22/2018	Solid	J1748-07 G	Paint Filter	Cool 4 deg C	PSEG05		AU-05-032218-A	03/22/2018	9095A
03/22/2018	Solid	J1748-09 H	Paint Filter	Cool 4 deg C	PSEG05		AU-05-032218-B	03/22/2018	9095A
03/22/2018	Solid	J1748-11 H	Paint Filter	Cool 4 deg C	PSEG05		AU-05-032218-C	03/22/2018	9095A
03/22/2018	Solid	J1748-13 F	Paint Filter	Cool 4 deg C	PSEG05		AU-05-032218-D	03/22/2018	9095A

Date/Time

3/22/18 10:05

Received by:

HP

Relinquished by:

CF

Date/Time

3/22/18 10:45

Received by:

CF

Relinquished by:

HP