



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB94242

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J1749-07	BU-02-032818	1	100.02	0.00	03/29/2018	11:33
2	J1749-07DUP	BU-02-032818DUP	1	100.03	0.00	03/29/2018	11:39
3	J1755-05	OK-02-032818	1	100.04	0.00	03/29/2018	11:46
4	J1761-03	TR-04-032818	1	100.05	0.00	03/29/2018	11:53

WORKLIST(Hardcopy Internal Chain)

LB 94242

WorkList Name : PF2-32918

WorkList ID : 110154

Date : 3/29/2018 8:19:56 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/28/2018	Solid	J1749-07	A	Paint Filter	Cool 4 deg C	PSEG05	BU-02-032818	03/28/2018	9095A
03/28/2018	Solid	J1755-05	I	Paint Filter	Cool 4 deg C	PSEG05	OK-02-032818	03/28/2018	9095A
03/28/2018	Solid	J1761-03	B	Paint Filter	Cool 4 deg C	PSEG05	TR-04-032818	03/28/2018	9095A

Date/Time

3/29/18 11:25

Received by:

HP

Relinquished by:

CP

Date/Time

3/29/18 12:00

Received by:

CP

Relinquished by:

HP