



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB94535

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J2161-01	OR-02-041018-A	1	100.03	0.00	04/11/2018	10:12
2	J2161-01DUP	OR-02-041018-ADUP	1	100.02	0.00	04/11/2018	10:19
3	J2161-03	OR-02-041018-B	1	100.04	0.00	04/11/2018	10:26

WORKLIST(Hardcopy Internal Chain)

LB94535

WorkList Name : PF-041118

WorkList ID : 110639

Date : 4/11/2018 7:56:36 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/10/2018	Solid	J2161-01	Paint Filter	Cool 4 deg C	PSEG05	M63	OR-02-041018-A	04/10/2018	9095A
04/10/2018	Solid	J2161-03	Paint Filter	Cool 4 deg C	PSEG05	M63	OR-02-041018-B	04/10/2018	9095A

Date/Time 4/11/18 10:05
 Received by: HP
 Relinquished by: CP

Date/Time 4/11/18 10:30
 Received by: CP
 Relinquished by: HP