



## Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB94744

BalanceID: WC SC-4

| Seq | LabID       | ClientID        | Dilution | Weight(g) | Inst. Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|-----------------|----------|-----------|-------------------------|------------|-----------|
| 1   | J2157-11    | CL-02-041818    | 1        | 100.02    | 0.00                    | 04/19/2018 | 11:12     |
| 2   | J2157-11DUP | CL-02-041818DUP | 1        | 100.03    | 0.00                    | 04/19/2018 | 11:19     |
| 3   | J2165-05    | SU-01-041818    | 1        | 100.04    | 0.00                    | 04/19/2018 | 11:26     |
| 4   | J2439-03    | CDMP-WC1        | 1        | 100.01    | 0.00                    | 04/19/2018 | 11:33     |
| 5   | J2455-01    | TP-1            | 1        | 100.05    | 0.00                    | 04/19/2018 | 11:40     |
| 6   | J2455-11    | TP-2            | 1        | 100.06    | 0.00                    | 04/19/2018 | 11:47     |
| 7   | J2455-21    | TP-3            | 1        | 100.05    | 0.00                    | 04/19/2018 | 11:54     |
| 8   | J2455-31    | TP-4            | 1        | 100.04    | 0.00                    | 04/19/2018 | 12:01     |
| 9   | J2455-41    | TP-1-BEDROCK    | 1        | 100.04    | 0.00                    | 04/19/2018 | 12:08     |

# WORKLIST(Hardcopy Internal Chain)

LB94744

WorkList Name : PF-041918

WorkList ID : 110972

Date : 4/19/2018 8:19:14 AM

| Due Date   | Matrix | Sample            | Test         | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|-------------------|--------------|--------------|----------|------------------|-----------------|--------------|--------|
| 04/18/2018 | Solid  | J2157-11 <i>F</i> | Paint Filter | Cool 4 deg C | PSEG05   |                  | CL-02-041818    | 04/18/2018   | 9095A  |
| 04/18/2018 | Solid  | J2165-05 <i>F</i> | Paint Filter | Cool 4 deg C | PSEG05   |                  | SU-01-041818    | 04/18/2018   | 9095A  |
| 04/17/2018 | Solid  | J2439-03 <i>D</i> | Paint Filter | Cool 4 deg C | DIST01   | G21              | CDMP-WC1        | 04/17/2018   | 9095A  |
| 04/18/2018 | Solid  | J2455-01 <i>E</i> | Paint Filter | Cool 4 deg C | PSEG01   | G31              | TP-1            | 04/18/2018   | 9095A  |
| 04/18/2018 | Solid  | J2455-11 <i>H</i> | Paint Filter | Cool 4 deg C | PSEG01   | G31              | TP-2            | 04/18/2018   | 9095A  |
| 04/18/2018 | Solid  | J2455-21 <i>H</i> | Paint Filter | Cool 4 deg C | PSEG01   | G31              | TP-3            | 04/18/2018   | 9095A  |
| 04/18/2018 | Solid  | J2455-31 <i>G</i> | Paint Filter | Cool 4 deg C | PSEG01   | G31              | TP-4            | 04/18/2018   | 9095A  |
| 04/18/2018 | Solid  | J2455-41 <i>✓</i> | Paint Filter | Cool 4 deg C | PSEG01   | G31              | TP-1            | 04/18/2018   | 9095A  |

Date/Time

4/19/18 11:05

Received by:

HP

Relinquished by:

*[Signature]*

Date/Time

4/19/18 12:15

Received by:

*[Signature]*

Relinquished by:

HP