



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB94952

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J2597-01	KS-RO-133	1	100.03	0.00	04/27/2018	11:06
2	J2597-01DUP	KS-RO-133DUP	1	100.04	0.00	04/27/2018	11:13
3	J2608-01	CO-5-1	1	100.07	0.00	04/27/2018	11:19

WORKLIST(Hardcopy Internal Chain) **LB94952**

WorkList Name : PF-042718

WorkList ID : 111347

Date : 4/27/2018 8:16:37 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/26/2018	Solid	J2597-01	✓ Paint Filter	Cool 4 deg C	PSEG01	H21	KS-RO-133	04/26/2018	9095A
04/26/2018	Solid	J2608-01	D Paint Filter	Cool 4 deg C	PSEG01	H22	CO-5-1	04/26/2018	9095A

Date/Time 4/27/18 11:00
 Received by: HP
 Relinquished by: CP

Date/Time 4/27/18 11:25
 Received by: CP
 Relinquished by: HP