

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	offset	slope
LB94990BLW	100	30/04/2018 16:02	0.00	3.60	7.04	104
LB94990BSW	100	30/04/2018 16:04	54.40	8.57	7.04	104
J2614-01	50	30/04/2018 16:10	157.68	6.48	7.04	104
J2614-01DUP	50	30/04/2018 16:14	156.96	6.75	7.04	104
J2614-02	50	30/04/2018 16:19	55.92	5.65	7.04	104
J2614-03	50	30/04/2018 16:23	159.68	6.74	7.04	104
J2614-04	50	30/04/2018 16:28	157.60	6.84	7.04	104
J2614-05	50	30/04/2018 16:33	131.36	6.83	7.04	104
J2614-06	50	30/04/2018 16:38	122.00	6.84	7.04	104
J2614-07	50	30/04/2018 16:42	125.60	6.90	7.04	104
J2614-08	50	30/04/2018 16:47	228.56	6.43	7.04	104
J2614-09	50	30/04/2018 16:52	197.68	6.74	7.04	104
J2614-10	50	30/04/2018 16:57	0.00	4.13	7.04	104
J2622-01	50	30/04/2018 17:00	152.32	6.87	7.04	104
J2622-02	50	30/04/2018 17:04	47.76	7.60	7.04	104
J2622-03	50	30/04/2018 17:11	42.80	7.22	7.04	104
J2622-04	50	30/04/2018 17:15	46.08	7.46	7.04	104
J2622-05	50	30/04/2018 17:19	47.84	7.38	7.04	104
J2614-10	100	30/04/2018 17:24	0.00	4.15	7.04	104
J2623-01	50	30/04/2018 17:26	0.00	4.10	7.04	104
J2623-02	50	30/04/2018 17:28	89.36	7.18	7.04	104
J2623-03	50	30/04/2018 17:32	85.20	5.62	7.04	104
J2623-04	50	30/04/2018 17:36	103.68	6.41	7.04	104
J2623-05	50	30/04/2018 17:40	119.76	6.05	7.04	104
J2623-06	50	30/04/2018 17:45	48.00	5.51	7.04	104
J2623-07	50	30/04/2018 17:48	118.24	6.86	7.04	104
J2623-08	50	30/04/2018 17:53	126.00	7.10	7.04	104
J2623-09	50	30/04/2018 17:57	198.96	6.81	7.04	104
J2623-09DUP	50	30/04/2018 18:02	203.04	6.74	7.04	104
J2623-01	100	30/04/2018 18:07	0.00	4.44	7.04	104
LB94990BLW2	100	30/04/2018 18:10	0.20	4.44	7.04	104
LB94990BSW2	100	30/04/2018 18:12	48.56	8.61	7.04	104

04/30/18