



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB95129

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J2672-01	BU-02-050318	1	100.04	0.00	05/04/2018	10:47
2	J2672-01DUP	BU-02-050318DUP	1	100.03	0.00	05/04/2018	10:54
3	J2722-02	OILY-STONES	1	100.05	0.00	05/04/2018	11:01
4	J2733-02	TP-1A-COMP	1	100.04	0.00	05/04/2018	11:08
5	J2733-06	TP-3AB-COMP	1	100.01	0.00	05/04/2018	11:15
6	J2733-10	TP-5AB-COMP	1	100.04	0.00	05/04/2018	11:22

WORKLIST(Hardcopy Internal Chain)

LB95129

Worklist Name : PF-050418

Worklist ID : 111647

Date : 5/4/2018 8:47:17 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/03/2018	Solid	J2672-01	Paint Filter	Cool 4 deg C	PSEG05	H62	BU-02-050318	05/03/2018	9095A
05/03/2018	Solid	J2722-02	Paint Filter	Cool 4 deg C	PSEG01	H62	OILY-STONES	05/03/2018	9095A
05/03/2018	Solid	J2733-02	Paint Filter	Cool 4 deg C	PSEG01	I12	TP-1A-COMP	05/03/2018	9095A
05/03/2018	Solid	J2733-06	Paint Filter	Cool 4 deg C	PSEG01	I12	TP-3AB-COMP	05/03/2018	9095A
05/03/2018	Solid	J2733-10	Paint Filter	Cool 4 deg C	PSEG01	I12	TP-5AB-COMP	05/03/2018	9095A

Date/Time 5/4/18 10:40

Received by: HP

Relinquished by: CP

Date/Time 5/4/18 11:30

Received by: CP

Relinquished by: HP