



PERCENT SOLID

Analyst Name: jignesh

Date: 5/8/2018

OVENTEMP IN Celsius(°C): 108

Time IN: 17:35

In Date: 05/07/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104

Time OUT: 08:15

Out Date: 05/08/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB95174

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|----------------------------------------------------|--------------------------------------------------------|----------------|
| J2671-01      | AU-02-050718-A          | 1            | 1.13                            | 9.51                                               | 8.72                                                   | 90.6           |
| J2671-03      | AU-02-050718-B          | 2            | 1.16                            | 9.55                                               | 8.80                                                   | 91.1           |
| J2674-01      | HD-02-050718            | 3            | 1.13                            | 9.66                                               | 8.37                                                   | 84.9           |
| J2676-01      | CL-01-050718-A          | 4            | 1.18                            | 9.69                                               | 9.36                                                   | 96.1           |
| J2676-03      | CL-01-050718-B          | 5            | 1.18                            | 9.84                                               | 9.40                                                   | 94.9           |
| J2676-05      | CL-01-050718-C          | 6            | 1.14                            | 9.78                                               | 9.32                                                   | 94.7           |
| J2676-07      | CL-01-050718-D          | 7            | 1.11                            | 9.70                                               | 9.08                                                   | 92.8           |
| J2676-09      | CL-01-050718-E          | 8            | 1.14                            | 9.77                                               | 9.12                                                   | 92.5           |
| J2677-03      | OK-01-050718            | 9            | 1.15                            | 9.62                                               | 8.83                                                   | 90.7           |
| J2759-04      | TP-2A-COMP              | 10           | 1.16                            | 9.60                                               | 8.39                                                   | 85.7           |
| J2759-05      | TP-2A                   | 11           | 1.11                            | 9.94                                               | 8.76                                                   | 86.6           |
| J2759-07      | TP-2B-COMP              | 12           | 1.18                            | 9.91                                               | 8.72                                                   | 86.4           |
| J2759-08      | TP-2B                   | 13           | 1.17                            | 9.97                                               | 8.94                                                   | 88.3           |
| J2779-01      | T-1                     | 14           | 1.13                            | 9.95                                               | 8.72                                                   | 86.1           |
| J2779-02      | T-2                     | 15           | 1.16                            | 9.87                                               | 8.71                                                   | 86.7           |
| J2779-03      | T-3                     | 16           | 1.19                            | 9.68                                               | 8.45                                                   | 85.5           |
| J2779-04      | T-4                     | 17           | 1.17                            | 9.77                                               | 8.51                                                   | 85.3           |
| J2779-05      | T-5                     | 18           | 1.14                            | 9.98                                               | 8.63                                                   | 84.7           |
| J2785-01      | BP-1A                   | 19           | 1.16                            | 9.73                                               | 5.06                                                   | 45.5           |
| J2785-02      | BP-1B                   | 20           | 1.14                            | 9.57                                               | 7.74                                                   | 78.3           |
| J2785-03      | BP-1C                   | 21           | 1.16                            | 9.82                                               | 7.98                                                   | 78.8           |
| J2785-04      | BP-2A                   | 22           | 1.11                            | 9.96                                               | 5.55                                                   | 50.2           |
| J2785-05      | BP-2B                   | 23           | 1.15                            | 9.95                                               | 7.77                                                   | 75.2           |
| J2785-06      | BP-2C                   | 24           | 1.18                            | 9.92                                               | 7.73                                                   | 74.9           |
| J2785-07      | BP-3A                   | 25           | 1.12                            | 9.80                                               | 6.76                                                   | 65             |
| J2785-08      | BP-3B                   | 26           | 1.19                            | 9.93                                               | 8.65                                                   | 85.4           |
| J2785-09      | BP-3C                   | 27           | 1.14                            | 9.73                                               | 8.35                                                   | 83.9           |
| J2785-10      | BP-4A                   | 28           | 1.18                            | 9.89                                               | 5.92                                                   | 54.4           |
| J2785-11      | BP-4B                   | 29           | 1.10                            | 9.97                                               | 8.32                                                   | 81.4           |
| J2785-12      | BP-4C                   | 30           | 1.14                            | 9.60                                               | 7.60                                                   | 76.4           |
| J2785-13      | BP-5A                   | 31           | 1.13                            | 9.61                                               | 5.08                                                   | 46.6           |
| J2785-14      | BP-5B                   | 32           | 1.17                            | 9.62                                               | 7.73                                                   | 77.6           |
| J2785-15      | BP-5C                   | 33           | 1.17                            | 9.54                                               | 8.12                                                   | 83             |
| J2785-16      | BP-6A                   | 34           | 1.17                            | 9.53                                               | 3.66                                                   | 29.8           |
| J2785-17      | BP-6B                   | 35           | 1.10                            | 9.58                                               | 7.34                                                   | 73.6           |
| J2785-18      | BP-6C                   | 36           | 1.14                            | 9.92                                               | 8.44                                                   | 83.1           |
| J2788-01      | A405363                 | 37           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| J2788-02      | B405378                 | 38           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| J2789-01      | A403320                 | 39           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |



PERCENT SOLID

Analyst Name: jignesh

Date: 5/8/2018

OVENTEMP IN Celsius(°C): 108

Time IN: 17:35

In Date: 05/07/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104

Time OUT: 08:15

Out Date: 05/08/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB95174

| Lab ID   | Client Sample ID         | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|--------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J2789-02 | B403360                  | 40    | 1.00              | 2.00                          | 2.00                              | 100     |
| J2790-01 | FK-SF-01-004-A           | 41    | 1.16              | 9.66                          | 8.79                              | 89.8    |
| J2790-02 | FK-SF-01-004-A           | 42    | 1.13              | 9.64                          | 8.80                              | 90.1    |
| J2790-03 | FK-SF-01-004-B           | 43    | 1.14              | 9.95                          | 9.09                              | 90.2    |
| J2790-04 | FK-SF-01-004-B           | 44    | 1.12              | 9.91                          | 9.15                              | 91.4    |
| J2791-01 | FK-GF-01-004-A           | 45    | 1.13              | 9.89                          | 9.09                              | 90.9    |
| J2791-02 | FK-GF-01-004-A           | 46    | 1.16              | 9.05                          | 8.30                              | 90.5    |
| J2791-03 | FK-GF-01-004-B           | 47    | 1.10              | 9.97                          | 8.94                              | 88.4    |
| J2791-04 | FK-GF-01-004-B           | 48    | 1.12              | 9.81                          | 9.06                              | 91.4    |
| J2792-01 | FK-GF-01-003-A           | 49    | 1.14              | 9.70                          | 8.90                              | 90.7    |
| J2792-02 | FK-GF-01-003-A           | 50    | 1.11              | 9.56                          | 8.78                              | 90.8    |
| J2792-03 | FK-GF-01-003-B           | 51    | 1.18              | 9.76                          | 8.92                              | 90.2    |
| J2792-04 | FK-GF-01-003-B           | 52    | 1.16              | 9.60                          | 8.85                              | 91.1    |
| J2793-01 | NORTHLAWN-PRECHAR-AREA-3 | 53    | 1.12              | 9.78                          | 8.38                              | 83.8    |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

184514

WorkList Name : %1-050718

WorkList ID : 111703

Date : 5/7/2018 7:47:45 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 05/10/2018 | Solid  | J2671-01 | Percent Solids | Cool 4 deg C | PSEG05   | I22              | AU-02-050718-A  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2671-03 | Percent Solids | Cool 4 deg C | PSEG05   | I22              | AU-02-050718-B  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2674-01 | Percent Solids | Cool 4 deg C | PSEG05   | I31              | HD-02-050718    | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2676-01 | Percent Solids | Cool 4 deg C | PSEG05   | I32              | CL-01-050718-A  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2676-03 | Percent Solids | Cool 4 deg C | PSEG05   | I32              | CL-01-050718-B  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2676-05 | Percent Solids | Cool 4 deg C | PSEG05   | I32              | CL-01-050718-C  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2676-07 | Percent Solids | Cool 4 deg C | PSEG05   | I32              | CL-01-050718-D  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2676-09 | Percent Solids | Cool 4 deg C | PSEG05   | I32              | CL-01-050718-E  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2677-03 | Percent Solids | Cool 4 deg C | PSEG05   | I32              | OK-01-050718    | 05/07/2018   | Chemtech -SO |
| 05/09/2018 | Solid  | J2759-04 | Percent Solids | Cool 4 deg C | PSEG01   | I22              | TP-2A-COMP      | 05/04/2018   | Chemtech -SO |
| 05/09/2018 | Solid  | J2759-05 | Percent Solids | Cool 4 deg C | PSEG01   | I22              | TP-2A           | 05/04/2018   | Chemtech -SO |
| 05/09/2018 | Solid  | J2759-07 | Percent Solids | Cool 4 deg C | PSEG01   | I22              | TP-2B-COMP      | 05/04/2018   | Chemtech -SO |
| 05/09/2018 | Solid  | J2759-08 | Percent Solids | Cool 4 deg C | PSEG01   | I22              | TP-2B           | 05/04/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2779-01 | Percent Solids | Cool 4 deg C | RMJE02   | J41              | T-1             | 05/04/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2779-02 | Percent Solids | Cool 4 deg C | RMJE02   | J41              | T-2             | 05/04/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2779-03 | Percent Solids | Cool 4 deg C | RMJE02   | J41              | T-3             | 05/04/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2779-04 | Percent Solids | Cool 4 deg C | RMJE02   | J41              | T-4             | 05/04/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2779-05 | Percent Solids | Cool 4 deg C | RMJE02   | J41              | T-5             | 05/04/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-01 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-1A           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-02 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-1B           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-03 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-1C           | 05/03/2018   | Chemtech -SO |

Date/Time 05/07/18 4:00 PM

Received by: JO

Relinquished by: CR

Date/Time 05/07/18 5:35 PM

Received by: CR

Relinquished by: JO

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-050718

WorkList ID : 111703

Date : 5/7/2018 7:47:45 AM

2005174

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 05/13/2018 | Solid  | J2785-04 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-2A           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-05 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-2B           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-06 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-2C           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-07 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-3A           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-08 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-3B           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-09 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-3C           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-10 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-4A           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-11 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-4B           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-12 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-4C           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-13 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-5A           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-14 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-5B           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-15 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-5C           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-16 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-6A           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-17 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-6B           | 05/03/2018   | Chemtech -SO |
| 05/13/2018 | Solid  | J2785-18 | Percent Solids | Cool 4 deg C | BAYE01   | J22              | BP-6C           | 05/03/2018   | Chemtech -SO |
| 05/07/2018 | Solid  | J2788-01 | Percent Solids | Cool 4 deg C | CLEA07   | J43              | A405363         | 05/05/2018   | Chemtech -SO |
| 05/07/2018 | Solid  | J2788-02 | Percent Solids | Cool 4 deg C | CLEA07   | J43              | B405378         | 05/05/2018   | Chemtech -SO |
| 05/07/2018 | Solid  | J2789-01 | Percent Solids | Cool 4 deg C | CLEA07   | J22              | A403320         | 05/03/2018   | Chemtech -SO |
| 05/07/2018 | Solid  | J2789-02 | Percent Solids | Cool 4 deg C | CLEA07   | J22              | B403360         | 05/03/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2790-01 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-SF-01-004-A  | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2790-02 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-SF-01-004-A  | 05/07/2018   | Chemtech -SO |

Date/Time 05/07/18 6:00 PM Date/Time 05/07/18 5:35 PM  
 Received by: JP Received by: CP  
 Relinquished by: JP Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-050718

WorkList ID : 111703

Date : 5/7/2018 7:47:45 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample      | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|----------------------|--------------|--------------|
| 05/10/2018 | Solid  | J2790-03 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-SF-01-004-B       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2790-04 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-SF-01-004-B       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2791-01 | Percent Solids | Cool 4 deg C | TULL02   | J61              | FK-GF-01-004-A       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2791-02 | Percent Solids | Cool 4 deg C | TULL02   | J61              | FK-GF-01-004-A       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2791-03 | Percent Solids | Cool 4 deg C | TULL02   | J61              | FK-GF-01-004-B       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2791-04 | Percent Solids | Cool 4 deg C | TULL02   | J61              | FK-GF-01-004-B       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2792-01 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-GF-01-003-A       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2792-02 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-GF-01-003-A       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2792-03 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-GF-01-003-B       | 05/07/2018   | Chemtech -SO |
| 05/10/2018 | Solid  | J2792-04 | Percent Solids | Cool 4 deg C | TULL02   | J62              | FK-GF-01-003-B       | 05/07/2018   | Chemtech -SO |
| 04/24/2018 | Solid  | J2793-01 | Percent Solids | Cool 4 deg C | ENV127   | J13              | NORTHLAWN-PRECHAR-AR | 04/19/2018   | Chemtech -SO |

Date/Time 05/07/18 4:00 PM  
 Received by: JP  
 Relinquished by: JP

Date/Time 05/07/18 5:35 PM  
 Received by: JP  
 Relinquished by: JP