



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: KETANKUMAR

Run Number: LB95358

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J1759-01	15TH-ST-SP-A	1	100.01	0.00	05/15/2018	09:37
2	J1759-01DUP	15TH-ST-SP-ADUP	1	100.04	0.00	05/15/2018	09:43
3	J2267-01	KG-GRAVEL	1	100.03	0.00	05/15/2018	09:49
4	J2670-03	TR-05-051118	1	100.05	0.00	05/15/2018	10:55
5	J2674-03	HD-01-051118	1	100.02	0.00	05/15/2018	11:01
6	J2679-07	EO-05-051118-A	1	100.05	0.00	05/15/2018	11:08
7	J2679-09	EO-05-051118-B	1	100.03	0.00	05/15/2018	11:14
8	J2679-11	EO-05-051118-C	1	100.06	0.00	05/15/2018	11:20

WORKLIST(Hardcopy Internal Chain)

LB95358

WorkList Name : PF-051518

WorkList ID : 112081

Date : 5/15/2018 7:58:48 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/14/2018	Solid	J1759-01	Paint Filter	Cool 4 deg C	PSEG01	I62	15TH-ST-SP-A	05/14/2018	9095A
05/14/2018	Solid	J2267-01	Paint Filter	Cool 4 deg C	PSEG01	I63	KG-GRAVEL	05/14/2018	9095A
05/11/2018	Solid	J2670-03	Paint Filter	Cool 4 deg C	PSEG05		TR-05-051118	05/11/2018	9095A
05/11/2018	Solid	J2674-03	Paint Filter	Cool 4 deg C	PSEG05		HD-01-051118	05/11/2018	9095A
05/11/2018	Solid	J2679-07	Paint Filter	Cool 4 deg C	PSEG05		EO-05-051118-A	05/11/2018	9095A
05/11/2018	Solid	J2679-09	Paint Filter	Cool 4 deg C	PSEG05		EO-05-051118-B	05/11/2018	9095A
05/11/2018	Solid	J2679-11	Paint Filter	Cool 4 deg C	PSEG05		EO-05-051118-C	05/11/2018	9095A

Date/Time 5/15/18 9:30
 Received by: HP
 Relinquished by: CP

Date/Time 5/15/18 11:25
 Received by: CP
 Relinquished by: HP