

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	offset	slope
LB95414BLW	100	21/05/2018 15:50	0.00	3.82	7.14	103.8
LB95414BSW	100	21/05/2018 15:57	45.52	8.36	7.14	103.8
J2856-01	50	21/05/2018 16:02	248.80	6.57	7.14	103.8
J2856-02	50	21/05/2018 16:07	161.20	6.86	7.14	103.8
J2856-03	50	21/05/2018 16:12	218.72	7.04	7.14	103.8
J2856-03DUP	50	21/05/2018 16:17	222.16	7.12	7.14	103.8
J2856-06	50	21/05/2018 16:23	201.20	6.92	7.14	103.8
J2858-01	50	21/05/2018 16:28	720.00	7.20	7.14	103.8
J2858-02	50	21/05/2018 16:36	130.32	6.69	7.14	103.8
J2858-03	50	21/05/2018 16:41	443.44	7.66	7.14	103.8
J2858-04	50	21/05/2018 16:48	623.76	6.72	7.14	103.8
J2860-01	50	21/05/2018 16:55	275.76	6.56	7.14	103.8
J2860-02	50	21/05/2018 17:00	178.16	6.36	7.14	103.8
J2860-03	50	21/05/2018 17:05	613.04	6.73	7.14	103.8
J2860-04	50	21/05/2018 17:12	877.04	6.98	7.14	103.8
J2860-05	50	21/05/2018 17:21	251.60	6.81	7.14	103.8
J2923-05	100	21/05/2018 17:26	2.60	5.95	7.14	103.8
J2923-06	100	21/05/2018 17:29	2.20	5.27	7.14	103.8
J2923-07	100	21/05/2018 17:32	2.40	5.47	7.14	103.8
J2923-08	100	21/05/2018 17:35	2.44	5.43	7.14	103.8
J2943-01	50	21/05/2018 17:37	765.68	6.74	7.14	103.8
J2943-02	50	21/05/2018 17:44	783.52	6.58	7.14	103.8
J2943-03	50	21/05/2018 17:52	715.68	6.79	7.14	103.8

05/21/18 IB