



PERCENT SOLID

Analyst Name: jignesh  
Date: 5/22/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:25  
In Date: 05/21/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:15  
Out Date: 05/22/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB95519

| Lab ID   | Client Sample ID       | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J2675-09 | HR-05-052118-A         | 1     | 1.15              | 9.95                          | 9.48                              | 94.7    |
| J2675-11 | HR-05-052118-B         | 2     | 1.14              | 9.68                          | 8.80                              | 89.7    |
| J2679-19 | EO-01-052118-A         | 3     | 1.13              | 9.90                          | 9.06                              | 90.4    |
| J2679-21 | EO-01-052118-B         | 4     | 1.19              | 9.60                          | 8.86                              | 91.2    |
| J2679-23 | EO-01-052118-C         | 5     | 1.13              | 9.96                          | 9.22                              | 91.6    |
| J2966-04 | BUR-DRUM-1-2           | 6     | 1.15              | 9.95                          | 8.80                              | 86.9    |
| J3004-07 | TP-10-WC- (2.0-2.5) -A | 7     | 1.13              | 9.78                          | 8.10                              | 80.6    |
| J3004-08 | TP-10-WC- (2.5-3.0)    | 8     | 1.15              | 9.94                          | 8.45                              | 83      |
| J3024-01 | EPE-MX-3 (75-77)       | 9     | 1.16              | 9.96                          | 8.31                              | 81.3    |
| J3024-02 | EPE-MX-3 (85-87)       | 10    | 1.14              | 9.58                          | 7.46                              | 74.9    |
| J3024-03 | EPE-F-3A (0-5)         | 11    | 1.18              | 9.50                          | 8.52                              | 88.2    |
| J3024-04 | EPE-F-3A (5-10)        | 12    | 1.11              | 9.95                          | 8.62                              | 85      |
| J3024-05 | EPE-MX-3 (125-127)     | 13    | 1.17              | 9.97                          | 7.63                              | 73.4    |
| J3024-06 | EPE-MX-3 (135-137)     | 14    | 1.17              | 9.95                          | 7.41                              | 71.1    |
| J3024-07 | EPE-MX-3 (145-147)     | 15    | 1.12              | 9.92                          | 6.95                              | 66.3    |
| J3041-02 | T1-3-SWW-7.5-8         | 16    | 1.13              | 9.71                          | 8.58                              | 86.8    |
| J3044-05 | SVOC-GPC-BLANK         | 17    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-06 | PEST-GPC-BLANK         | 18    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-07 | PEST-GPC-BLANK-SPIKE   | 19    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-08 | PCB-GPC-BLANK          | 20    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-09 | PCB-GPC-BLANK-SPIKE    | 21    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-10 | SVOC-GPC2-BLANK        | 22    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-11 | PEST-GPC2-BLANK        | 23    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-12 | PEST-GPC2-BLANK-SPIKE  | 24    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-13 | PCB-GPC2-BLANK         | 25    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3044-14 | PCB-GPC2-BLANK-SPIKE   | 26    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3046-01 | T-1                    | 27    | 1.18              | 9.62                          | 8.31                              | 84.5    |
| J3046-02 | T-2                    | 28    | 1.16              | 9.96                          | 8.53                              | 83.7    |
| J3046-03 | SIEVE                  | 29    | 1.18              | 9.97                          | 8.82                              | 86.9    |
| J3049-01 | T-1                    | 30    | 1.14              | 9.56                          | 9.08                              | 94.3    |
| J3049-02 | T-2                    | 31    | 1.16              | 9.93                          | 8.99                              | 89.3    |
| J3050-01 | T-1                    | 32    | 1.11              | 9.85                          | 8.79                              | 87.9    |
| J3050-02 | T-2                    | 33    | 1.18              | 9.96                          | 8.82                              | 87      |
| J3050-03 | SIEVE                  | 34    | 1.15              | 9.70                          | 8.31                              | 83.7    |
| J3051-01 | T-1BN                  | 35    | 1.18              | 9.98                          | 8.84                              | 87      |
| J3052-01 | SB-1                   | 36    | 1.12              | 9.62                          | 8.05                              | 81.5    |
| J3052-02 | SB-2                   | 37    | 1.18              | 9.73                          | 8.12                              | 81.2    |
| J3052-03 | SB-3                   | 38    | 1.17              | 9.92                          | 7.98                              | 77.8    |
| J3052-04 | SB-4                   | 39    | 1.11              | 9.85                          | 7.49                              | 73      |



PERCENT SOLID

Analyst Name: jignesh  
Date: 5/22/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:25  
In Date: 05/21/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:15  
Out Date: 05/22/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB95519

| Lab ID   | Client Sample ID | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J3053-01 | FK-GF-02-019-A   | 40    | 1.13              | 9.96                          | 9.02                              | 89.4    |
| J3053-02 | FK-GF-02-019-A   | 41    | 1.14              | 9.79                          | 8.79                              | 88.4    |
| J3053-03 | FK-GF-02-019-B   | 42    | 1.19              | 9.70                          | 8.71                              | 88.4    |
| J3053-04 | FK-GF-02-019-B   | 43    | 1.19              | 8.94                          | 8.08                              | 88.9    |
| J3054-01 | FK-GF-01-006-A   | 44    | 1.17              | 9.87                          | 8.93                              | 89.2    |
| J3054-02 | FK-GF-01-006-A   | 45    | 1.16              | 9.95                          | 9.32                              | 92.8    |
| J3054-03 | FK-GF-01-006-B   | 46    | 1.13              | 9.84                          | 8.86                              | 88.7    |
| J3054-04 | FK-GF-01-006-B   | 47    | 1.18              | 9.96                          | 9.11                              | 90.3    |
| J3055-01 | PHASE-1          | 48    | 1.14              | 9.61                          | 8.84                              | 90.9    |
| J3055-02 | PHASE-1-A        | 49    | 1.14              | 9.61                          | 8.84                              | 90.9    |
| J3055-03 | PHASE-1-B        | 50    | 1.14              | 9.61                          | 8.84                              | 90.9    |
| J3055-04 | PHASE-1          | 51    | 1.14              | 9.61                          | 8.84                              | 90.9    |
| J3055-05 | PHASE-2          | 52    | 1.10              | 9.75                          | 8.93                              | 90.5    |
| J3055-06 | PHASE-2-A        | 53    | 1.10              | 9.75                          | 8.93                              | 90.5    |
| J3055-07 | PHASE-2-B        | 54    | 1.10              | 9.75                          | 8.93                              | 90.5    |
| J3055-08 | PHASE-2          | 55    | 1.10              | 9.75                          | 8.93                              | 90.5    |
| J3055-09 | PHASE-3          | 56    | 1.11              | 9.80                          | 9.02                              | 91      |
| J3055-10 | PHASE-3-A        | 57    | 1.11              | 9.80                          | 9.02                              | 91      |
| J3055-11 | PHASE-3-A        | 58    | 1.11              | 9.80                          | 9.02                              | 91      |
| J3055-12 | PHASE-3          | 59    | 1.11              | 9.80                          | 9.02                              | 91      |
| J3056-01 | TP-1             | 60    | 1.12              | 9.70                          | 7.85                              | 78.4    |
| J3056-02 | TP-1-A           | 61    | 1.12              | 9.70                          | 7.85                              | 78.4    |
| J3056-03 | TP-1-B           | 62    | 1.12              | 9.70                          | 7.85                              | 78.4    |
| J3056-04 | TP-1             | 63    | 1.12              | 9.70                          | 7.85                              | 78.4    |
| J3056-05 | TP-2             | 64    | 1.10              | 9.87                          | 8.53                              | 84.7    |
| J3056-06 | TP-2-A           | 65    | 1.10              | 9.87                          | 8.53                              | 84.7    |
| J3056-07 | TP-2-B           | 66    | 1.10              | 9.87                          | 8.53                              | 84.7    |
| J3056-08 | TP-2             | 67    | 1.10              | 9.87                          | 8.53                              | 84.7    |
| J3057-01 | 156              | 68    | 1.14              | 9.80                          | 9.09                              | 91.8    |
| J3058-01 | VNJ-229          | 69    | 1.17              | 9.98                          | 9.14                              | 90.5    |
| J3058-02 | VNJ-229          | 70    | 1.17              | 9.98                          | 9.14                              | 90.5    |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

JB 05519

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-052118

WorkList ID : 112360

Date : 5/21/2018 7:54:55 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample      | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|----------------------|--------------|--------------|
| 05/24/2018 | Solid  | J2675-09 | Percent Solids | Cool 4 deg C | PSEG05   |                  | HR-05-052118-A       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J2675-11 | Percent Solids | Cool 4 deg C | PSEG05   |                  | HR-05-052118-B       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J2679-19 | Percent Solids | Cool 4 deg C | PSEG05   |                  | EO-01-052118-A       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J2679-21 | Percent Solids | Cool 4 deg C | PSEG05   |                  | EO-01-052118-B       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J2679-23 | Percent Solids | Cool 4 deg C | PSEG05   |                  | EO-01-052118-C       | 05/21/2018   | Chemtech -SO |
| 05/20/2018 | Solid  | J2966-04 | Percent Solids | Cool 4 deg C | PSEG01   | I13              | BUR-DRUM-1-2         | 05/16/2018   | Chemtech -SO |
| 05/22/2018 | Solid  | J3004-07 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-10-WC-(2.0-2.5)-A | 05/17/2018   | Chemtech -SO |
| 05/22/2018 | Solid  | J3004-08 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-10-WC-(2.5-3.0)   | 05/17/2018   | Chemtech -SO |
| 05/25/2018 | Solid  | J3024-01 | Percent Solids | Cool 4 deg C | THEP04   | L33              | EPE-MX-3(75-77)      | 05/17/2018   | Chemtech -SO |
| 05/25/2018 | Solid  | J3024-02 | Percent Solids | Cool 4 deg C | THEP04   | L33              | EPE-MX-3(85-87)      | 05/17/2018   | Chemtech -SO |
| 05/25/2018 | Solid  | J3024-03 | Percent Solids | Cool 4 deg C | THEP04   | L33              | EPE-F-3A(0-5)        | 05/17/2018   | Chemtech -SO |
| 05/25/2018 | Solid  | J3024-04 | Percent Solids | Cool 4 deg C | THEP04   | L33              | EPE-F-3A(5-10)       | 05/17/2018   | Chemtech -SO |
| 05/25/2018 | Solid  | J3024-05 | Percent Solids | Cool 4 deg C | THEP04   | L33              | EPE-MX-3(125-127)    | 05/17/2018   | Chemtech -SO |
| 05/25/2018 | Solid  | J3024-06 | Percent Solids | Cool 4 deg C | THEP04   | L33              | EPE-MX-3(135-137)    | 05/18/2018   | Chemtech -SO |
| 05/25/2018 | Solid  | J3024-07 | Percent Solids | Cool 4 deg C | THEP04   | L33              | EPE-MX-3(145-147)    | 05/18/2018   | Chemtech -SO |
| 05/28/2018 | Solid  | J3041-02 | Percent Solids | Cool 4 deg C | WEST10   | L21              | T1-3-SWW-7.5-8       | 05/18/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-05 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | SVOC-GPC-BLANK       | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-06 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PEST-GPC-BLANK       | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-07 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PEST-GPC-BLANK-SPIKE | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-08 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PCB-GPC-BLANK        | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-09 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PCB-GPC-BLANK-SPIKE  | 05/11/2018   | Chemtech -SO |

Date/Time 05/21/18 6:00 PM

Date/Time 05/21/18 5:30 PM

Received by: JO

Received by: CP

Relinquished by: CP

Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

1305519

WorkList Name : %1-052118

WorkList ID : 112360

Date : 5/21/2018 7:54:55 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
| 05/21/2018 | Solid  | J3044-10 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | SVOC-GPC2-BLANK       | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-11 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PEST-GPC2-BLANK       | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-12 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PEST-GPC2-BLANK-SPIKE | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-13 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PCB-GPC2-BLANK        | 05/11/2018   | Chemtech -SO |
| 05/21/2018 | Solid  | J3044-14 | Percent Solids | Cool 4 deg C | CHEM02   | L42              | PCB-GPC2-BLANK-SPIKE  | 05/11/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3046-01 | Percent Solids | Cool 4 deg C | AFFO01   | L41              | T-1                   | 05/18/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3046-02 | Percent Solids | Cool 4 deg C | AFFO01   | L41              | T-2                   | 05/18/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3046-03 | Percent Solids | Cool 4 deg C | AFFO01   | L41              | SIEVE                 | 05/18/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3049-01 | Percent Solids | Cool 4 deg C | AFFO01   | L42              | T-1                   | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3049-02 | Percent Solids | Cool 4 deg C | AFFO01   | L42              | T-2                   | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3050-01 | Percent Solids | Cool 4 deg C | AFFO01   | L31              | T-1                   | 05/20/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3050-02 | Percent Solids | Cool 4 deg C | AFFO01   | L31              | T-2                   | 05/20/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3050-03 | Percent Solids | Cool 4 deg C | AFFO01   | L31              | SIEVE                 | 05/20/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3051-01 | Percent Solids | Cool 4 deg C | AFFO01   | L41              | T-1BN                 | 05/20/2018   | Chemtech -SO |
| 05/27/2018 | Solid  | J3052-01 | Percent Solids | Cool 4 deg C | BRIN05   | L23              | SB-1                  | 05/18/2018   | Chemtech -SO |
| 05/27/2018 | Solid  | J3052-02 | Percent Solids | Cool 4 deg C | BRIN05   | L23              | SB-2                  | 05/18/2018   | Chemtech -SO |
| 05/27/2018 | Solid  | J3052-03 | Percent Solids | Cool 4 deg C | BRIN05   | L23              | SB-3                  | 05/18/2018   | Chemtech -SO |
| 05/27/2018 | Solid  | J3052-04 | Percent Solids | Cool 4 deg C | BRIN05   | L23              | SB-4                  | 05/18/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3053-01 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-02-019-A        | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3053-02 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-02-019-A        | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3053-03 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-02-019-B        | 05/21/2018   | Chemtech -SO |

Date/Time 05/21/18 4:00 PM

Received by: JP

Relinquished by: JP

Date/Time 05/21/18 5:30 PM

Received by: CO

Relinquished by: JP

70055319

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-052118

WorkList ID : 112360

Date : 5/21/2018 7:54:55 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 05/24/2018 | Solid  | J3053-04 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-02-019-B  | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3054-01 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-01-006-A  | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3054-02 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-01-006-A  | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3054-03 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-01-006-B  | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3054-04 | Percent Solids | Cool 4 deg C | TULL02   | L41              | FK-GF-01-006-B  | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-01 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-1         | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-02 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-1-A       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-03 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-1-B       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-04 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-1         | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-05 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-2         | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-06 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-2-A       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-07 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-2-B       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-08 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-2         | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-09 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-3         | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-10 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-3-A       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-11 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-3-A       | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3055-12 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | PHASE-3         | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3056-01 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-1            | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3056-02 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-1-A          | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3056-03 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-1-B          | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3056-04 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-1            | 05/21/2018   | Chemtech -SO |

Date/Time 05/21/18 11:00 AM Date/Time 05/21/18 5:00 PM  
 Received by: Jo Received by: CP  
 Relinquished by: CP Relinquished by: Jo

18A5519

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-052118

WorkList ID : 112360

Date : 5/21/2018 7:54:55 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 05/24/2018 | Solid  | J3056-05 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-2            | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3056-06 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-2-A          | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3056-07 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-2-B          | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3056-08 | Percent Solids | Cool 4 deg C | PSEG01   | I23              | TP-2            | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3057-01 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | 156             | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3058-01 | Percent Solids | Cool 4 deg C | PSEG01   | I62              | VNJ-229         | 05/21/2018   | Chemtech -SO |
| 05/24/2018 | Solid  | J3058-02 | Percent Solids | Cool 4 deg C | PSEG01   | I62              | VNJ-229         | 05/21/2018   | Chemtech -SO |

Date/Time 05/21/18 4:00 PM  
 Received by: JP  
 Relinquished by: CR

Date/Time 05/21/18 5:30 PM  
 Received by: CR  
 Relinquished by: EP