



PERCENT SOLID

Analyst Name: jignesh

Date: 6/1/2018

OVENTEMP IN Celsius(°C): 108

Time IN: 17:15

In Date: 05/31/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 06/01/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB95745

| Lab ID   | Client Sample ID       | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J2670-07 | TR-05-053118           | 1     | 1.15              | 9.87                          | 8.64                              | 85.9    |
| J2672-09 | BU-01-053118           | 2     | 1.13              | 9.69                          | 8.49                              | 86      |
| J2676-31 | CL-02-053118-A         | 3     | 1.18              | 9.96                          | 8.93                              | 88.3    |
| J2676-33 | CL-02-053118-B         | 4     | 1.15              | 9.64                          | 8.54                              | 87      |
| J2676-35 | CL-02-053118-C         | 5     | 1.17              | 9.89                          | 8.85                              | 88.1    |
| J2676-37 | CL-02-053118-D         | 6     | 1.11              | 9.53                          | 8.53                              | 88.1    |
| J2677-07 | OK-03-053118           | 7     | 1.19              | 9.62                          | 8.88                              | 91.2    |
| J2969-03 | UNKNOWN-2              | 8     | 1.00              | 2.00                          | 2.00                              | 100     |
| J3179-01 | TYPE-A-TAGS            | 9     | 1.00              | 2.00                          | 2.00                              | 100     |
| J3179-02 | TYPE-B-TAGS            | 10    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3206-02 | 1PB200380              | 11    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3221-01 | TEC-A                  | 12    | 1.18              | 9.79                          | 8.99                              | 90.7    |
| J3221-02 | TEC-B                  | 13    | 1.16              | 7.97                          | 6.71                              | 81.5    |
| J3221-03 | TEC-D                  | 14    | 1.13              | 9.62                          | 8.92                              | 91.8    |
| J3221-04 | TEC-E                  | 15    | 1.18              | 6.40                          | 5.93                              | 91      |
| J3221-05 | TEC-F                  | 16    | 1.14              | 9.72                          | 9.04                              | 92.1    |
| J3221-06 | TEC-G                  | 17    | 1.12              | 6.01                          | 5.70                              | 93.7    |
| J3221-07 | TEC-H                  | 18    | 1.19              | 9.78                          | 8.97                              | 90.6    |
| J3221-08 | TEC-I                  | 19    | 1.14              | 5.60                          | 5.31                              | 93.5    |
| J3221-09 | TEC-J                  | 20    | 1.11              | 9.96                          | 9.30                              | 92.5    |
| J3224-01 | ROLL-OFF-282           | 21    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3226-01 | RS-RO-97-20            | 22    | 1.12              | 9.81                          | 8.14                              | 80.8    |
| J3226-02 | RS-RO-97-20            | 23    | 1.12              | 9.81                          | 8.14                              | 80.8    |
| J3226-04 | RS-RB47199RT           | 24    | 1.18              | 9.98                          | 9.20                              | 91.1    |
| J3226-05 | RS-RB47199RT           | 25    | 1.18              | 9.98                          | 9.20                              | 91.1    |
| J3227-01 | RO-37426-30-CHERI-LANE | 26    | 1.14              | 9.95                          | 6.89                              | 65.3    |
| J3227-02 | RO-37426-30-CHERI-LANE | 27    | 1.14              | 9.95                          | 6.89                              | 65.3    |
| J3228-01 | FK-PS-01-028           | 28    | 1.16              | 9.93                          | 9.38                              | 93.7    |
| J3228-02 | FK-PS-01-028           | 29    | 1.15              | 9.90                          | 9.22                              | 92.2    |
| J3235-01 | CLEAN-SAND-20          | 30    | 1.14              | 9.80                          | 9.27                              | 93.9    |
| J3235-02 | CLEAN-SAND-21          | 31    | 1.18              | 9.91                          | 9.42                              | 94.4    |
| J3235-03 | CLEAN-SAND-22          | 32    | 1.12              | 9.59                          | 9.11                              | 94.3    |
| J3235-04 | CLEAN-SAND-23          | 33    | 1.14              | 9.76                          | 9.27                              | 94.3    |
| J3235-05 | CLEAN-SAND-24          | 34    | 1.19              | 9.94                          | 9.40                              | 93.8    |
| J3235-06 | CLEAN-SAND-25          | 35    | 1.13              | 9.90                          | 9.36                              | 93.8    |
| J3236-01 | LAB9-02105             | 36    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3236-02 | LAB9-02107             | 37    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3236-03 | LAB9-02112             | 38    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3236-04 | LAB9-02108             | 39    | 1.00              | 2.00                          | 2.00                              | 100     |



PERCENT SOLID

Analyst Name: jignesh  
Date: 6/1/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:15  
In Date: 05/31/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:10  
Out Date: 06/01/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB95745

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|----------------------------------------------------|--------------------------------------------------------|----------------|
| J3236-05      | LAB9-02106              | 40           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| J3237-01      | AG-CAULK                | 41           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-053118

WorkList ID : 112773

Date : 5/31/2018 7:43:01 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 06/05/2018 | Solid  | J2670-07 | Percent Solids | Cool 4 deg C | PSEG05   |                  | TR-05-053118    | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J2672-09 | Percent Solids | Cool 4 deg C | PSEG05   |                  | BU-01-053118    | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J2676-31 | Percent Solids | Cool 4 deg C | PSEG05   |                  | CL-02-053118-A  | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J2676-33 | Percent Solids | Cool 4 deg C | PSEG05   |                  | CL-02-053118-B  | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J2676-35 | Percent Solids | Cool 4 deg C | PSEG05   |                  | CL-02-053118-C  | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J2676-37 | Percent Solids | Cool 4 deg C | PSEG05   |                  | CL-02-053118-D  | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J2677-07 | Percent Solids | Cool 4 deg C | PSEG05   |                  | OK-03-053118    | 05/31/2018   | Chemtech -SO |
| 05/26/2018 | Solid  | J2969-03 | Percent Solids | Cool 4 deg C | WARR01   | J43              | UNKNOWN-2       | 05/16/2018   | Chemtech -SO |
| 06/04/2018 | Solid  | J3179-01 | Percent Solids | Cool 4 deg C | LIRO01   | N41              | TYPE-A-TAGS     | 05/25/2018   | Chemtech -SO |
| 06/04/2018 | Solid  | J3179-02 | Percent Solids | Cool 4 deg C | LIRO01   | N41              | TYPE-B-TAGS     | 05/25/2018   | Chemtech -SO |
| 06/08/2018 | Solid  | J3206-02 | Percent Solids | Cool 4 deg C | PHAR01   | N42              | 1PB200380       | 05/29/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-01 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-A           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-02 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-B           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-03 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-D           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-04 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-E           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-05 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-F           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-06 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-G           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-07 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-H           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-08 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-I           | 05/30/2018   | Chemtech -SO |
| 06/06/2018 | Solid  | J3221-09 | Percent Solids | Cool 4 deg C | TECT01   | N23              | TEC-J           | 05/30/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3224-01 | Percent Solids | Cool 4 deg C | PSEG01   | I43              | ROLL-OFF-282    | 05/31/2018   | Chemtech -SO |

Date/Time 05/31/18 4:00 PM

Received by: JA

Relinquished by: CP

Date/Time 05/31/18 5:00 PM

Received by: CP

Relinquished by: JO

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-053118

WorkList ID : 112773

Date : 5/31/2018 7:43:01 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample        | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|------------------------|--------------|--------------|
| 06/05/2018 | Solid  | J3226-01 | Percent Solids | Cool 4 deg C | PSEG01   | I43              | RS-RO-97-20            | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3226-02 | Percent Solids | Cool 4 deg C | PSEG01   | I43              | RS-RO-97-20            | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3226-04 | Percent Solids | Cool 4 deg C | PSEG01   | I43              | RS-RB47199RT           | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3226-05 | Percent Solids | Cool 4 deg C | PSEG01   | I43              | RS-RB47199RT           | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3227-01 | Percent Solids | Cool 4 deg C | PSEG01   | I51              | RO-37426-30-CHERI-LANE | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3227-02 | Percent Solids | Cool 4 deg C | PSEG01   | I51              | RO-37426-30-CHERI-LANE | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3228-01 | Percent Solids | Cool 4 deg C | TULL02   | N41              | FK-PS-01-028           | 05/30/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3228-02 | Percent Solids | Cool 4 deg C | TULL02   | N41              | FK-PS-01-028           | 05/30/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3235-01 | Percent Solids | Cool 4 deg C | SKAN06   | N63              | CLEAN-SAND-20          | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3235-02 | Percent Solids | Cool 4 deg C | SKAN06   | N63              | CLEAN-SAND-21          | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3235-03 | Percent Solids | Cool 4 deg C | SKAN06   | N63              | CLEAN-SAND-22          | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3235-04 | Percent Solids | Cool 4 deg C | SKAN06   | N63              | CLEAN-SAND-23          | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3235-05 | Percent Solids | Cool 4 deg C | SKAN06   | N63              | CLEAN-SAND-24          | 05/31/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3235-06 | Percent Solids | Cool 4 deg C | SKAN06   | N63              | CLEAN-SAND-25          | 05/31/2018   | Chemtech -SO |
| 06/09/2018 | Solid  | J3236-01 | Percent Solids | Cool 4 deg C | PHAR01   | N13              | LAB9-02105             | 05/30/2018   | Chemtech -SO |
| 06/09/2018 | Solid  | J3236-02 | Percent Solids | Cool 4 deg C | PHAR01   | N13              | LAB9-02107             | 05/30/2018   | Chemtech -SO |
| 06/09/2018 | Solid  | J3236-03 | Percent Solids | Cool 4 deg C | PHAR01   | N13              | LAB9-02112             | 05/30/2018   | Chemtech -SO |
| 06/09/2018 | Solid  | J3236-04 | Percent Solids | Cool 4 deg C | PHAR01   | N13              | LAB9-02108             | 05/30/2018   | Chemtech -SO |
| 06/09/2018 | Solid  | J3236-05 | Percent Solids | Cool 4 deg C | PHAR01   | N13              | LAB9-02106             | 05/30/2018   | Chemtech -SO |
| 06/05/2018 | Solid  | J3237-01 | Percent Solids | Cool 4 deg C | PSEG01   | I43              | AG-CAULK               | 05/31/2018   | Chemtech -SO |

Date/Time 05/31/18 4:00 PM

Received by: JA

Relinquished by: WJ

Date/Time 05/31/18 5:00 PM

Received by: CD

Relinquished by: JD