



PERCENT SOLID

Analyst Name: jignesh

Date: 6/4/2018

OVENTEMP IN Celsius(°C): 108

Time IN: 15:10

In Date: 06/03/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 102

Time OUT: 08:00

Out Date: 06/04/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB95780

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J3239-01	AU-05-060118-A	1	1.14	9.76	8.83	89.2
J3239-03	AU-05-060118-B	2	1.12	9.61	8.66	88.8
J3239-05	AU-05-060118-C	3	1.18	9.71	9.01	91.8
J3239-07	AU-05-060118-D	4	1.16	9.88	8.96	89.4
J3243-01	NB-08-060118-A	5	1.18	9.94	8.73	86.2
J3243-03	NB-08-060118-B	6	1.18	9.68	8.71	88.6
J3257-01	DRUM-1	7	1.00	2.00	2.00	100
J3257-02	DRUM-2	8	1.00	2.00	2.00	100
J3259-01	RS-RB-274318	9	1.14	9.65	8.29	84
J3259-02	RS-RB-274318	10	1.14	9.65	8.29	84
J3262-01	RS-RO-274319	11	1.12	9.94	7.25	69.5
J3262-02	RS-RO-274319	12	1.12	9.94	7.25	69.5
J3263-01	RS-RO-124022	13	1.15	9.78	8.49	85.1
J3263-02	RS-RO-124022	14	1.15	9.78	8.49	85.1
J3266-01	RS-RB-36793RT	15	1.14	9.90	8.75	86.9
J3266-02	RS-RB-36793RT	16	1.14	9.90	8.75	86.9
J3271-01	TP-7A-WC-1	17	1.11	9.53	7.86	80.2
J3271-03	TP-7A-WC-2	18	1.13	9.72	8.06	80.7
J3271-05	TP-7A-WC-3	19	1.13	9.72	8.21	82.4
J3271-07	TP-7A-WC-4	20	1.19	9.88	8.36	82.5
J3271-09	TP-7A-WC- (2.0-2.5)	21	1.18	9.82	8.00	78.9
J3271-10	TP-7A-WC- (2.5-3.0)	22	1.15	9.96	8.44	82.7
J3271-11	TP-7A-WC- (3.0-3.5)	23	1.18	9.94	8.52	83.8
J3271-12	TP-7A-WC- (3.5-4.0)	24	1.16	9.75	8.05	80.2
J3271-13	TP-7A-WC- (4.0-4.5)	25	1.16	9.78	8.14	81
J3271-14	TP-7A-WC- (4.5-5.0)	26	1.13	9.58	7.85	79.5
J3271-15	TP-7A-WC- (2.0-2.5) -A	27	1.18	9.92	8.43	83
J3271-16	TP-7A-WC- (2.5-3.0) -A	28	1.13	9.66	7.99	80.4
J3271-17	TP-7A-WC- (3.0-3.5) -A	29	1.10	9.75	8.00	79.8
J3271-18	TP-7A-WC- (3.5-4.0) -A	30	1.18	9.68	8.19	82.5
J3271-19	TP-7A-WC- (4.0-4.5) -A	31	1.12	9.97	9.40	93.6
J3271-20	TP-7A-WC- (4.5-5.0) -A	32	1.13	9.93	9.57	95.9
J3271-21	TP-7A-WC- (2.0-2.5) -B	33	1.18	9.81	8.33	82.9
J3271-22	TP-7A-WC- (2.5-3.0) -B	34	1.14	9.94	8.35	81.9
J3271-23	TP-7A-WC- (3.0-3.5) -B	35	1.16	9.64	8.11	82
J3271-24	TP-7A-WC- (3.5-4.0) -B	36	1.13	9.92	8.50	83.8
J3272-01	RBR-45901-RBR-47184-RBR-	37	1.18	9.97	9.00	89
J3272-02	RBR-45901-RBR-47184-RBR-	38	1.18	9.97	9.00	89
J3274-01	S39-0180	39	1.13	9.62	7.94	80.2



PERCENT SOLID

Analyst Name: jignesh

Date: 6/4/2018

OVENTEMP IN Celsius(°C): 108

Time IN: 15:10

In Date: 06/03/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 102

Time OUT: 08:00

Out Date: 06/04/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB95780

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J3274-02	S39-0175	40	1.16	9.90	8.55	84.6
J3274-03	S39-0176	41	1.17	9.65	8.47	86.1
J3276-01	ES-OILY-WIPE	42	1.00	2.00	2.00	100
J3276-02	ES-ASBESTOS-PIPE	43	1.13	9.89	6.21	58
J3276-04	ES-STONE	44	1.00	2.00	2.00	100
J3277-01	OILY-DEBRIS-1	45	1.00	2.00	2.00	100
J3277-02	OILY-DEBRIS-2	46	1.00	2.00	2.00	100
J3277-03	OILY-STONES	47	1.19	9.87	9.80	99.2
J3282-05	SVOC-GPC-BLANK	48	1.00	2.00	2.00	100
J3282-06	PEST-GPC-BLANK	49	1.00	2.00	2.00	100
J3282-07	PEST-GPC-BLANK-SPIKE	50	1.00	2.00	2.00	100
J3282-08	PCB-GPC-BLANK	51	1.00	2.00	2.00	100
J3282-09	PCB-GPC-BLANK-SPIKE	52	1.00	2.00	2.00	100
J3282-10	SVOC-GPC2-BLANK	53	1.00	2.00	2.00	100
J3282-11	PEST-GPC2-BLANK	54	1.00	2.00	2.00	100
J3282-12	PEST-GPC2-BLANK-SPIKE	55	1.00	2.00	2.00	100
J3282-13	PCB-GPC2-BLANK	56	1.00	2.00	2.00	100
J3282-14	PCB-GPC2-BLANK-SPIKE	57	1.00	2.00	2.00	100
J3283-01	SS-OILY-DEBRIS	58	1.00	2.00	2.00	100
J3286-01	TP-6A-WC-1	59	1.14	9.96	9.12	90.5
J3286-03	TP-6A-WC-2	60	1.13	9.50	7.70	78.5
J3286-05	TP-6A-WC-3	61	1.18	9.96	7.56	72.7
J3286-07	TP-6A-WC-4	62	1.10	9.72	8.21	82.5
J3286-09	TP-6A-WC-5	63	1.10	9.75	7.87	78.3
J3286-11	TP-6A-WC- (2.0-2.5)	64	1.17	9.80	8.61	86.2
J3286-12	TP-6A-WC- (2.5-3.0)	65	1.12	9.98	8.61	84.5
J3286-13	TP-6A-WC- (3.0-3.5)	66	1.13	9.96	8.37	82
J3286-14	TP-6A-WC- (3.5-4.0)	67	1.14	9.87	8.17	80.5
J3286-15	TP-6A-WC- (4.0-4.5)	68	1.17	9.98	8.21	79.9
J3286-16	TP-6A-WC- (4.5-5.0)	69	1.18	9.79	7.94	78.5
J3286-17	TP-6A-WC- (5.0-5.5)	70	1.18	9.73	7.58	74.9
J3286-18	TP-6A-WC- (5.5-6.0)	71	1.10	9.91	7.57	73.4
J3286-19	TP-6A-WC- (6.0-6.5)	72	1.13	9.89	7.34	70.9
J3286-20	TP-6A-WC- (6.5-7.0)	73	1.16	9.66	7.34	72.7
J3286-21	TP-6A-WC- (2.0-2.5) -A	74	1.13	9.62	8.03	81.3
J3286-22	TP-6A-WC- (2.5-3.0) -A	75	1.12	9.97	8.59	84.4
J3286-23	TP-6A-WC- (3.0-3.5) -A	76	1.17	9.98	8.44	82.5
J3286-24	TP-6A-WC- (3.5-4.0) -A	77	1.14	9.95	8.55	84.1
J3286-25	TP-6A-WC- (4.0-4.5) -A	78	1.13	9.53	7.74	78.7



PERCENT SOLID

Analyst Name: jignesh

Date: 6/4/2018

OVENTEMP IN Celsius(°C): 108

Time IN: 15:10

In Date: 06/03/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 102

Time OUT: 08:00

Out Date: 06/04/2018

Weight Check 1.0g: 1.00 g

Weight Check 10g: 10.00 g

BalanceID: M Sc-1

QC: LB95780

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Dish#</u>	<u>Dish Wt(g)</u> <u>(A)</u>	<u>Dish +</u> <u>Sample Wt(g)</u> <u>(B)</u>	<u>Dish + Dry</u> <u>Sample Wt(g)</u> <u>(C)</u>	<u>% Solid</u>
J3286-26	TP-6A-WC-(4.5-5.0)-A	79	1.13	9.98	8.26	80.6
J3286-27	TP-6A-WC-(5.0-5.5)-A	80	1.10	9.57	7.58	76.5
J3286-28	TP-6A-WC-(5.5-6.0)-A	81	1.18	9.96	7.94	77
J3286-29	TP-6A-WC-(6.0-6.5)-A	82	1.14	9.71	7.27	71.5
J3286-30	TP-6A-WC-(6.5-7.0)-A	83	1.20	9.97	7.79	75.1

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

2B95180

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-060318

WorkList ID : 112898

Date : 6/3/2018 6:35:15 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/06/2018	Solid	J3239-01	Percent Solids	Cool 4 deg C	PSEG05	I53	AU-05-060118-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3239-03	Percent Solids	Cool 4 deg C	PSEG05	I53	AU-05-060118-B	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3239-05	Percent Solids	Cool 4 deg C	PSEG05	I53	AU-05-060118-C	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3239-07	Percent Solids	Cool 4 deg C	PSEG05	I53	AU-05-060118-D	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3243-01	Percent Solids	Cool 4 deg C	PSEG05	I63	NB-08-060118-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3243-03	Percent Solids	Cool 4 deg C	PSEG05	I63	NB-08-060118-B	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3257-01	Percent Solids	Cool 4 deg C	PSEG01	I43	DRUM-1	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3257-02	Percent Solids	Cool 4 deg C	PSEG01	I43	DRUM-2	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3259-01	Percent Solids	Cool 4 deg C	PSEG01	I41	RS-RB-274318	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3259-02	Percent Solids	Cool 4 deg C	PSEG01	I41	RS-RB-274318	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3262-01	Percent Solids	Cool 4 deg C	PSEG01	I41	RS-RO-274319	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3262-02	Percent Solids	Cool 4 deg C	PSEG01	I41	RS-RO-274319	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3263-01	Percent Solids	Cool 4 deg C	PSEG01	I51	RS-RO-124022	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3263-02	Percent Solids	Cool 4 deg C	PSEG01	I51	RS-RO-124022	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3266-01	Percent Solids	Cool 4 deg C	PSEG01	I52	RS-RB-36793RT	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3266-02	Percent Solids	Cool 4 deg C	PSEG01	I52	RS-RB-36793RT	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3271-01	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-1	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-03	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-2	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-05	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-3	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-07	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-4	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-09	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(2.0-2.5)	05/31/2018	Chemtech -SO

Date/Time 06/03/18 21:00 PM

Received by: JP

Relinquished by: [Signature]

Date/Time 06/03/18 3:40 PM

Received by: [Signature]

Relinquished by: JP

2805180

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-060318

WorkList ID : 112898

Date : 6/3/2018 6:35:15 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/06/2018	Solid	J3271-10	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(2.5-3.0)	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-11	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(3.0-3.5)	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-12	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(3.5-4.0)	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-13	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(4.0-4.5)	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-14	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(4.5-5.0)	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-15	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(2.0-2.5)-A	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-16	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(2.5-3.0)-A	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-17	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(3.0-3.5)-A	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-18	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(3.5-4.0)-A	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-19	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(4.0-4.5)-A	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-20	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(4.5-5.0)-A	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-21	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(2.0-2.5)-B	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-22	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(2.5-3.0)-B	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-23	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(3.0-3.5)-B	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3271-24	Percent Solids	Cool 4 deg C	PSEG01	I51	TP-7A-WC-(3.5-4.0)-B	05/31/2018	Chemtech -SO
06/06/2018	Solid	J3272-01	Percent Solids	Cool 4 deg C	PSEG01	I52	RBR-45901-RBR-47184-RBR-	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3272-02	Percent Solids	Cool 4 deg C	PSEG01	I52	RBR-45901-RBR-47184-RBR-	06/01/2018	Chemtech -SO
06/10/2018	Solid	J3274-01	Percent Solids	Cool 4 deg C	SHAW27		S39-0180	05/31/2018	Chemtech -SO
06/10/2018	Solid	J3274-02	Percent Solids	Cool 4 deg C	SHAW27	P11	S39-0175	05/31/2018	Chemtech -SO
06/10/2018	Solid	J3274-03	Percent Solids	Cool 4 deg C	SHAW27	P11	S39-0176	05/31/2018	Chemtech -SO
06/03/2018	Solid	J3276-01	Percent Solids	Cool 4 deg C	PSEG01	I53	ES-OILY-WIPE	06/01/2018	Chemtech -SO

Date/Time 06/03/18 2:00 PM

Received by: JE

Relinquished by: CO

Date/Time 06/03/18 3:40 PM

Received by: CO

Relinquished by: JE

1895780

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-060318

WorkList ID : 112898

Date : 6/3/2018 6:35:15 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/03/2018	Solid	J3276-02	Percent Solids	Cool 4 deg C	PSEG01	I53	ES-ASBESTOS-PIPE	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3276-04	Percent Solids	Cool 4 deg C	PSEG01	I53	ES-STONE	06/01/2018	Chemtech -SO
06/08/2018	Solid	J3277-01	Percent Solids	Cool 4 deg C	PSEG01	I53	OILY-DEBRIS-1	06/01/2018	Chemtech -SO
06/08/2018	Solid	J3277-02	Percent Solids	Cool 4 deg C	PSEG01	I53	OILY-DEBRIS-2	06/01/2018	Chemtech -SO
06/08/2018	Solid	J3277-03	Percent Solids	Cool 4 deg C	PSEG01	I53	OILY-STONES	06/01/2018	Chemtech -SO
06/04/2018	Solid	J3282-05	Percent Solids	Cool 4 deg C	CHEM02	P13	SVOC-GPC-BLANK	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-06	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC-BLANK	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-07	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC-BLANK-SPIKE	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-08	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC-BLANK	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-09	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC-BLANK-SPIKE	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-10	Percent Solids	Cool 4 deg C	CHEM02	P13	SVOC-GPC2-BLANK	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-11	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC2-BLANK	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-12	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC2-BLANK-SPIKE	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-13	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC2-BLANK	05/25/2018	Chemtech -SO
06/04/2018	Solid	J3282-14	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC2-BLANK-SPIKE	05/25/2018	Chemtech -SO
06/06/2018	Solid	J3283-01	Percent Solids	Cool 4 deg C	PSEG01	I53	SS-OILY-DEBRIS	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-01	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-1	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-03	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-2	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-05	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-3	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-07	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-4	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-09	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-5	06/01/2018	Chemtech -SO

Date/Time 06/03/18 2:00 PM

Date/Time 06/03/18 3:40 PM

Received by: [Signature]

Received by: [Signature]

Relinquished by: [Signature]

Relinquished by: [Signature]

VB 05780

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-060318

WorkList ID : 112898

Date : 6/3/2018 6:35:15 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/06/2018	Solid	J3286-11	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(2.0-2.5)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-12	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(2.5-3.0)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-13	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(3.0-3.5)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-14	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(3.5-4.0)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-15	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(4.0-4.5)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-16	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(4.5-5.0)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-17	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(5.0-5.5)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-18	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(5.5-6.0)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-19	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(6.0-6.5)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-20	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(6.5-7.0)	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-21	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(2.0-2.5)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-22	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(2.5-3.0)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-23	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(3.0-3.5)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-24	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(3.5-4.0)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-25	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(4.0-4.5)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-26	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(4.5-5.0)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-27	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(5.0-5.5)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-28	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(5.5-6.0)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-29	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(6.0-6.5)-A	06/01/2018	Chemtech -SO
06/06/2018	Solid	J3286-30	Percent Solids	Cool 4 deg C	PSEG01	I62	TP-6A-WC-(6.5-7.0)-A	06/01/2018	Chemtech -SO

06/03/18 21:00 PM

Date/Time 06/03/18 3:40 PM

Received by: [Signature]

Received by: [Signature]

Relinquished by: [Signature]

Relinquished by: [Signature]