

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	offset	slope
LB95797BLW	100	04/06/2018 14:51	0.00	3.73	7.09	104.1
LB95797BSW	100	04/06/2018 14:54	55.28	8.61	7.09	104.1
J3231-01	50	04/06/2018 14:59	242.40	6.63	7.09	104.1
J3231-01DUP	50	04/06/2018 15:04	244.56	6.70	7.09	104.1
J3231-02	50	04/06/2018 15:10	110.64	6.24	7.09	104.1
J3231-03	50	04/06/2018 15:15	400.40	6.83	7.09	104.1
J3231-04	50	04/06/2018 15:21	452.40	6.27	7.09	104.1
J3231-05	50	04/06/2018 15:27	197.12	6.44	7.09	104.1
J3231-06	50	04/06/2018 15:32	132.00	6.19	7.09	104.1
J3231-07	50	04/06/2018 15:37	121.68	6.05	7.09	104.1
J3231-08	50	04/06/2018 15:41	538.80	6.78	7.09	104.1
J3231-09	50	04/06/2018 15:48	378.96	5.79	7.09	104.1
J3231-10	50	04/06/2018 15:52	368.48	5.83	7.09	104.1

06/04/18 IB