



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Hiral

Parameter: Paint Filter

Supervisor Review By: KETANKUMAR

Run Number: LB95935

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J2932-03	TP-A-S	1	100.03	0.00	06/11/2018	10:05
2	J2932-03DUP	TP-A-SDUP	1	100.02	0.00	06/11/2018	10:15
3	J2932-07	TP-D-DB-1-2	1	100.04	0.00	06/11/2018	10:25
4	J3248-01	EO-02-060818-A	1	100.02	0.00	06/11/2018	10:40
5	J3248-03	EO-02-060818-B	1	100.02	0.00	06/11/2018	10:52
6	J3248-05	EO-02-060818-C	1	100.04	0.00	06/11/2018	11:02

WORKLIST(Hardcopy Internal Chain)

LB 95935

WorkList Name : PF-061118

WorkList ID : 113163

Date : 6/11/2018 8:01:40 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/08/2018	Solid	J2932-03 <i>F</i>	Paint Filter	Cool 4 deg C	PSEG01	I62	TP-A-S	06/08/2018	9095A
06/08/2018	Solid	J2932-07 <i>E</i>	Paint Filter	Cool 4 deg C	PSEG01	I62	TP-D-DB-1-2	06/08/2018	9095A
06/08/2018	Solid	J3248-01 <i>G</i>	Paint Filter	Cool 4 deg C	PSEG05	I63	EO-02-060818-A	06/08/2018	9095A
06/08/2018	Solid	J3248-03 <i>A</i>	Paint Filter	Cool 4 deg C	PSEG05	I63	EO-02-060818-B	06/08/2018	9095A
06/08/2018	Solid	J3248-05 <i>J</i>	Paint Filter	Cool 4 deg C	PSEG05	I63	EO-02-060818-C	06/08/2018	9095A

Date/Time 6/11/18 9:50
 Received by: HR
 Relinquished by: _____

Date/Time 6/11/18 11:10
 Received by: CP
 Relinquished by: HR