

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	slope	offset
LB96089BSW	100	18/06/2018 15:31	0.00	3.80	103.8	7.05
LB96089BSW	100	18/06/2018 15:41	49.60	8.36	103.8	7.05
J3477-01	50	18/06/2018 15:46	182.48	6.34	103.8	7.05
J3477-04	50	18/06/2018 15:51	200.16	6.49	103.8	7.05
J3477-06	50	18/06/2018 15:55	195.20	6.50	103.8	7.05
J3477-07	50	18/06/2018 16:00	195.12	6.45	103.8	7.05
J3477-08	50	18/06/2018 16:06	189.36	6.44	103.8	7.05
J3477-09	50	18/06/2018 16:10	180.80	6.98	103.8	7.05
J3477-10	50	18/06/2018 16:15	220.88	6.51	103.8	7.05
J3477-11	50	18/06/2018 16:21	3.12	4.86	103.8	7.05
J3509-01	50	18/06/2018 16:24	205.20	6.47	103.8	7.05
J3509-04	50	18/06/2018 16:28	423.68	6.50	103.8	7.05
J3509-05	50	18/06/2018 16:35	434.56	6.57	103.8	7.05
J3510-01	50	18/06/2018 16:41	336.08	6.64	103.8	7.05
J3510-02	50	18/06/2018 16:56	272.24	6.12	103.8	7.05
J35410-02DUP	50	18/06/2018 17:01	275.68	6.19	103.8	7.05
J3552-01	50	18/06/2018 17:06	120.88	9.19	103.8	7.05
J3561-01	50	18/06/2018 17:11	255.60	6.47	103.8	7.05
J3561-02	50	18/06/2018 17:16	225.28	6.49	103.8	7.05
J3561-03	50	18/06/2018 17:21	195.12	6.11	103.8	7.05
J3561-04	50	18/06/2018 17:26	0.40	4.55	103.8	7.05
J3561-04	100	18/06/2018 17:36	0.00	4.39	103.8	7.05
J3477-11	100	18/06/2018 17:38	2.16	4.60	103.8	7.05

06/18/18 IB