



PERCENT SOLID

Analyst Name: jignesh  
Date: 6/19/2018

OVENTEMP IN Celsius(°C): 109  
Time IN: 17:37  
In Date: 06/18/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:35  
Out Date: 06/19/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB96096

| Lab ID   | Client Sample ID           | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|----------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J3249-01 | PL-01-061818-A             | 1     | 1.16              | 9.69                          | 9.15                              | 93.7    |
| J3249-03 | PL-01-061818-B             | 2     | 1.16              | 9.50                          | 8.66                              | 89.9    |
| J3249-05 | PL-01-061818-C             | 3     | 1.13              | 9.96                          | 9.44                              | 94.1    |
| J3249-07 | PL-01-061818-D             | 4     | 1.12              | 9.79                          | 9.05                              | 91.5    |
| J3249-09 | PL-01-061818-E             | 5     | 1.12              | 9.95                          | 9.36                              | 93.3    |
| J3498-01 | TP-G-S1                    | 6     | 1.16              | 9.67                          | 8.46                              | 85.8    |
| J3498-02 | TP-G-S2                    | 7     | 1.16              | 9.61                          | 8.67                              | 88.9    |
| J3498-03 | TP-G-S                     | 8     | 1.18              | 9.97                          | 8.79                              | 86.6    |
| J3498-05 | TP-G-D1                    | 9     | 1.14              | 9.80                          | 9.00                              | 90.8    |
| J3498-06 | TP-G-D2                    | 10    | 1.11              | 9.98                          | 9.01                              | 89.1    |
| J3498-07 | TP-G-D                     | 11    | 1.14              | 9.75                          | 8.89                              | 90      |
| J3570-01 | 20180371-COMPOSITE-CS-1A   | 12    | 1.14              | 9.96                          | 6.88                              | 65.1    |
| J3570-02 | 20180372-COMPOSITE-CS-1B   | 13    | 1.12              | 9.57                          | 7.63                              | 77      |
| J3570-03 | 20180373-AMENDED-COMPOSITE | 14    | 1.18              | 9.62                          | 6.85                              | 67.2    |
| J3570-04 | 20180374-AMENDED-COMPOSITE | 15    | 1.16              | 9.97                          | 8.17                              | 79.6    |
| J3573-02 | SB-47-COMP                 | 16    | 1.17              | 9.89                          | 8.23                              | 81      |
| J3573-03 | SB-48-COMP                 | 17    | 1.19              | 9.83                          | 8.70                              | 86.9    |
| J3573-04 | SB-49-COMP                 | 18    | 1.11              | 9.98                          | 8.32                              | 81.3    |
| J3573-05 | SB-50-COMP                 | 19    | 1.19              | 9.97                          | 8.77                              | 86.3    |
| J3573-06 | SB-54-COMP                 | 20    | 1.14              | 9.96                          | 8.78                              | 86.6    |
| J3573-07 | SB-45-COMP                 | 21    | 1.16              | 9.69                          | 6.82                              | 66.4    |
| J3573-18 | SB-52-COMP                 | 22    | 1.18              | 9.97                          | 8.96                              | 88.5    |
| J3573-19 | SB-53-COMP                 | 23    | 1.16              | 9.77                          | 9.22                              | 93.6    |
| J3575-01 | TP-9                       | 24    | 1.14              | 9.87                          | 8.74                              | 87.1    |
| J3575-02 | TP-9                       | 25    | 1.10              | 9.66                          | 8.61                              | 87.7    |
| J3575-04 | TP-10-1                    | 26    | 1.16              | 9.71                          | 8.55                              | 86.4    |
| J3575-05 | TP-10-2                    | 27    | 1.15              | 9.59                          | 8.31                              | 84.8    |
| J3575-06 | TP-10                      | 28    | 1.17              | 9.82                          | 8.54                              | 85.2    |
| J3575-08 | TP-12-1                    | 29    | 1.10              | 9.67                          | 8.61                              | 87.6    |
| J3575-09 | TP-12-2                    | 30    | 1.14              | 9.97                          | 8.60                              | 84.5    |
| J3575-10 | TP-12                      | 31    | 1.13              | 9.66                          | 8.57                              | 87.2    |
| J3575-12 | TP-11-S-1                  | 32    | 1.10              | 9.65                          | 8.58                              | 87.5    |
| J3575-13 | TP-11-S-2                  | 33    | 1.16              | 9.83                          | 8.76                              | 87.7    |
| J3575-14 | TP-11-S                    | 34    | 1.12              | 9.83                          | 8.57                              | 85.5    |
| J3575-16 | TP-11-D-1                  | 35    | 1.14              | 9.88                          | 8.82                              | 87.9    |
| J3575-17 | TP-11-D-2                  | 36    | 1.17              | 9.67                          | 8.51                              | 86.4    |
| J3575-18 | TP-11-D                    | 37    | 1.15              | 9.55                          | 8.44                              | 86.8    |
| J3575-20 | TP-13                      | 38    | 1.20              | 9.67                          | 8.68                              | 88.3    |
| J3575-21 | TP-13                      | 39    | 1.16              | 9.95                          | 8.75                              | 86.3    |



PERCENT SOLID

Analyst Name: jignesh  
Date: 6/19/2018

OVENTEMP IN Celsius(°C): 109  
Time IN: 17:37  
In Date: 06/18/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:35  
Out Date: 06/19/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB96096

| Lab ID   | Client Sample ID   | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|--------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J3576-01 | N-1366-OILY-DEBRIS | 40    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3576-02 | N-1366-OIL         | 41    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3579-01 | A456050            | 42    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3579-02 | B460312            | 43    | 1.00              | 2.00                          | 2.00                              | 100     |
| J3580-01 | S-1                | 44    | 1.15              | 9.77                          | 8.83                              | 89.1    |
| J3580-02 | S-2                | 45    | 1.17              | 9.71                          | 8.79                              | 89.2    |
| J3580-03 | S-3                | 46    | 1.11              | 9.85                          | 8.84                              | 88.4    |
| J3581-01 | SSP-A-COMPOSITE    | 47    | 1.13              | 9.73                          | 9.07                              | 92.3    |
| J3581-04 | SSP-B-COMPOSITE    | 48    | 1.14              | 9.80                          | 8.96                              | 90.3    |
| J3581-07 | SSP-C-COMPOSITE    | 49    | 1.16              | 9.74                          | 9.00                              | 91.4    |
| J3582-01 | SSP-A-1-GRAB       | 50    | 1.14              | 9.86                          | 9.22                              | 92.7    |
| J3582-02 | SSP-A-2-GRAB       | 51    | 1.16              | 9.94                          | 9.41                              | 94      |
| J3582-03 | SSP-A-3-GRAB       | 52    | 1.17              | 9.90                          | 9.24                              | 92.4    |
| J3582-04 | SSP-B-1-GRAB       | 53    | 1.13              | 9.58                          | 9.09                              | 94.2    |
| J3582-05 | SSP-B-2-GRAB       | 54    | 1.11              | 9.92                          | 9.17                              | 91.5    |
| J3582-06 | SSP-B-3-GRAB       | 55    | 1.16              | 9.89                          | 9.25                              | 92.7    |
| J3582-07 | SSP-C-1-GRAB       | 56    | 1.15              | 9.56                          | 8.70                              | 89.8    |
| J3582-08 | SSP-C-2-GRAB       | 57    | 1.11              | 9.66                          | 8.76                              | 89.5    |
| J3582-09 | SSP-C-3-GRAB       | 58    | 1.14              | 9.98                          | 9.53                              | 94.9    |
| J3584-01 | TP-12-S-1          | 59    | 1.15              | 9.60                          | 8.81                              | 90.7    |
| J3584-02 | TP-12-S-2          | 60    | 1.11              | 9.79                          | 8.99                              | 90.8    |
| J3584-03 | TP-12-S            | 61    | 1.18              | 9.97                          | 9.24                              | 91.7    |
| J3584-05 | TP-12-D-1          | 62    | 1.13              | 9.78                          | 8.91                              | 89.9    |
| J3584-06 | TP-12-D-2          | 63    | 1.16              | 9.85                          | 9.09                              | 91.3    |
| J3584-07 | TP-12-D            | 64    | 1.10              | 9.67                          | 8.88                              | 90.8    |
| J3584-09 | TP-3-1             | 65    | 1.15              | 9.95                          | 9.02                              | 89.4    |
| J3584-10 | TP-3-2             | 66    | 1.13              | 9.90                          | 8.90                              | 88.6    |
| J3584-11 | TP-3               | 67    | 1.19              | 9.68                          | 8.67                              | 88.1    |
| J3584-13 | TP-2-S-1           | 68    | 1.17              | 9.98                          | 9.12                              | 90.2    |
| J3584-14 | TP-2-S-2           | 69    | 1.19              | 9.79                          | 9.13                              | 92.3    |
| J3584-15 | TP-2-S             | 70    | 1.18              | 9.66                          | 9.02                              | 92.5    |
| J3584-17 | TP-1-S-1           | 71    | 1.12              | 9.94                          | 9.14                              | 90.9    |
| J3584-18 | TP-1-S-2           | 72    | 1.15              | 9.95                          | 8.80                              | 86.9    |
| J3584-19 | TP-1-S             | 73    | 1.16              | 9.81                          | 8.87                              | 89.1    |
| J3584-21 | TP-1-D-1           | 74    | 1.11              | 9.85                          | 8.98                              | 90      |
| J3584-22 | TP-1-D-2           | 75    | 1.19              | 9.94                          | 9.11                              | 90.5    |
| J3584-23 | TP-1-D             | 76    | 1.13              | 9.52                          | 8.61                              | 89.2    |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

LB 96096

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-061818

WorkList ID : 113446

Date : 6/18/2018 7:37:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample         | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-------------------------|--------------|--------------|
| 06/21/2018 | Solid  | J3249-01 | Percent Solids | Cool 4 deg C | PSEG05   | D51              | PL-01-061818-A          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3249-03 | Percent Solids | Cool 4 deg C | PSEG05   | D51              | PL-01-061818-B          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3249-05 | Percent Solids | Cool 4 deg C | PSEG05   | D51              | PL-01-061818-C          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3249-07 | Percent Solids | Cool 4 deg C | PSEG05   | D51              | PL-01-061818-D          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3249-09 | Percent Solids | Cool 4 deg C | PSEG05   | D51              | PL-01-061818-E          | 06/18/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3498-01 | Percent Solids | Cool 4 deg C | PSEG01   | D22              | TP-G-S1                 | 06/13/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3498-02 | Percent Solids | Cool 4 deg C | PSEG01   | D22              | TP-G-S2                 | 06/13/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3498-03 | Percent Solids | Cool 4 deg C | PSEG01   | D22              | TP-G-S                  | 06/13/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3498-05 | Percent Solids | Cool 4 deg C | PSEG01   | D22              | TP-G-D1                 | 06/13/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3498-06 | Percent Solids | Cool 4 deg C | PSEG01   | D22              | TP-G-D2                 | 06/13/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3498-07 | Percent Solids | Cool 4 deg C | PSEG01   | D22              | TP-G-D                  | 06/13/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3570-01 | Percent Solids | Cool 4 deg C | AQUA04   | D31              | 20180371-COMPOSITE-CS-1 | 06/07/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3570-02 | Percent Solids | Cool 4 deg C | AQUA04   | D31              | 20180372-COMPOSITE-CS-1 | 06/07/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3570-03 | Percent Solids | Cool 4 deg C | AQUA04   | D31              | 20180373-AMENDED-COMP   | 06/07/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3570-04 | Percent Solids | Cool 4 deg C | AQUA04   | D31              | 20180374-AMENDED-COMP   | 06/07/2018   | Chemtech -SO |
| 06/19/2018 | Solid  | J3573-02 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-47-COMP              | 06/15/2018   | Chemtech -SO |
| 06/19/2018 | Solid  | J3573-03 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-48-COMP              | 06/15/2018   | Chemtech -SO |
| 06/19/2018 | Solid  | J3573-04 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-49-COMP              | 06/15/2018   | Chemtech -SO |
| 06/19/2018 | Solid  | J3573-05 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-50-COMP              | 06/15/2018   | Chemtech -SO |
| 06/19/2018 | Solid  | J3573-06 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-54-COMP              | 06/15/2018   | Chemtech -SO |
| 06/19/2018 | Solid  | J3573-07 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-45-COMP              | 06/12/2018   | Chemtech -SO |

Date/Time 06-18-18 3:40 PM

Received by: Jh

Relinquished by: CO

Date/Time 06-18-18 5:45 PM

Received by: CO

Relinquished by: Jh

1-B 96096

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-061818

WorkList ID : 113446

Date : 6/18/2018 7:37:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|--------------------|--------------|--------------|
| 06/17/2018 | Solid  | J3573-18 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-52-COMP         | 06/15/2018   | Chemtech -SO |
| 06/17/2018 | Solid  | J3573-19 | Percent Solids | Cool 4 deg C | TULL02   | D51              | SB-53-COMP         | 06/11/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-01 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-9               | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-02 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-9               | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-04 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-10-1            | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-05 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-10-2            | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-06 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-10              | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-08 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-12-1            | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-09 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-12-2            | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-10 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-12              | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-12 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-11-S-1          | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-13 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-11-S-2          | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-14 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-11-S            | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-16 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-11-D-1          | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-17 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-11-D-2          | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-18 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-11-D            | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-20 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-13              | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3575-21 | Percent Solids | Cool 4 deg C | PSEG01   | D51              | TP-13              | 06/16/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3576-01 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | N-1366-OILY-DEBRIS | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3576-02 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | N-1366-OIL         | 06/18/2018   | Chemtech -SO |
| 06/18/2018 | Solid  | J3579-01 | Percent Solids | Cool 4 deg C | CLEA07   | D42              | A456050            | 06/15/2018   | Chemtech -SO |

Date/Time 06-18-18 3:40 PM  
 Received by: SP  
 Relinquished by: SA

Date/Time 06-18-18 5:45 PM  
 Received by: CO  
 Relinquished by: SP

1896096

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-061818

WorkList ID : 113446

Date : 6/18/2018 7:37:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 06/18/2018 | Solid  | J3579-02 | Percent Solids | Cool 4 deg C | CLEA07   | D42              | B460312         | 06/15/2018   | Chemtech -SO |
| 06/24/2018 | Solid  | J3580-01 | Percent Solids | Cool 4 deg C | CORE03   | D22              | S-1             | 06/18/2018   | Chemtech -SO |
| 06/24/2018 | Solid  | J3580-02 | Percent Solids | Cool 4 deg C | CORE03   | D22              | S-2             | 06/18/2018   | Chemtech -SO |
| 06/24/2018 | Solid  | J3580-03 | Percent Solids | Cool 4 deg C | CORE03   | D22              | S-3             | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3581-01 | Percent Solids | Cool 4 deg C | DIST01   | D21              | SSP-A-COMPOSITE | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3581-04 | Percent Solids | Cool 4 deg C | DIST01   | D21              | SSP-B-COMPOSITE | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3581-07 | Percent Solids | Cool 4 deg C | DIST01   | D21              | SSP-C-COMPOSITE | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-01 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-A-1-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-02 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-A-2-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-03 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-A-3-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-04 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-B-1-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-05 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-B-2-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-06 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-B-3-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-07 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-C-1-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-08 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-C-2-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/28/2018 | Solid  | J3582-09 | Percent Solids | Cool 4 deg C | DIST01   | D51              | SSP-C-3-GRAB    | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-01 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-12-S-1       | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-02 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-12-S-2       | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-03 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-12-S         | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-05 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-12-D-1       | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-06 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-12-D-2       | 06/18/2018   | Chemtech -SO |

Date/Time 06-18-18 3:40 PM

Received by: JP

Relinquished by: LP

Date/Time 06-18-18 5:45 PM

Received by: JP

Relinquished by: JP

13 96096

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-061818

WorkList ID : 113446

Date : 6/18/2018 7:37:14 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 06/21/2018 | Solid  | J3584-07 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-12-D         | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-09 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-3-1          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-10 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-3-2          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-11 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-3            | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-13 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-2-S-1        | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-14 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-2-S-2        | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-15 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-2-S          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-17 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-1-S-1        | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-18 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-1-S-2        | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-19 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-1-S          | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-21 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-1-D-1        | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-22 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-1-D-2        | 06/18/2018   | Chemtech -SO |
| 06/21/2018 | Solid  | J3584-23 | Percent Solids | Cool 4 deg C | PSEG01   | D52              | TP-1-D          | 06/18/2018   | Chemtech -SO |

Date/Time 06-18-18 3:40 PM  
 Received by: JP  
 Relinquished by: CD

Date/Time 06-18-18 5:55 PM  
 Received by: JP  
 Relinquished by: JP