



Analytical Summary Report

Analysis Method: 9095A
Parameter: Paint Filter
Run Number: LB96457

Reviewed By: HIRAL
Supervisor Review By: ketankumar
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J3820-01	BU-03-070318	1	100.02	0.00	07/05/2018	10:51
2	J3820-01DUP	BU-03-070318DUP	1	100.02	0.00	07/05/2018	10:57
3	J3843-01	CHRT20426	1	100.04	0.00	07/05/2018	11:03
4	J3852-01	HC-SOIL-1	1	100.05	0.00	07/05/2018	11:10
5	J3852-11	HC-SOIL-2	1	100.01	0.00	07/05/2018	11:16
6	J3852-21	HC-CON	1	100.02	0.00	07/05/2018	11:22
7	J3854-01	S4	1	100.04	0.00	07/05/2018	11:29
8	J3854-03	S5	1	100.04	0.00	07/05/2018	11:35
9	J3868-03	TP-7-S	1	100.04	0.00	07/05/2018	11:41
10	J3868-07	TP-7-D	1	100.03	0.00	07/05/2018	11:47
11	J3868-11	TP-TP-5-S	1	100.02	0.00	07/05/2018	11:53

WORKLIST(Hardcopy Internal Chain) LB 96457

WorkList Name : PF-070518

WorkList ID : 114106

Date : 7/5/2018 8:05:32 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/03/2018	Solid	J3820-01	Paint Filter	Cool 4 deg C	PSEG05	D62	BU-03-070318	07/03/2018	9095A
07/03/2018	Solid	J3843-01	Paint Filter	Cool 4 deg C	PSEG01	D62	CHRT20426	07/03/2018	9095A
07/03/2018	Solid	J3852-01	Paint Filter	Cool 4 deg C	PSEG01	D62	HC-SOIL-1	07/03/2018	9095A
07/03/2018	Solid	J3852-11	Paint Filter	Cool 4 deg C	PSEG01	D62	HC-SOIL-2	07/03/2018	9095A
07/03/2018	Solid	J3852-21	Paint Filter	Cool 4 deg C	PSEG01	D62	HC-CON	07/03/2018	9095A
07/03/2018	Solid	J3854-01	Paint Filter	Cool 4 deg C	PSEG01	D62	S4	07/03/2018	9095A
07/03/2018	Solid	J3854-03	Paint Filter	Cool 4 deg C	PSEG01	D62	S5	07/03/2018	9095A
07/03/2018	Solid	J3868-03	Paint Filter	Cool 4 deg C	PSEG01	D62	TP-7-S	07/03/2018	9095A
07/03/2018	Solid	J3868-07	Paint Filter	Cool 4 deg C	PSEG01	D62	TP-7-D	07/03/2018	9095A
07/03/2018	Solid	J3868-11	Paint Filter	Cool 4 deg C	PSEG01	D62	TP-TP-5-S	07/03/2018	9095A

Date/Time 7/5/18 10:45
 Received by: HP
 Relinquished by: CP

Date/Time 7/5/18 12:00
 Received by: CP
 Relinquished by: HP