



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB96813

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4101-01	TP-1	1	100.03	0.00	07/23/2018	12:45
2	J4101-01DUP	TP-1DUP	1	100.02	0.00	07/23/2018	12:55
3	J4101-03	TP-2	1	100.03	0.00	07/23/2018	13:10

LB 96813

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF072318

WorkList ID : 114764

Date : 7/23/2018 8:36:41 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/20/2018	Solid	J4101-01 C	Paint Filter	Cool 4 deg C	PSEG01	K63	TP-1	07/20/2018	9095A
07/20/2018	Solid	J4101-03 D	Paint Filter	Cool 4 deg C	PSEG01	K63	TP-2	07/20/2018	9095A

Date/Time 07/23/18 10:45

Received by: SP

Relinquished by: CP

Date/Time 07/23/18 1:15

Received by: CP

Relinquished by: SP