



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: Sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB96831

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4110-01	GS-RO-338-RO-147-RO	1	100.01	0.00	07/24/2018	12:30
2	J4110-01DUP	GS-RO-338-RO-147-RO	1	100.02	0.00	07/24/2018	12:40
3	J4119-01	GB-SOIL-PILE	1	100.03	0.00	07/24/2018	12:50

WORKLIST(Hardcopy Internal Chain)

2B 96881

WorkList Name : PF072418

WorkList ID : 114808

Date : 7/24/2018 8:49:45 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/23/2018	Solid	J4110-01	✓ Paint Filter	Cool 4 deg C	PSEG01	K63	GS-RO-338-RO-147-RO-278	07/23/2018	9095A
07/23/2018	Solid	J4119-01	✓ Paint Filter	Cool 4 deg C	PSEG01	K63	GB-SOIL-PILE	07/23/2018	9095A

Date/Time 07/24/18 11:45
 Received by: SP
 Relinquished by: CP

Date/Time 07/24/18 1:00
 Received by: CP
 Relinquished by: SP