



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB96886

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4152-01	LA-SOIL-1	1	100.04	0.00	07/26/2018	12:15
2	J4152-01DUP	LA-SOIL-1DUP	1	100.02	0.00	07/26/2018	12:25
3	J4152-05	LA-SOIL-2	1	100.02	0.00	07/26/2018	12:35

WORKLIST(Hardcopy Internal Chain)

LB 96886

WorkList Name : PF072618

WorkList ID : 114906

Date : 7/26/2018 8:14:00 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/25/2018	Solid	J4152-01	I Paint Filter	Cool 4 deg C	PSEG01	K63	LA-SOIL-1	07/25/2018	9095A
07/25/2018	Solid	J4152-05	P Paint Filter	Cool 4 deg C	PSEG01	K63	LA-SOIL-2	07/25/2018	9095A

Date/Time 07/26/18 11:00
 Received by: SP
 Relinquished by: CP

Date/Time 07/26/18 12:45
 Received by: CP
 Relinquished by: SP