



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97174

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4275-01	CL-02-080718-A	1	100.01	0.00	08/08/2018	11:15
2	J4275-01DUP	CL-02-080718-ADUP	1	100.02	0.00	08/08/2018	11:21
3	J4275-03	CL-02-080718-B	1	100.01	0.00	08/08/2018	11:27
4	J4275-05	CL-02-080718-C	1	100.03	0.00	08/08/2018	11:33
5	J4275-07	CL-02-080718-D	1	100.02	0.00	08/08/2018	11:39
6	J4276-01	OK-02-080718	1	100.01	0.00	08/08/2018	11:46

WORKLIST(Hardcopy Internal Chain)

LB97174

WorkList Name : PF080818

WorkList ID : 115406

Date : 8/8/2018 11:00:22 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/07/2018	Solid	J4275-01	Paint Filter	Cool 4 deg C	PSEG05	K63	CL-02-080718-A	08/07/2018	9095B
08/07/2018	Solid	J4275-03	Paint Filter	Cool 4 deg C	PSEG05	K63	CL-02-080718-B	08/07/2018	9095B
08/07/2018	Solid	J4275-05	Paint Filter	Cool 4 deg C	PSEG05	K63	CL-02-080718-C	08/07/2018	9095B
08/07/2018	Solid	J4275-07	Paint Filter	Cool 4 deg C	PSEG05	K63	CL-02-080718-D	08/07/2018	9095B
08/07/2018	Solid	J4276-01	Paint Filter	Cool 4 deg C	PSEG05	K63	OK-02-080718	08/07/2018	9095B

Date/Time 08/08/18 11:05
 Received by: SP
 Relinquished by: CP

Date/Time 08/08/18 11:55
 Received by: CP
 Relinquished by: SP