



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/9/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 08/08/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/09/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M Sc-1

QC: LB97187

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4271-01	HR-05-080818-A	1	1.17	9.88	9.01	90
J4271-03	HR-05-080818-B	2	1.18	9.93	9.00	89.4
J4271-05	HR-05-080818-C	3	1.13	9.95	8.98	89
J4289-01	T-1	44	1.15	9.96	8.65	85.1
J4289-02	T-2	45	1.12	9.65	8.29	84.1
J4289-03	T-3	46	1.14	9.62	7.68	77.1
J4289-04	T-4	47	1.16	9.54	7.16	71.6
J4289-05	T-5	48	1.18	9.94	7.45	71.6
J4289-06	T-6	49	1.16	9.93	8.32	81.6
J4289-07	T-7	50	1.18	9.81	8.51	84.9
J4377-01	01-01-WINDOW-CAULKING-HZ	4	1.00	2.00	2.00	100
J4381-01	26	5	1.15	9.56	8.64	89.1
J4381-02	27	6	1.17	9.66	8.74	89.2
J4381-03	28	7	1.12	9.72	8.46	85.3
J4381-04	29	8	1.16	9.92	8.44	83.1
J4381-05	30	9	1.18	9.75	8.46	84.9
J4381-06	31	10	1.14	9.98	8.52	83.5
J4381-07	32	11	1.14	9.61	8.18	83.1
J4381-08	33	12	1.10	9.88	8.40	83.1
J4381-09	34	13	1.17	9.96	9.10	90.2
J4381-10	35	14	1.19	9.96	9.15	90.8
J4381-11	36	15	1.12	9.86	8.75	87.3
J4381-12	37	16	1.18	9.73	8.93	90.6
J4382-01	JTY-SB-05-5-7	17	1.13	9.88	8.64	85.8
J4382-02	JTY-SB-04-5-7	18	1.13	9.65	8.66	88.4
J4382-03	JTY-SB-03-5-7	19	1.19	9.64	8.56	87.2
J4382-04	JTY-SB-03-04-05-1-11	20	1.13	9.84	8.88	89
J4382-05	J4382-04MS	21	1.13	9.84	8.88	89
J4382-06	J4382-04MSD	22	1.13	9.84	8.88	89
J4382-07	JTY-SB-103-04-05-1-11	23	1.11	9.65	8.91	91.3
J4384-01	G.L.-SW(2.0E)-A6B	24	1.13	9.54	7.80	79.3
J4384-02	G.L.-SW(0.5)A8B	25	1.17	9.76	8.27	82.7
J4384-03	G.L.-B(2.0E)-A1B	26	1.15	9.96	9.02	89.3
J4384-04	G.L.-SW(2.0E)-A9B	27	1.19	9.80	8.25	82
J4384-05	G.L.-SW(2.0E)-A4B	28	1.13	9.82	8.84	88.7
J4384-06	G.L.-B(2.0E)-A3B	29	1.12	9.90	8.57	84.9
J4384-07	G.L.-SW(2.0E)-A3B	30	1.19	9.97	8.55	83.8
J4384-08	G.L.-B(0.5)-A5B	31	1.14	9.96	8.59	84.5
J4384-09	FIELD-DUPLICATE	32	1.12	9.91	8.83	87.7



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/9/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 08/08/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/09/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M Sc-1

QC: LB97187

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4384-10	G.L.-SW(0.5)-A7B	33	1.17	9.94	8.22	80.4
J4384-11	G.L.-SW(5.0)-A2B	34	1.16	9.71	8.37	84.3
J4386-01	A464107	35	1.00	2.00	2.00	100
J4386-02	B456468	36	1.00	2.00	2.00	100
J4388-01	S-1A	37	1.12	9.69	8.62	87.5
J4388-02	S-1B	38	1.14	9.89	9.45	95
J4388-03	S-2A	39	1.16	9.79	8.45	84.5
J4388-04	S-2B	40	1.10	9.60	8.31	84.8
J4388-05	S-3A	41	1.14	9.97	8.93	88.2
J4388-06	S-3B	42	1.13	9.96	8.80	86.9
J4388-07	CHA-1	43	1.15	9.96	8.28	80.9
J4392-01	JTY-WC-S-1-1-62	51	1.13	9.61	8.64	88.6
J4393-01	JTY-SB-01-7-9	52	1.11	9.96	8.44	82.8
J4393-02	JTY-SB-01-60-62	53	1.15	9.54	8.52	87.8
J4393-03	JTY-SB-01-1-62	54	1.17	9.98	8.66	85
J4393-04	JTY-BALLARDS-1-2	55	1.18	9.60	8.17	83
J4394-01	FK-EF-01-006-ABCD	56	1.18	9.91	9.09	90.6
J4394-02	FK-EF-01-006-ABCD	57	1.14	9.94	9.12	90.7
J4395-01	FK-BPM-01-E7-F7-E7A-F7A	58	1.11	9.70	9.10	93
J4395-02	FK-BPM-01-E7-F7-E7A-F7A	59	1.18	9.51	8.94	93.2
J4396-01	FK-BPM-01-E8-F8-E8A-F8A	60	1.16	9.88	9.25	92.8
J4396-02	FK-BPM-01-E8-F8-E8A-F8A	61	1.12	9.30	8.61	91.6
J4398-01	EPE-P10A(0-5)	62	1.11	9.58	8.76	90.3
J4398-02	EPE-P10A(5-10)	63	1.18	9.89	8.50	84
J4398-03	EPE-P10A(37-42)	64	1.18	9.83	7.75	76
J4271-01	HR-05-080818-A	1	1.17	9.88	9.01	90
J4271-03	HR-05-080818-B	2	1.18	9.93	9.00	89.4
J4271-05	HR-05-080818-C	3	1.13	9.95	8.98	89
J4289-01	T-1	44	1.15	9.96	8.65	85.1
J4289-02	T-2	45	1.12	9.65	8.29	84.1
J4289-03	T-3	46	1.14	9.62	7.68	77.1
J4289-04	T-4	47	1.16	9.54	7.16	71.6
J4289-05	T-5	48	1.18	9.94	7.45	71.6
J4289-06	T-6	49	1.16	9.93	8.32	81.6
J4289-07	T-7	50	1.18	9.81	8.51	84.9
J4377-01	01-01-WINDOW-CAULKING-HZ	4	1.00	2.00	2.00	100
J4381-01	26	5	1.15	9.56	8.64	89.1
J4381-02	27	6	1.17	9.66	8.74	89.2
J4381-03	28	7	1.12	9.72	8.46	85.3



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/9/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 08/08/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/09/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M Sc-1

QC: LB97187

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4381-04	29	8	1.16	9.92	8.44	83.1
J4381-05	30	9	1.18	9.75	8.46	84.9
J4381-06	31	10	1.14	9.98	8.52	83.5
J4381-07	32	11	1.14	9.61	8.18	83.1
J4381-08	33	12	1.10	9.88	8.40	83.1
J4381-09	34	13	1.17	9.96	9.10	90.2
J4381-10	35	14	1.19	9.96	9.15	90.8
J4381-11	36	15	1.12	9.86	8.75	87.3
J4381-12	37	16	1.18	9.73	8.93	90.6
J4382-01	JTY-SB-05-5-7	17	1.13	9.88	8.64	85.8
J4382-02	JTY-SB-04-5-7	18	1.13	9.65	8.66	88.4
J4382-03	JTY-SB-03-5-7	19	1.19	9.64	8.56	87.2
J4382-04	JTY-SB-03-04-05-1-11	20	1.13	9.84	8.88	89
J4382-05	J4382-04MS	21	1.13	9.84	8.88	89
J4382-06	J4382-04MSD	22	1.13	9.84	8.88	89
J4382-07	JTY-SB-103-04-05-1-11	23	1.11	9.65	8.91	91.3
J4384-01	G.L.-SW(2.0E)-A6B	24	1.13	9.54	7.80	79.3
J4384-02	G.L.-SW(0.5)A8B	25	1.17	9.76	8.27	82.7
J4384-03	G.L.-B(2.0E)-A1B	26	1.15	9.96	9.02	89.3
J4384-04	G.L.-SW(2.0E)-A9B	27	1.19	9.80	8.25	82
J4384-05	G.L.-SW(2.0E)-A4B	28	1.13	9.82	8.84	88.7
J4384-06	G.L.-B(2.0E)-A3B	29	1.12	9.90	8.57	84.9
J4384-07	G.L.-SW(2.0E)-A3B	30	1.19	9.97	8.55	83.8
J4384-08	G.L.-B(0.5)-A5B	31	1.14	9.96	8.59	84.5
J4384-09	FIELD-DUPLICATE	32	1.12	9.91	8.83	87.7
J4384-10	G.L.-SW(0.5)-A7B	33	1.17	9.94	8.22	80.4
J4384-11	G.L.-SW(5.0)-A2B	34	1.16	9.71	8.37	84.3
J4386-01	A464107	35	1.00	2.00	2.00	100
J4386-02	B456468	36	1.00	2.00	2.00	100
J4388-01	S-1A	37	1.12	9.69	8.62	87.5
J4388-02	S-1B	38	1.14	9.89	9.45	95
J4388-03	S-2A	39	1.16	9.79	8.45	84.5
J4388-04	S-2B	40	1.10	9.60	8.31	84.8
J4388-05	S-3A	41	1.14	9.97	8.93	88.2
J4388-06	S-3B	42	1.13	9.96	8.80	86.9
J4388-07	CHA-1	43	1.15	9.96	8.28	80.9
J4392-01	JTY-WC-S-1-1-62	51	1.13	9.61	8.64	88.6
J4393-01	JTY-SB-01-7-9	52	1.11	9.96	8.44	82.8
J4393-02	JTY-SB-01-60-62	53	1.15	9.54	8.52	87.8



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/9/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 08/08/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/09/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M Sc-1

QC: LB97187

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4393-03	JTY-SB-01-1-62	54	1.17	9.98	8.66	85
J4393-04	JTY-BALLARDS-1-2	55	1.18	9.60	8.17	83
J4394-01	FK-EF-01-006-ABCD	56	1.18	9.91	9.09	90.6
J4394-02	FK-EF-01-006-ABCD	57	1.14	9.94	9.12	90.7
J4395-01	FK-BPM-01-E7-F7-E7A-F7A	58	1.11	9.70	9.10	93
J4395-02	FK-BPM-01-E7-F7-E7A-F7A	59	1.18	9.51	8.94	93.2
J4396-01	FK-BPM-01-E8-F8-E8A-F8A	60	1.16	9.88	9.25	92.8
J4396-02	FK-BPM-01-E8-F8-E8A-F8A	61	1.12	9.30	8.61	91.6
J4398-01	EPE-P10A(0-5)	62	1.11	9.58	8.76	90.3
J4398-02	EPE-P10A(5-10)	63	1.18	9.89	8.50	84
J4398-03	EPE-P10A(37-42)	64	1.18	9.83	7.75	76
J4271-01	HR-05-080818-A	1	1.17	9.88	9.01	90
J4271-03	HR-05-080818-B	2	1.18	9.93	9.00	89.4
J4271-05	HR-05-080818-C	3	1.13	9.95	8.98	89
J4289-01	T-1	44	1.15	9.96	8.65	85.1
J4289-02	T-2	45	1.12	9.65	8.29	84.1
J4289-03	T-3	46	1.14	9.62	7.68	77.1
J4289-04	T-4	47	1.16	9.54	7.16	71.6
J4289-05	T-5	48	1.18	9.94	7.45	71.6
J4289-06	T-6	49	1.16	9.93	8.32	81.6
J4289-07	T-7	50	1.18	9.81	8.51	84.9
J4377-01	01-01-WINDOW-CAULKING-HZ	4	1.00	2.00	2.00	100
J4381-01	26	5	1.15	9.56	8.64	89.1
J4381-02	27	6	1.17	9.66	8.74	89.2
J4381-03	28	7	1.12	9.72	8.46	85.3
J4381-04	29	8	1.16	9.92	8.44	83.1
J4381-05	30	9	1.18	9.75	8.46	84.9
J4381-06	31	10	1.14	9.98	8.52	83.5
J4381-07	32	11	1.14	9.61	8.18	83.1
J4381-08	33	12	1.10	9.88	8.40	83.1
J4381-09	34	13	1.17	9.96	9.10	90.2
J4381-10	35	14	1.19	9.96	9.15	90.8
J4381-11	36	15	1.12	9.86	8.75	87.3
J4381-12	37	16	1.18	9.73	8.93	90.6
J4382-01	JTY-SB-05-5-7	17	1.13	9.88	8.64	85.8
J4382-02	JTY-SB-04-5-7	18	1.13	9.65	8.66	88.4
J4382-03	JTY-SB-03-5-7	19	1.19	9.64	8.56	87.2
J4382-04	JTY-SB-03-04-05-1-11	20	1.13	9.84	8.88	89
J4382-05	J4382-04MS	21	1.13	9.84	8.88	89



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/9/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 08/08/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/09/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M Sc-1

QC: LB97187

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4382-06	J4382-04MSD	22	1.13	9.84	8.88	89
J4382-07	JTY-SB-103-04-05-1-11	23	1.11	9.65	8.91	91.3
J4384-01	G.L.-SW(2.0E)-A6B	24	1.13	9.54	7.80	79.3
J4384-02	G.L.-SW(0.5)A8B	25	1.17	9.76	8.27	82.7
J4384-03	G.L.-B(2.0E)-A1B	26	1.15	9.96	9.02	89.3
J4384-04	G.L.-SW(2.0E)-A9B	27	1.19	9.80	8.25	82
J4384-05	G.L.-SW(2.0E)-A4B	28	1.13	9.82	8.84	88.7
J4384-06	G.L.-B(2.0E)-A3B	29	1.12	9.90	8.57	84.9
J4384-07	G.L.-SW(2.0E)-A3B	30	1.19	9.97	8.55	83.8
J4384-08	G.L.-B(0.5)-A5B	31	1.14	9.96	8.59	84.5
J4384-09	FIELD-DUPLICATE	32	1.12	9.91	8.83	87.7
J4384-10	G.L.-SW(0.5)-A7B	33	1.17	9.94	8.22	80.4
J4384-11	G.L.-SW(5.0)-A2B	34	1.16	9.71	8.37	84.3
J4386-01	A464107	35	1.00	2.00	2.00	100
J4386-02	B456468	36	1.00	2.00	2.00	100
J4388-01	S-1A	37	1.12	9.69	8.62	87.5
J4388-02	S-1B	38	1.14	9.89	9.45	95
J4388-03	S-2A	39	1.16	9.79	8.45	84.5
J4388-04	S-2B	40	1.10	9.60	8.31	84.8
J4388-05	S-3A	41	1.14	9.97	8.93	88.2
J4388-06	S-3B	42	1.13	9.96	8.80	86.9
J4388-07	CHA-1	43	1.15	9.96	8.28	80.9
J4392-01	JTY-WC-S-1-1-62	51	1.13	9.61	8.64	88.6
J4393-01	JTY-SB-01-7-9	52	1.11	9.96	8.44	82.8
J4393-02	JTY-SB-01-60-62	53	1.15	9.54	8.52	87.8
J4393-03	JTY-SB-01-1-62	54	1.17	9.98	8.66	85
J4393-04	JTY-BALLARDS-1-2	55	1.18	9.60	8.17	83
J4394-01	FK-EF-01-006-ABCD	56	1.18	9.91	9.09	90.6
J4394-02	FK-EF-01-006-ABCD	57	1.14	9.94	9.12	90.7
J4395-01	FK-BPM-01-E7-F7-E7A-F7A	58	1.11	9.70	9.10	93
J4395-02	FK-BPM-01-E7-F7-E7A-F7A	59	1.18	9.51	8.94	93.2
J4396-01	FK-BPM-01-E8-F8-E8A-F8A	60	1.16	9.88	9.25	92.8
J4396-02	FK-BPM-01-E8-F8-E8A-F8A	61	1.12	9.30	8.61	91.6
J4398-01	EPE-P10A(0-5)	62	1.11	9.58	8.76	90.3
J4398-02	EPE-P10A(5-10)	63	1.18	9.89	8.50	84
J4398-03	EPE-P10A(37-42)	64	1.18	9.83	7.75	76
J4271-01	HR-05-080818-A	1	1.17	9.88	9.01	90
J4271-03	HR-05-080818-B	2	1.18	9.93	9.00	89.4
J4271-05	HR-05-080818-C	3	1.13	9.95	8.98	89



PERCENT SOLID

Supervisor: apatel
 Analyst: JIGNESH
 Date: 8/9/2018

OVENTEMP IN Celsius(°C): 108
 Time IN: 17:25
 In Date: 08/08/2018
 Weight Check 1.0g: 1.00 g
 Weight Check 10g: 10.00 g
 OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
 Time OUT: 08:30
 Out Date: 08/09/2018
 Weight Check 1.0g: 1.00 g
 Weight Check 10g: 10.00 g
 BalanceID: M Sc-1

QC: LB97187

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4289-01	T-1	44	1.15	9.96	8.65	85.1
J4289-02	T-2	45	1.12	9.65	8.29	84.1
J4289-03	T-3	46	1.14	9.62	7.68	77.1
J4289-04	T-4	47	1.16	9.54	7.16	71.6
J4289-05	T-5	48	1.18	9.94	7.45	71.6
J4289-06	T-6	49	1.16	9.93	8.32	81.6
J4289-07	T-7	50	1.18	9.81	8.51	84.9
J4377-01	01-01-WINDOW-CAULKING-HZ	4	1.00	2.00	2.00	100
J4381-01	26	5	1.15	9.56	8.64	89.1
J4381-02	27	6	1.17	9.66	8.74	89.2
J4381-03	28	7	1.12	9.72	8.46	85.3
J4381-04	29	8	1.16	9.92	8.44	83.1
J4381-05	30	9	1.18	9.75	8.46	84.9
J4381-06	31	10	1.14	9.98	8.52	83.5
J4381-07	32	11	1.14	9.61	8.18	83.1
J4381-08	33	12	1.10	9.88	8.40	83.1
J4381-09	34	13	1.17	9.96	9.10	90.2
J4381-10	35	14	1.19	9.96	9.15	90.8
J4381-11	36	15	1.12	9.86	8.75	87.3
J4381-12	37	16	1.18	9.73	8.93	90.6
J4382-01	JTY-SB-05-5-7	17	1.13	9.88	8.64	85.8
J4382-02	JTY-SB-04-5-7	18	1.13	9.65	8.66	88.4
J4382-03	JTY-SB-03-5-7	19	1.19	9.64	8.56	87.2
J4382-04	JTY-SB-03-04-05-1-11	20	1.13	9.84	8.88	89
J4382-05	J4382-04MS	21	1.13	9.84	8.88	89
J4382-06	J4382-04MSD	22	1.13	9.84	8.88	89
J4382-07	JTY-SB-103-04-05-1-11	23	1.11	9.65	8.91	91.3
J4384-01	G.L.-SW(2.0E)-A6B	24	1.13	9.54	7.80	79.3
J4384-02	G.L.-SW(0.5)A8B	25	1.17	9.76	8.27	82.7
J4384-03	G.L.-B(2.0E)-A1B	26	1.15	9.96	9.02	89.3
J4384-04	G.L.-SW(2.0E)-A9B	27	1.19	9.80	8.25	82
J4384-05	G.L.-SW(2.0E)-A4B	28	1.13	9.82	8.84	88.7
J4384-06	G.L.-B(2.0E)-A3B	29	1.12	9.90	8.57	84.9
J4384-07	G.L.-SW(2.0E)-A3B	30	1.19	9.97	8.55	83.8
J4384-08	G.L.-B(0.5)-A5B	31	1.14	9.96	8.59	84.5
J4384-09	FIELD-DUPLICATE	32	1.12	9.91	8.83	87.7
J4384-10	G.L.-SW(0.5)-A7B	33	1.17	9.94	8.22	80.4
J4384-11	G.L.-SW(5.0)-A2B	34	1.16	9.71	8.37	84.3
J4386-01	A464107	35	1.00	2.00	2.00	100



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/9/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 08/08/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/09/2018
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M Sc-1

QC: LB97187

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4386-02	B456468	36	1.00	2.00	2.00	100
J4388-01	S-1A	37	1.12	9.69	8.62	87.5
J4388-02	S-1B	38	1.14	9.89	9.45	95
J4388-03	S-2A	39	1.16	9.79	8.45	84.5
J4388-04	S-2B	40	1.10	9.60	8.31	84.8
J4388-05	S-3A	41	1.14	9.97	8.93	88.2
J4388-06	S-3B	42	1.13	9.96	8.80	86.9
J4388-07	CHA-1	43	1.15	9.96	8.28	80.9
J4392-01	JTY-WC-S-1-1-62	51	1.13	9.61	8.64	88.6
J4393-01	JTY-SB-01-7-9	52	1.11	9.96	8.44	82.8
J4393-02	JTY-SB-01-60-62	53	1.15	9.54	8.52	87.8
J4393-03	JTY-SB-01-1-62	54	1.17	9.98	8.66	85
J4393-04	JTY-BALLARDS-1-2	55	1.18	9.60	8.17	83
J4394-01	FK-EF-01-006-ABCD	56	1.18	9.91	9.09	90.6
J4394-02	FK-EF-01-006-ABCD	57	1.14	9.94	9.12	90.7
J4395-01	FK-BPM-01-E7-F7-E7A-F7A	58	1.11	9.70	9.10	93
J4395-02	FK-BPM-01-E7-F7-E7A-F7A	59	1.18	9.51	8.94	93.2
J4396-01	FK-BPM-01-E8-F8-E8A-F8A	60	1.16	9.88	9.25	92.8
J4396-02	FK-BPM-01-E8-F8-E8A-F8A	61	1.12	9.30	8.61	91.6
J4398-01	EPE-P10A(0-5)	62	1.11	9.58	8.76	90.3
J4398-02	EPE-P10A(5-10)	63	1.18	9.89	8.50	84
J4398-03	EPE-P10A(37-42)	64	1.18	9.83	7.75	76

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

13 97187

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-080818

WorkList ID : 115376

Date : 8/8/2018 7:32:42 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/13/2018	Solid	J4271-01	Percent Solids	Cool 4 deg C	PSEG05	K63	HR-05-080818-A	08/08/2018	Chemtech -SO
08/13/2018	Solid	J4271-03	Percent Solids	Cool 4 deg C	PSEG05	K63	HR-05-080818-B	08/08/2018	Chemtech -SO
08/13/2018	Solid	J4271-05	Percent Solids	Cool 4 deg C	PSEG05	K63	HR-05-080818-C	08/08/2018	Chemtech -SO
08/15/2018	Solid	J4289-01	Percent Solids	Cool 4 deg C	RMJE02	O41	T-1	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4289-02	Percent Solids	Cool 4 deg C	RMJE02	O41	T-2	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4289-03	Percent Solids	Cool 4 deg C	RMJE02	O41	T-3	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4289-04	Percent Solids	Cool 4 deg C	RMJE02	O41	T-4	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4289-05	Percent Solids	Cool 4 deg C	RMJE02	O41	T-5	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4289-06	Percent Solids	Cool 4 deg C	RMJE02	O41	T-6	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4289-07	Percent Solids	Cool 4 deg C	RMJE02	O41	T-7	08/07/2018	Chemtech -SO
08/11/2018	Solid	J4377-01	Percent Solids	NONE	WARR01	A63	01-01-WINDOW-CAULKING-I	08/01/2018	Chemtech -SO
08/08/2018	Solid	J4381-01	Percent Solids	Cool 4 deg C	ENVI27	F21	26	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-02	Percent Solids	Cool 4 deg C	ENVI27	F21	27	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-03	Percent Solids	Cool 4 deg C	ENVI27	F21	28	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-04	Percent Solids	Cool 4 deg C	ENVI27	F21	29	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-05	Percent Solids	Cool 4 deg C	ENVI27	F21	30	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-06	Percent Solids	Cool 4 deg C	ENVI27	F21	31	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-07	Percent Solids	Cool 4 deg C	ENVI27	F21	32	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-08	Percent Solids	Cool 4 deg C	ENVI27	F21	33	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-09	Percent Solids	Cool 4 deg C	ENVI27	F21	34	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-10	Percent Solids	Cool 4 deg C	ENVI27	F21	35	08/07/2018	Chemtech -SO

Date/Time 08/08/18 2140 PM

Received by: JA

Relinquished by: CO

Date/Time 08/08/18 5:30 PM

Received by: SO

Relinquished by: JA

2-997187

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-080818

WorkList ID : 115376

Date : 8/8/2018 7:32:42 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/08/2018	Solid	J4381-11	Percent Solids	Cool 4 deg C	ENVI27	F21	36	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4381-12	Percent Solids	Cool 4 deg C	ENVI27	F21	37	08/07/2018	Chemtech -SO
08/16/2018	Solid	J4382-01	Percent Solids	Cool 4 deg C	PARS15	F52	JTY-SB-05-5-7	08/06/2018	Chemtech -SO
08/16/2018	Solid	J4382-02	Percent Solids	Cool 4 deg C	PARS15	F52	JTY-SB-04-5-7	08/06/2018	Chemtech -SO
08/16/2018	Solid	J4382-03	Percent Solids	Cool 4 deg C	PARS15	F52	JTY-SB-03-5-7	08/06/2018	Chemtech -SO
08/16/2018	Solid	J4382-04	Percent Solids	Cool 4 deg C	PARS15	F52	JTY-SB-03-04-05-1-11	08/06/2018	Chemtech -SO
08/16/2018	Solid	J4382-05	Percent Solids	Cool 4 deg C	PARS15	F52	J4382-04MS	08/06/2018	Chemtech -SO
08/16/2018	Solid	J4382-06	Percent Solids	Cool 4 deg C	PARS15	F52	J4382-04MSD	08/06/2018	Chemtech -SO
08/16/2018	Solid	J4382-07	Percent Solids	Cool 4 deg C	PARS15	F52	JTY-SB-103-04-05-1-11	08/06/2018	Chemtech -SO
08/09/2018	Solid	J4384-01	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-SW(2.0E)-A6B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-02	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-SW(0.5)A8B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-03	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.B(2.0E)-A1B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-04	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-SW(2.0E)-A9B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-05	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-SW(2.0E)-A4B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-06	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-B(2.0E)-A3B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-07	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-SW(2.0E)-A3B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-08	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-B(0.5)-A5B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-09	Percent Solids	Cool 4 deg C	LAND03	A63	FIELD-DUPLICATE	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-10	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-SW(0.5)-A7B	08/07/2018	Chemtech -SO
08/09/2018	Solid	J4384-11	Percent Solids	Cool 4 deg C	LAND03	A63	G.L.-SW(5.0)-A2B	08/07/2018	Chemtech -SO
08/08/2018	Solid	J4386-01	Percent Solids	Cool 4 deg C	CLEA07	O51	A464107	08/08/2018	Chemtech -SO

Date/Time 08/08/18 3:40 PM
 Received by: 30
 Relinquished by: [Signature]

Date/Time 08/08/18 5:30 PM
 Received by: [Signature]
 Relinquished by: [Signature]

1097187

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-080818

WorkList ID : 115376

Date : 8/8/2018 7:32:42 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/08/2018	Solid	J4386-02	Percent Solids	Cool 4 deg C	CLEA07	O51	B456468	08/08/2018	Chemtech -SO
08/17/2018	Solid	J4388-01	Percent Solids	Cool 4 deg C	CLOU03	O63	S-1A	08/07/2018	Chemtech -SO
08/17/2018	Solid	J4388-02	Percent Solids	Cool 4 deg C	CLOU03	O63	S-1B	08/07/2018	Chemtech -SO
08/17/2018	Solid	J4388-03	Percent Solids	Cool 4 deg C	CLOU03	O63	S-2A	08/07/2018	Chemtech -SO
08/17/2018	Solid	J4388-04	Percent Solids	Cool 4 deg C	CLOU03	O63	S-2B	08/07/2018	Chemtech -SO
08/17/2018	Solid	J4388-05	Percent Solids	Cool 4 deg C	CLOU03	O63	S-3A	08/07/2018	Chemtech -SO
08/17/2018	Solid	J4388-06	Percent Solids	Cool 4 deg C	CLOU03	O63	S-3B	08/07/2018	Chemtech -SO
08/17/2018	Solid	J4388-07	Percent Solids	Cool 4 deg C	CLOU03	O63	CHA-1	08/07/2018	Chemtech -SO
08/18/2018	Solid	J4392-01	Percent Solids	Cool 4 deg C	PARS15	P13	JTY-WC-S-1-1-62	08/08/2018	Chemtech -SO
08/17/2018	Solid	J4393-01	Percent Solids	Cool 4 deg C	PARS15	P13	JTY-SB-01-7-9	08/07/2018	Chemtech -SO
08/18/2018	Solid	J4393-02	Percent Solids	Cool 4 deg C	PARS15	P13	JTY-SB-01-60-62	08/08/2018	Chemtech -SO
08/18/2018	Solid	J4393-03	Percent Solids	Cool 4 deg C	PARS15	P13	JTY-SB-01-1-62	08/08/2018	Chemtech -SO
08/18/2018	Solid	J4393-04	Percent Solids	Cool 4 deg C	PARS15	P13	JTY-BALLARDS-1-2	08/08/2018	Chemtech -SO
08/15/2018	Solid	J4394-01	Percent Solids	Cool 4 deg C	TULL02	P11	FK-EF-01-006-ABCD	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4394-02	Percent Solids	Cool 4 deg C	TULL02	P11	FK-EF-01-006-ABCD	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4395-01	Percent Solids	Cool 4 deg C	TULL02	P12	FK-BPM-01-E7-F7-E7A-F7A	08/08/2018	Chemtech -SO
08/15/2018	Solid	J4395-02	Percent Solids	Cool 4 deg C	TULL02	P12	FK-BPM-01-E7-F7-E7A-F7A	08/08/2018	Chemtech -SO
08/15/2018	Solid	J4396-01	Percent Solids	Cool 4 deg C	TULL02	P12	FK-BPM-01-E8-F8-E8A-F8A	08/08/2018	Chemtech -SO
08/15/2018	Solid	J4396-02	Percent Solids	Cool 4 deg C	TULL02	P12	FK-BPM-01-E8-F8-E8A-F8A	08/08/2018	Chemtech -SO
08/15/2018	Solid	J4398-01	Percent Solids	Cool 4 deg C	THEP04	P22	EPE-P10A(0-5)	08/07/2018	Chemtech -SO
08/15/2018	Solid	J4398-02	Percent Solids	Cool 4 deg C	THEP04	P22	EPE-P10A(5-10)	08/07/2018	Chemtech -SO

Date/Time 08/08/18 3:40 PM

Received by: SP

Relinquished by: LB

Date/Time 08/08/18 5:30 PM

Received by: CO

Relinquished by: JP

1247127

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-080818

WorkList ID : 115376

Date : 8/8/2018 7:32:42 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/15/2018	Solid	J4398-03	Percent Solids	Cool 4 deg C	THEP04	P22	EPE-P10A(37-42)	08/07/2018	Chemtech -SO

Date/Time 08/08/18 3:40 PM
Received by: SP
Relinquished by: SP

Date/Time 08/08/18 5:30 PM
Received by: SP
Relinquished by: SP