



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97192

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4271-01	HR-05-080818-A	1	100.02	0.00	08/09/2018	10:05
2	J4271-01DUP	HR-05-080818-ADUP	1	100.01	0.00	08/09/2018	10:12
3	J4271-03	HR-05-080818-B	1	100.02	0.00	08/09/2018	10:19
4	J4271-05	HR-05-080818-C	1	100.03	0.00	08/09/2018	10:25

LB97192

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF080918

WorkList ID : 115445

Date : 8/9/2018 9:55:43 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/08/2018	Solid	J4271-01	Paint Filter	Cool 4 deg C	PSEG05	K63	HR-05-080818-A	08/08/2018	9095B
08/08/2018	Solid	J4271-03	Paint Filter	Cool 4 deg C	PSEG05	K63	HR-05-080818-B	08/08/2018	9095B
08/08/2018	Solid	J4271-05	Paint Filter	Cool 4 deg C	PSEG05	K63	HR-05-080818-C	08/08/2018	9095B

Date/Time 08/09/18 10:00
 Received by: SP
 Relinquished by: CP

Date/Time 08/09/18 10:35
 Received by: CP
 Relinquished by: SP