



PERCENT SOLID

Supervisor: apatel  
Analyst: JIGNESH  
Date: 8/10/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:28  
In Date: 08/09/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:30  
Out Date: 08/10/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB97201

| Lab ID   | Client Sample ID          | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|---------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J4272-01 | JC-03-080918-A            | 35    | 1.14              | 9.86                          | 8.84                              | 88.3    |
| J4272-03 | JC-03-080918-B            | 36    | 1.16              | 9.68                          | 8.58                              | 87.1    |
| J4272-05 | JC-03-080918-C            | 37    | 1.12              | 9.96                          | 8.89                              | 87.9    |
| J4272-07 | JC-03-080918-D            | 38    | 1.16              | 9.97                          | 9.12                              | 90.4    |
| J4272-09 | JC-03-080918-E            | 39    | 1.16              | 9.87                          | 8.72                              | 86.8    |
| J4272-11 | JC-03-080918-F            | 40    | 1.14              | 9.88                          | 8.94                              | 89.2    |
| J4272-13 | JC-03-080918-G            | 41    | 1.18              | 9.72                          | 8.80                              | 89.2    |
| J4272-15 | JC-03-080918-H            | 42    | 1.10              | 9.77                          | 8.95                              | 90.5    |
| J4272-17 | JC-03-080918-I            | 43    | 1.14              | 9.80                          | 9.00                              | 90.8    |
| J4272-19 | JC-03-080918-J            | 44    | 1.15              | 9.98                          | 8.90                              | 87.8    |
| J4272-21 | JC-03-080918-K            | 45    | 1.16              | 9.57                          | 8.84                              | 91.3    |
| J4274-01 | HD-01-080918              | 46    | 1.17              | 9.82                          | 8.62                              | 86.1    |
| J4282-01 | SU-02-080918-A            | 47    | 1.12              | 9.73                          | 8.64                              | 87.3    |
| J4282-03 | SU-02-080918-B            | 48    | 1.16              | 9.96                          | 8.72                              | 85.9    |
| J4405-01 | EXCAVATION-SOIL           | 1     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-02 | EXCAVATION-SOIL-A         | 2     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-03 | EXCAVATION-SOIL-B         | 3     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-04 | EXCAVATION-SOIL           | 4     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4408-01 | G.L.-SW(0.5)-A6B          | 5     | 1.13              | 9.94                          | 8.12                              | 79.3    |
| J4408-02 | G.L.-B(0.5)-A9B           | 6     | 1.16              | 9.98                          | 8.46                              | 82.8    |
| J4408-03 | G.L.-B(0.5)-A11B          | 7     | 1.18              | 9.95                          | 8.50                              | 83.5    |
| J4409-01 | 2018-NYSEG-CLARK-AREA-9B  | 8     | 1.17              | 9.92                          | 8.13                              | 79.5    |
| J4409-03 | 2018-NYSEG-CLARK-AREA-10B | 9     | 1.14              | 9.96                          | 8.85                              | 87.4    |
| J4409-05 | 2018-NYSEG-CLARK-AREA-10C | 10    | 1.11              | 9.69                          | 8.13                              | 81.8    |
| J4409-07 | 2018-NYSEG-CLARK-AREA-10D | 11    | 1.13              | 9.77                          | 8.52                              | 85.5    |
| J4409-09 | 2018-NYSEG-CLARK-AREA-11B | 12    | 1.19              | 9.97                          | 9.24                              | 91.7    |
| J4409-11 | 2018-NYSEG-CLARK-AREA-12B | 13    | 1.16              | 9.70                          | 9.07                              | 92.6    |
| J4409-13 | 2018-NYSEG-CLARK-AREA-12C | 14    | 1.17              | 9.94                          | 8.55                              | 84.2    |
| J4414-01 | C0AY0                     | 15    | 1.16              | 9.53                          | 7.26                              | 72.9    |
| J4414-02 | C0AY1                     | 16    | 1.17              | 9.80                          | 7.21                              | 70      |
| J4414-03 | C0AY2                     | 17    | 1.16              | 9.70                          | 8.24                              | 82.9    |
| J4414-04 | C0AY3                     | 18    | 1.19              | 9.78                          | 7.89                              | 78      |
| J4414-05 | C0AY4                     | 19    | 1.11              | 9.71                          | 8.00                              | 80.1    |
| J4414-06 | C0AY5                     | 20    | 1.18              | 9.90                          | 8.94                              | 89      |
| J4414-07 | C0AY6                     | 21    | 1.17              | 9.82                          | 9.02                              | 90.8    |
| J4414-08 | C0AY7                     | 22    | 1.15              | 9.92                          | 9.06                              | 90.2    |
| J4414-09 | C0AY8                     | 23    | 1.19              | 9.68                          | 8.83                              | 90      |
| J4414-10 | C0AY9                     | 24    | 1.13              | 9.90                          | 8.73                              | 86.7    |
| J4415-01 | C0AZ0                     | 25    | 1.10              | 9.55                          | 8.45                              | 87      |



PERCENT SOLID

Supervisor: apatel  
Analyst: JIGNESH  
Date: 8/10/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:28  
In Date: 08/09/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:30  
Out Date: 08/10/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB97201

| Lab ID   | Client Sample ID          | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|---------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J4415-02 | C0AZ1                     | 26    | 1.16              | 9.66                          | 8.72                              | 88.9    |
| J4415-03 | C0AZ2                     | 27    | 1.17              | 9.59                          | 8.77                              | 90.3    |
| J4415-04 | C0AZ3                     | 28    | 1.19              | 9.84                          | 8.88                              | 88.9    |
| J4415-05 | C0AZ4                     | 29    | 1.17              | 9.68                          | 8.92                              | 91.1    |
| J4416-01 | C0AZ5                     | 30    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-02 | C0B00                     | 31    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-03 | C0B01                     | 32    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-04 | C0B02                     | 33    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-05 | C0B03                     | 34    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4417-01 | SOIL/CUTTINGS             | 49    | 1.10              | 9.98                          | 9.06                              | 89.6    |
| J4272-01 | JC-03-080918-A            | 35    | 1.14              | 9.86                          | 8.84                              | 88.3    |
| J4272-03 | JC-03-080918-B            | 36    | 1.16              | 9.68                          | 8.58                              | 87.1    |
| J4272-05 | JC-03-080918-C            | 37    | 1.12              | 9.96                          | 8.89                              | 87.9    |
| J4272-07 | JC-03-080918-D            | 38    | 1.16              | 9.97                          | 9.12                              | 90.4    |
| J4272-09 | JC-03-080918-E            | 39    | 1.16              | 9.87                          | 8.72                              | 86.8    |
| J4272-11 | JC-03-080918-F            | 40    | 1.14              | 9.88                          | 8.94                              | 89.2    |
| J4272-13 | JC-03-080918-G            | 41    | 1.18              | 9.72                          | 8.80                              | 89.2    |
| J4272-15 | JC-03-080918-H            | 42    | 1.10              | 9.77                          | 8.95                              | 90.5    |
| J4272-17 | JC-03-080918-I            | 43    | 1.14              | 9.80                          | 9.00                              | 90.8    |
| J4272-19 | JC-03-080918-J            | 44    | 1.15              | 9.98                          | 8.90                              | 87.8    |
| J4272-21 | JC-03-080918-K            | 45    | 1.16              | 9.57                          | 8.84                              | 91.3    |
| J4274-01 | HD-01-080918              | 46    | 1.17              | 9.82                          | 8.62                              | 86.1    |
| J4282-01 | SU-02-080918-A            | 47    | 1.12              | 9.73                          | 8.64                              | 87.3    |
| J4282-03 | SU-02-080918-B            | 48    | 1.16              | 9.96                          | 8.72                              | 85.9    |
| J4405-01 | EXCAVATION-SOIL           | 1     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-02 | EXCAVATION-SOIL-A         | 2     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-03 | EXCAVATION-SOIL-B         | 3     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-04 | EXCAVATION-SOIL           | 4     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4408-01 | G.L.-SW(0.5)-A6B          | 5     | 1.13              | 9.94                          | 8.12                              | 79.3    |
| J4408-02 | G.L.-B(0.5)-A9B           | 6     | 1.16              | 9.98                          | 8.46                              | 82.8    |
| J4408-03 | G.L.-B(0.5)-A11B          | 7     | 1.18              | 9.95                          | 8.50                              | 83.5    |
| J4409-01 | 2018-NYSEG-CLARK-AREA-9B  | 8     | 1.17              | 9.92                          | 8.13                              | 79.5    |
| J4409-03 | 2018-NYSEG-CLARK-AREA-10B | 9     | 1.14              | 9.96                          | 8.85                              | 87.4    |
| J4409-05 | 2018-NYSEG-CLARK-AREA-10C | 10    | 1.11              | 9.69                          | 8.13                              | 81.8    |
| J4409-07 | 2018-NYSEG-CLARK-AREA-10D | 11    | 1.13              | 9.77                          | 8.52                              | 85.5    |
| J4409-09 | 2018-NYSEG-CLARK-AREA-11B | 12    | 1.19              | 9.97                          | 9.24                              | 91.7    |
| J4409-11 | 2018-NYSEG-CLARK-AREA-12B | 13    | 1.16              | 9.70                          | 9.07                              | 92.6    |
| J4409-13 | 2018-NYSEG-CLARK-AREA-12C | 14    | 1.17              | 9.94                          | 8.55                              | 84.2    |
| J4414-01 | C0AY0                     | 15    | 1.16              | 9.53                          | 7.26                              | 72.9    |



PERCENT SOLID

Supervisor: apatel  
Analyst: JIGNESH  
Date: 8/10/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:28  
In Date: 08/09/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:30  
Out Date: 08/10/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB97201

| Lab ID   | Client Sample ID  | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|-------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J4414-02 | C0AY1             | 16    | 1.17              | 9.80                          | 7.21                              | 70      |
| J4414-03 | C0AY2             | 17    | 1.16              | 9.70                          | 8.24                              | 82.9    |
| J4414-04 | C0AY3             | 18    | 1.19              | 9.78                          | 7.89                              | 78      |
| J4414-05 | C0AY4             | 19    | 1.11              | 9.71                          | 8.00                              | 80.1    |
| J4414-06 | C0AY5             | 20    | 1.18              | 9.90                          | 8.94                              | 89      |
| J4414-07 | C0AY6             | 21    | 1.17              | 9.82                          | 9.02                              | 90.8    |
| J4414-08 | C0AY7             | 22    | 1.15              | 9.92                          | 9.06                              | 90.2    |
| J4414-09 | C0AY8             | 23    | 1.19              | 9.68                          | 8.83                              | 90      |
| J4414-10 | C0AY9             | 24    | 1.13              | 9.90                          | 8.73                              | 86.7    |
| J4415-01 | C0AZ0             | 25    | 1.10              | 9.55                          | 8.45                              | 87      |
| J4415-02 | C0AZ1             | 26    | 1.16              | 9.66                          | 8.72                              | 88.9    |
| J4415-03 | C0AZ2             | 27    | 1.17              | 9.59                          | 8.77                              | 90.3    |
| J4415-04 | C0AZ3             | 28    | 1.19              | 9.84                          | 8.88                              | 88.9    |
| J4415-05 | C0AZ4             | 29    | 1.17              | 9.68                          | 8.92                              | 91.1    |
| J4416-01 | C0AZ5             | 30    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-02 | C0B00             | 31    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-03 | C0B01             | 32    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-04 | C0B02             | 33    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-05 | C0B03             | 34    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4417-01 | SOIL/CUTTINGS     | 49    | 1.10              | 9.98                          | 9.06                              | 89.6    |
| J4272-01 | JC-03-080918-A    | 35    | 1.14              | 9.86                          | 8.84                              | 88.3    |
| J4272-03 | JC-03-080918-B    | 36    | 1.16              | 9.68                          | 8.58                              | 87.1    |
| J4272-05 | JC-03-080918-C    | 37    | 1.12              | 9.96                          | 8.89                              | 87.9    |
| J4272-07 | JC-03-080918-D    | 38    | 1.16              | 9.97                          | 9.12                              | 90.4    |
| J4272-09 | JC-03-080918-E    | 39    | 1.16              | 9.87                          | 8.72                              | 86.8    |
| J4272-11 | JC-03-080918-F    | 40    | 1.14              | 9.88                          | 8.94                              | 89.2    |
| J4272-13 | JC-03-080918-G    | 41    | 1.18              | 9.72                          | 8.80                              | 89.2    |
| J4272-15 | JC-03-080918-H    | 42    | 1.10              | 9.77                          | 8.95                              | 90.5    |
| J4272-17 | JC-03-080918-I    | 43    | 1.14              | 9.80                          | 9.00                              | 90.8    |
| J4272-19 | JC-03-080918-J    | 44    | 1.15              | 9.98                          | 8.90                              | 87.8    |
| J4272-21 | JC-03-080918-K    | 45    | 1.16              | 9.57                          | 8.84                              | 91.3    |
| J4274-01 | HD-01-080918      | 46    | 1.17              | 9.82                          | 8.62                              | 86.1    |
| J4282-01 | SU-02-080918-A    | 47    | 1.12              | 9.73                          | 8.64                              | 87.3    |
| J4282-03 | SU-02-080918-B    | 48    | 1.16              | 9.96                          | 8.72                              | 85.9    |
| J4405-01 | EXCAVATION-SOIL   | 1     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-02 | EXCAVATION-SOIL-A | 2     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-03 | EXCAVATION-SOIL-B | 3     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-04 | EXCAVATION-SOIL   | 4     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4408-01 | G.L.-SW(0.5)-A6B  | 5     | 1.13              | 9.94                          | 8.12                              | 79.3    |



PERCENT SOLID

Supervisor: apatel  
Analyst: JIGNESH  
Date: 8/10/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:28  
In Date: 08/09/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:30  
Out Date: 08/10/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB97201

| Lab ID   | Client Sample ID          | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|---------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J4408-02 | G.L.-B(0.5)-A9B           | 6     | 1.16              | 9.98                          | 8.46                              | 82.8    |
| J4408-03 | G.L.-B(0.5)-A11B          | 7     | 1.18              | 9.95                          | 8.50                              | 83.5    |
| J4409-01 | 2018-NYSEG-CLARK-AREA-9B  | 8     | 1.17              | 9.92                          | 8.13                              | 79.5    |
| J4409-03 | 2018-NYSEG-CLARK-AREA-10B | 9     | 1.14              | 9.96                          | 8.85                              | 87.4    |
| J4409-05 | 2018-NYSEG-CLARK-AREA-10C | 10    | 1.11              | 9.69                          | 8.13                              | 81.8    |
| J4409-07 | 2018-NYSEG-CLARK-AREA-10D | 11    | 1.13              | 9.77                          | 8.52                              | 85.5    |
| J4409-09 | 2018-NYSEG-CLARK-AREA-11B | 12    | 1.19              | 9.97                          | 9.24                              | 91.7    |
| J4409-11 | 2018-NYSEG-CLARK-AREA-12B | 13    | 1.16              | 9.70                          | 9.07                              | 92.6    |
| J4409-13 | 2018-NYSEG-CLARK-AREA-12C | 14    | 1.17              | 9.94                          | 8.55                              | 84.2    |
| J4414-01 | C0AY0                     | 15    | 1.16              | 9.53                          | 7.26                              | 72.9    |
| J4414-02 | C0AY1                     | 16    | 1.17              | 9.80                          | 7.21                              | 70      |
| J4414-03 | C0AY2                     | 17    | 1.16              | 9.70                          | 8.24                              | 82.9    |
| J4414-04 | C0AY3                     | 18    | 1.19              | 9.78                          | 7.89                              | 78      |
| J4414-05 | C0AY4                     | 19    | 1.11              | 9.71                          | 8.00                              | 80.1    |
| J4414-06 | C0AY5                     | 20    | 1.18              | 9.90                          | 8.94                              | 89      |
| J4414-07 | C0AY6                     | 21    | 1.17              | 9.82                          | 9.02                              | 90.8    |
| J4414-08 | C0AY7                     | 22    | 1.15              | 9.92                          | 9.06                              | 90.2    |
| J4414-09 | C0AY8                     | 23    | 1.19              | 9.68                          | 8.83                              | 90      |
| J4414-10 | C0AY9                     | 24    | 1.13              | 9.90                          | 8.73                              | 86.7    |
| J4415-01 | C0AZ0                     | 25    | 1.10              | 9.55                          | 8.45                              | 87      |
| J4415-02 | C0AZ1                     | 26    | 1.16              | 9.66                          | 8.72                              | 88.9    |
| J4415-03 | C0AZ2                     | 27    | 1.17              | 9.59                          | 8.77                              | 90.3    |
| J4415-04 | C0AZ3                     | 28    | 1.19              | 9.84                          | 8.88                              | 88.9    |
| J4415-05 | C0AZ4                     | 29    | 1.17              | 9.68                          | 8.92                              | 91.1    |
| J4416-01 | C0AZ5                     | 30    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-02 | C0B00                     | 31    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-03 | C0B01                     | 32    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-04 | C0B02                     | 33    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-05 | C0B03                     | 34    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4417-01 | SOIL/CUTTINGS             | 49    | 1.10              | 9.98                          | 9.06                              | 89.6    |
| J4272-01 | JC-03-080918-A            | 35    | 1.14              | 9.86                          | 8.84                              | 88.3    |
| J4272-03 | JC-03-080918-B            | 36    | 1.16              | 9.68                          | 8.58                              | 87.1    |
| J4272-05 | JC-03-080918-C            | 37    | 1.12              | 9.96                          | 8.89                              | 87.9    |
| J4272-07 | JC-03-080918-D            | 38    | 1.16              | 9.97                          | 9.12                              | 90.4    |
| J4272-09 | JC-03-080918-E            | 39    | 1.16              | 9.87                          | 8.72                              | 86.8    |
| J4272-11 | JC-03-080918-F            | 40    | 1.14              | 9.88                          | 8.94                              | 89.2    |
| J4272-13 | JC-03-080918-G            | 41    | 1.18              | 9.72                          | 8.80                              | 89.2    |
| J4272-15 | JC-03-080918-H            | 42    | 1.10              | 9.77                          | 8.95                              | 90.5    |
| J4272-17 | JC-03-080918-I            | 43    | 1.14              | 9.80                          | 9.00                              | 90.8    |



PERCENT SOLID

Supervisor: apatel  
Analyst: JIGNESH  
Date: 8/10/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:28  
In Date: 08/09/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:30  
Out Date: 08/10/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB97201

| Lab ID   | Client Sample ID          | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|---------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J4272-19 | JC-03-080918-J            | 44    | 1.15              | 9.98                          | 8.90                              | 87.8    |
| J4272-21 | JC-03-080918-K            | 45    | 1.16              | 9.57                          | 8.84                              | 91.3    |
| J4274-01 | HD-01-080918              | 46    | 1.17              | 9.82                          | 8.62                              | 86.1    |
| J4282-01 | SU-02-080918-A            | 47    | 1.12              | 9.73                          | 8.64                              | 87.3    |
| J4282-03 | SU-02-080918-B            | 48    | 1.16              | 9.96                          | 8.72                              | 85.9    |
| J4405-01 | EXCAVATION-SOIL           | 1     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-02 | EXCAVATION-SOIL-A         | 2     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-03 | EXCAVATION-SOIL-B         | 3     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4405-04 | EXCAVATION-SOIL           | 4     | 1.15              | 9.87                          | 9.05                              | 90.6    |
| J4408-01 | G.L.-SW(0.5)-A6B          | 5     | 1.13              | 9.94                          | 8.12                              | 79.3    |
| J4408-02 | G.L.-B(0.5)-A9B           | 6     | 1.16              | 9.98                          | 8.46                              | 82.8    |
| J4408-03 | G.L.-B(0.5)-A11B          | 7     | 1.18              | 9.95                          | 8.50                              | 83.5    |
| J4409-01 | 2018-NYSEG-CLARK-AREA-9B  | 8     | 1.17              | 9.92                          | 8.13                              | 79.5    |
| J4409-03 | 2018-NYSEG-CLARK-AREA-10B | 9     | 1.14              | 9.96                          | 8.85                              | 87.4    |
| J4409-05 | 2018-NYSEG-CLARK-AREA-10C | 10    | 1.11              | 9.69                          | 8.13                              | 81.8    |
| J4409-07 | 2018-NYSEG-CLARK-AREA-10D | 11    | 1.13              | 9.77                          | 8.52                              | 85.5    |
| J4409-09 | 2018-NYSEG-CLARK-AREA-11B | 12    | 1.19              | 9.97                          | 9.24                              | 91.7    |
| J4409-11 | 2018-NYSEG-CLARK-AREA-12B | 13    | 1.16              | 9.70                          | 9.07                              | 92.6    |
| J4409-13 | 2018-NYSEG-CLARK-AREA-12C | 14    | 1.17              | 9.94                          | 8.55                              | 84.2    |
| J4414-01 | C0AY0                     | 15    | 1.16              | 9.53                          | 7.26                              | 72.9    |
| J4414-02 | C0AY1                     | 16    | 1.17              | 9.80                          | 7.21                              | 70      |
| J4414-03 | C0AY2                     | 17    | 1.16              | 9.70                          | 8.24                              | 82.9    |
| J4414-04 | C0AY3                     | 18    | 1.19              | 9.78                          | 7.89                              | 78      |
| J4414-05 | C0AY4                     | 19    | 1.11              | 9.71                          | 8.00                              | 80.1    |
| J4414-06 | C0AY5                     | 20    | 1.18              | 9.90                          | 8.94                              | 89      |
| J4414-07 | C0AY6                     | 21    | 1.17              | 9.82                          | 9.02                              | 90.8    |
| J4414-08 | C0AY7                     | 22    | 1.15              | 9.92                          | 9.06                              | 90.2    |
| J4414-09 | C0AY8                     | 23    | 1.19              | 9.68                          | 8.83                              | 90      |
| J4414-10 | C0AY9                     | 24    | 1.13              | 9.90                          | 8.73                              | 86.7    |
| J4415-01 | C0AZ0                     | 25    | 1.10              | 9.55                          | 8.45                              | 87      |
| J4415-02 | C0AZ1                     | 26    | 1.16              | 9.66                          | 8.72                              | 88.9    |
| J4415-03 | C0AZ2                     | 27    | 1.17              | 9.59                          | 8.77                              | 90.3    |
| J4415-04 | C0AZ3                     | 28    | 1.19              | 9.84                          | 8.88                              | 88.9    |
| J4415-05 | C0AZ4                     | 29    | 1.17              | 9.68                          | 8.92                              | 91.1    |
| J4416-01 | C0AZ5                     | 30    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-02 | C0B00                     | 31    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-03 | C0B01                     | 32    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-04 | C0B02                     | 33    | 1.00              | 2.00                          | 2.00                              | 100     |
| J4416-05 | C0B03                     | 34    | 1.00              | 2.00                          | 2.00                              | 100     |



PERCENT SOLID

Supervisor: apatel  
Analyst: JIGNESH  
Date: 8/10/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:28  
In Date: 08/09/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:30  
Out Date: 08/10/2018  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M Sc-1

QC: LB97201

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|----------------------------------------------------|--------------------------------------------------------|----------------|
| J4417-01      | SOIL/CUTTINGS           | 49           | 1.10                            | 9.98                                               | 9.06                                                   | 89.6           |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

LB 97201

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-080918

WorkList ID : 115422

Date : 8/9/2018 7:34:22 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample   | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-------------------|--------------|--------------|
| 08/14/2018 | Solid  | J4272-01 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-A    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-03 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-B    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-05 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-C    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-07 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-D    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-09 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-E    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-11 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-F    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-13 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-G    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-15 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-H    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-17 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-I    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-19 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-J    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4272-21 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | JC-03-080918-K    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4274-01 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | HD-01-080918      | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4282-01 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | SU-02-080918-A    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4282-03 | Percent Solids | Cool 4 deg C | PSEG05   | K63              | SU-02-080918-B    | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4405-01 | Percent Solids | Cool 4 deg C | PSEG01   | K63              | EXCAVATION-SOIL   | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4405-02 | Percent Solids | Cool 4 deg C | PSEG01   | K63              | EXCAVATION-SOIL-A | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4405-03 | Percent Solids | Cool 4 deg C | PSEG01   | K63              | EXCAVATION-SOIL-B | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4405-04 | Percent Solids | Cool 4 deg C | PSEG01   | K63              | EXCAVATION-SOIL   | 08/09/2018   | Chemtech -SO |
| 08/10/2018 | Solid  | J4408-01 | Percent Solids | Cool 4 deg C | LAND03   | O53              | G.L.-SW(0.5)-A6B  | 08/08/2018   | Chemtech -SO |
| 08/10/2018 | Solid  | J4408-02 | Percent Solids | Cool 4 deg C | LAND03   | O53              | G.L.-B(0.5)-A9B   | 08/08/2018   | Chemtech -SO |
| 08/10/2018 | Solid  | J4408-03 | Percent Solids | Cool 4 deg C | LAND03   | O53              | G.L.-B(0.5)-A11B  | 08/08/2018   | Chemtech -SO |

Date/Time 08/09/18 6:00 PM

Received by: JZ

Relinquished by: CG

Date/Time 08/09/18 5:30 PM

Received by: [Signature]

Relinquished by: JZ

leaf 201

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-080918

WorkList ID : 115422

Date : 8/9/2018 7:34:22 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample        | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|------------------------|--------------|--------------|
| 08/14/2018 | Solid  | J4409-01 | Percent Solids | Cool 4 deg C | PARS02   | O62              | 2018-NYSEG-CLARK-AREA- | 08/08/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4409-03 | Percent Solids | Cool 4 deg C | PARS02   | O62              | 2018-NYSEG-CLARK-AREA- | 08/08/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4409-05 | Percent Solids | Cool 4 deg C | PARS02   | O62              | 2018-NYSEG-CLARK-AREA- | 08/08/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4409-07 | Percent Solids | Cool 4 deg C | PARS02   | O62              | 2018-NYSEG-CLARK-AREA- | 08/08/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4409-09 | Percent Solids | Cool 4 deg C | PARS02   | O62              | 2018-NYSEG-CLARK-AREA- | 08/08/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4409-11 | Percent Solids | Cool 4 deg C | PARS02   | O62              | 2018-NYSEG-CLARK-AREA- | 08/08/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4409-13 | Percent Solids | Cool 4 deg C | PARS02   | O62              | 2018-NYSEG-CLARK-AREA- | 08/08/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-01 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY0                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-02 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY1                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-03 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY2                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-04 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY3                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-05 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY4                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-06 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY5                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-07 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY6                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-08 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY7                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-09 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY8                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4414-10 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AY9                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4415-01 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AZ0                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4415-02 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AZ1                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4415-03 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AZ2                  | 08/07/2018   | Chemtech -SO |
| 08/17/2018 | Solid  | J4415-04 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AZ3                  | 08/07/2018   | Chemtech -SO |

Date/Time 08/09/18 4:00 PM

Received by: JD

Relinquished by: [Signature]

Date/Time 08/09/18 5:30 PM

Received by: [Signature]

Relinquished by: [Signature]

1020180918

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-080918

WorkList ID : 115422

Date : 8/9/2018 7:34:22 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 08/17/2018 | Solid  | J4415-05 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AZ4           | 08/07/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4416-01 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0AZ5           | 08/07/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4416-02 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0B00           | 08/07/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4416-03 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0B01           | 08/07/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4416-04 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0B02           | 08/07/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4416-05 | Percent Solids | Cool 4 deg C | WEST04   | P31              | C0B03           | 08/07/2018   | Chemtech -SO |
| 08/19/2018 | Solid  | J4417-01 | Percent Solids | Cool 4 deg C | SEAC01   | P23              | SOIL/CUTTINGS   | 08/09/2018   | Chemtech -SO |

Date/Time 08/09/18 5:32 PM

Received by: [Signature]

Relinquished by: [Signature]

Date/Time 08/09/18 5:32 PM

Received by: [Signature]

Relinquished by: [Signature]