



PERCENT SOLID

Supervisor: apatel  
Analyst: JIGNESH  
Date: 8/13/2018

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:25  
In Date: 08/10/2018  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:35  
Out Date: 08/11/2018  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M Sc-1

QC:LB97233

| Lab ID   | Client Sample ID      | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|-----------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| J4423-01 | 72-11944              | 1     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-05 | SVOC-GPC-BLANK        | 2     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-06 | PEST-GPC-BLANK        | 3     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-07 | PEST-GPC-BLANK-SPIKE  | 4     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-08 | PCB-GPC-BLANK         | 5     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-09 | PCB-GPC-BLANK-SPIKE   | 6     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-10 | SVOC-GPC2-BLANK       | 7     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-11 | PEST-GPC2-BLANK       | 8     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-12 | PEST-GPC2-BLANK-SPIKE | 9     | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-13 | PCB-GPC2-BLANK        | 10    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4426-14 | PCB-GPC2-BLANK-SPIKE  | 11    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| J4427-01 | RB47197               | 12    | 1.16              | 9.92                          | 8.9                               | 88.4    |
| J4427-02 | RB47197               | 13    | 1.16              | 9.92                          | 8.9                               | 88.4    |
| J4430-01 | G.L-B (05) -A8b       | 14    | 1.16              | 9.98                          | 8.06                              | 78.2    |
| J4430-02 | J4430-01MS            | 15    | 1.16              | 9.98                          | 8.06                              | 78.2    |
| J4430-03 | J4430-01MSD           | 16    | 1.16              | 9.98                          | 8.06                              | 78.2    |
| J4430-04 | G.L-B (0.5) A12b      | 17    | 1.15              | 9.95                          | 8.62                              | 84.9    |
| J4430-05 | G.L-SW- (2.0E) -A1b   | 18    | 1.13              | 9.81                          | 8.38                              | 83.5    |
| J4430-06 | FIELD-DUPLICATE       | 19    | 1.19              | 9.74                          | 7.9                               | 78.5    |
| J4430-07 | G.L-SW (0.5) -A9b     | 20    | 1.17              | 9.77                          | 8.19                              | 81.6    |
| J4430-08 | G.L-SW (2.0W) -A3b    | 21    | 1.12              | 9.65                          | 8.24                              | 83.5    |
| J4430-09 | G.L-B (2.0W) -A5b     | 22    | 1.12              | 9.64                          | 8.59                              | 87.7    |
| J4430-10 | G.L-SW (0.5) -A10b    | 23    | 1.18              | 9.78                          | 8.03                              | 79.7    |
| J4430-11 | UST-E                 | 24    | 1.1               | 9.72                          | 7.92                              | 79.1    |
| J4430-12 | G.L-WC-01             | 25    | 1.17              | 9.8                           | 8.43                              | 84.1    |
| J4439-13 | IDW-SO3-SRI3          | 26    | 1.14              | 9.52                          | 9.29                              | 97.3    |
| J4448-01 | TOD-SB-01-0-2         | 27    | 1.12              | 9.81                          | 8.19                              | 81.4    |
| J4448-02 | J4448-01MS            | 28    | 1.12              | 9.81                          | 8.19                              | 81.4    |
| J4448-03 | J4448-01MSD           | 29    | 1.12              | 9.81                          | 8.19                              | 81.4    |
| J4448-04 | TOD-SB-101-0-2        | 30    | 1.13              | 9.61                          | 8.41                              | 85.8    |
| J4448-05 | TOD-SB-02-0-2         | 31    | 1.17              | 9.59                          | 8.34                              | 85.2    |
| J4448-06 | TOD-SB-03-0-2         | 32    | 1.16              | 9.94                          | 8.81                              | 87.1    |
| J4449-01 | TILCON-MH-001         | 33    | 1.18              | 9.9                           | 9.75                              | 98.3    |
| J4449-02 | TILCON-PL-001         | 34    | 1.18              | 9.94                          | 9.65                              | 96.7    |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

1897233

WorkList Name : %1-081018

WorkList ID : 115469

Date : 8/10/2018 7:23:48 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
| 08/15/2018 | Solid  | J4423-01 | Percent Solids | Cool 4 deg C | PSEG01   | K63              | 72-11944              | 08/10/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-05 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | SVOC-GPC-BLANK        | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-06 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PEST-GPC-BLANK        | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-07 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PEST-GPC-BLANK-SPIKE  | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-08 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PCB-GPC-BLANK         | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-09 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PCB-GPC-BLANK-SPIKE   | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-10 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | SVOC-GPC2-BLANK       | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-11 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PEST-GPC2-BLANK       | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-12 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PEST-GPC2-BLANK-SPIKE | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-13 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PCB-GPC2-BLANK        | 08/03/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4426-14 | Percent Solids | Cool 4 deg C | CHEM02   | A11              | PCB-GPC2-BLANK-SPIKE  | 08/03/2018   | Chemtech -SO |
| 08/15/2018 | Solid  | J4427-01 | Percent Solids | Cool 4 deg C | PSEG01   | K63              | RB47197               | 08/10/2018   | Chemtech -SO |
| 08/15/2018 | Solid  | J4427-02 | Percent Solids | Cool 4 deg C | PSEG01   | K63              | RB47197               | 08/10/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-01 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-B(05)-A8b         | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-02 | Percent Solids | Cool 4 deg C | LAND03   | K63              | J4430-01MS            | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-03 | Percent Solids | Cool 4 deg C | LAND03   | K63              | J4430-01MSD           | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-04 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-B(0.5)A12b        | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-05 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-SW-(2.0E)-A1b     | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-06 | Percent Solids | Cool 4 deg C | LAND03   | K63              | FIELD-DUPLICATE       | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-07 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-SW(0.5)-A9b       | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-08 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-SW(2.0W)-A3b      | 08/09/2018   | Chemtech -SO |

Date/Time 08-10-18 4:00 PM

Received by: JD

Relinquished by: JD

Date/Time 08-10-18 5:25 PM

Received by: JD

Relinquished by: JD

# WORKLIST(Hardcopy Internal Chain)

1897233

WorkList Name : %1-081018

WorkList ID : 115469

Date : 8/10/2018 7:23:48 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample  | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|------------------|--------------|--------------|
| 08/13/2018 | Solid  | J4430-09 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-B(2.0W)-A5b  | 08/09/2018   | Chemtech -SO |
| 08/13/2018 | Solid  | J4430-10 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-SW(0.5)-A10b | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4430-11 | Percent Solids | Cool 4 deg C | LAND03   | K63              | UST-E            | 08/09/2018   | Chemtech -SO |
| 08/14/2018 | Solid  | J4430-12 | Percent Solids | Cool 4 deg C | LAND03   | K63              | G.L-WC-01        | 08/09/2018   | Chemtech -SO |
| 08/19/2018 | Solid  | J4439-13 | Percent Solids | Cool 4 deg C | HDRE02   | --Select--       | IDW-SO3-SRI3     | 08/09/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4448-01 | Percent Solids | Cool 4 deg C | PARS15   | I33              | TOD-SB-01-0-2    | 08/10/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4448-02 | Percent Solids | Cool 4 deg C | PARS15   | I33              | J4448-01MS       | 08/10/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4448-03 | Percent Solids | Cool 4 deg C | PARS15   | I33              | J4448-01MSD      | 08/10/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4448-04 | Percent Solids | Cool 4 deg C | PARS15   | I33              | TOD-SB-101-0-2   | 08/10/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4448-05 | Percent Solids | Cool 4 deg C | PARS15   | I33              | TOD-SB-02-0-2    | 08/10/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4448-06 | Percent Solids | Cool 4 deg C | PARS15   | I33              | TOD-SB-03-0-2    | 08/10/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4449-01 | Percent Solids | Cool 4 deg C | ENTA05   | K63              | TILCON-MH-001    | 08/10/2018   | Chemtech -SO |
| 08/20/2018 | Solid  | J4449-02 | Percent Solids | Cool 4 deg C | ENTA05   | K63              | TILCON-PL-001    | 08/10/2018   | Chemtech -SO |

Date/Time 08/10/18 4:00 PM  
 Received by: SP  
 Relinquished by: SP

Date/Time 08/10/18 3:25 PM  
 Received by: SP  
 Relinquished by: SP