



PERCENT SOLID

Supervisor: apatel
Analyst: Jignesh
Date: 8/28/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 15:40
In Date: 08/12/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 07:30
Out Date: 08/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB97240

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4442-01	SP-1-1	1	1.13	9.98	9.14	90.5
J4442-01	SP-1-1	1	1.13	9.98	9.14	90.5
J4442-02	SP-1-1-A	2	1.13	9.98	9.14	90.5
J4442-02	SP-1-1-A	2	1.13	9.98	9.14	90.5
J4442-03	SP-1-1-B	3	1.13	9.98	9.14	90.5
J4442-03	SP-1-1-B	3	1.13	9.98	9.14	90.5
J4442-04	SP-1-1-C	4	1.13	9.98	9.14	90.5
J4442-04	SP-1-1-C	4	1.13	9.98	9.14	90.5
J4442-05	SP-1-1-D	5	1.13	9.98	9.14	90.5
J4442-05	SP-1-1-D	5	1.13	9.98	9.14	90.5
J4442-06	SP-1-1-E	6	1.13	9.98	9.14	90.5
J4442-06	SP-1-1-E	6	1.13	9.98	9.14	90.5
J4442-07	SP-1-1-F	7	1.13	9.98	9.14	90.5
J4442-07	SP-1-1-F	7	1.13	9.98	9.14	90.5
J4442-08	SP-1-1-G	8	1.13	9.98	9.14	90.5
J4442-08	SP-1-1-G	8	1.13	9.98	9.14	90.5
J4442-09	SP-1-1-H	9	1.13	9.98	9.14	90.5
J4442-09	SP-1-1-H	9	1.13	9.98	9.14	90.5
J4442-11	SP-1-2	10	1.14	9.75	9.11	92.6
J4442-11	SP-1-2	10	1.14	9.75	9.11	92.6
J4442-12	SP-1-2-A	11	1.14	9.75	9.11	92.6
J4442-12	SP-1-2-A	11	1.14	9.75	9.11	92.6
J4442-13	SP-1-2-B	12	1.14	9.75	9.11	92.6
J4442-13	SP-1-2-B	12	1.14	9.75	9.11	92.6
J4442-14	SP-1-2-C	13	1.14	9.75	9.11	92.6
J4442-14	SP-1-2-C	13	1.14	9.75	9.11	92.6
J4442-15	SP-1-2-D	14	1.14	9.75	9.11	92.6
J4442-15	SP-1-2-D	14	1.14	9.75	9.11	92.6
J4442-16	SP-1-2-E	15	1.14	9.75	9.11	92.6
J4442-16	SP-1-2-E	15	1.14	9.75	9.11	92.6
J4442-17	SP-1-2-F	16	1.14	9.75	9.11	92.6
J4442-17	SP-1-2-F	16	1.14	9.75	9.11	92.6
J4442-18	SP-1-2-G	17	1.14	9.75	9.11	92.6
J4442-18	SP-1-2-G	17	1.14	9.75	9.11	92.6
J4442-19	SP-1-2-H	18	1.14	9.75	9.11	92.6
J4442-19	SP-1-2-H	18	1.14	9.75	9.11	92.6
J4442-21	SP-1-3	19	1.17	9.66	8.82	90.1
J4442-21	SP-1-3	19	1.17	9.66	8.82	90.1
J4442-22	SP-1-3-A	20	1.17	9.66	8.82	90.1



PERCENT SOLID

Supervisor: apatel
Analyst: Jignesh
Date: 8/28/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 15:40
In Date: 08/12/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 07:30
Out Date: 08/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB97240

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4442-22	SP-1-3-A	20	1.17	9.66	8.82	90.1
J4442-23	SP-1-3-B	21	1.17	9.66	8.82	90.1
J4442-23	SP-1-3-B	21	1.17	9.66	8.82	90.1
J4442-24	SP-1-3-C	22	1.17	9.66	8.82	90.1
J4442-24	SP-1-3-C	22	1.17	9.66	8.82	90.1
J4442-25	SP-1-3-D	23	1.17	9.66	8.82	90.1
J4442-25	SP-1-3-D	23	1.17	9.66	8.82	90.1
J4442-26	SP-1-3-E	24	1.17	9.66	8.82	90.1
J4442-26	SP-1-3-E	24	1.17	9.66	8.82	90.1
J4442-27	SP-1-3-F	25	1.17	9.66	8.82	90.1
J4442-27	SP-1-3-F	25	1.17	9.66	8.82	90.1
J4442-28	SP-1-3-G	26	1.17	9.66	8.82	90.1
J4442-28	SP-1-3-G	26	1.17	9.66	8.82	90.1
J4442-29	SP-1-3-H	27	1.17	9.66	8.82	90.1
J4442-29	SP-1-3-H	27	1.17	9.66	8.82	90.1
J4442-31	SP-1-4	28	1.15	9.95	9.19	91.4
J4442-31	SP-1-4	28	1.15	9.95	9.19	91.4
J4442-32	SP-1-4-A	29	1.15	9.95	9.19	91.4
J4442-32	SP-1-4-A	29	1.15	9.95	9.19	91.4
J4442-33	SP-1-4-B	30	1.15	9.95	9.19	91.4
J4442-33	SP-1-4-B	30	1.15	9.95	9.19	91.4
J4442-34	SP-1-4-C	31	1.15	9.95	9.19	91.4
J4442-34	SP-1-4-C	31	1.15	9.95	9.19	91.4
J4442-35	SP-1-4-D	32	1.15	9.95	9.19	91.4
J4442-35	SP-1-4-D	32	1.15	9.95	9.19	91.4
J4442-36	SP-1-4-E	33	1.15	9.95	9.19	91.4
J4442-36	SP-1-4-E	33	1.15	9.95	9.19	91.4
J4442-37	SP-1-4-F	34	1.15	9.95	9.19	91.4
J4442-37	SP-1-4-F	34	1.15	9.95	9.19	91.4
J4442-38	SP-1-4-G	35	1.15	9.95	9.19	91.4
J4442-38	SP-1-4-G	35	1.15	9.95	9.19	91.4
J4442-39	SP-1-4-H	36	1.15	9.95	9.19	91.4
J4442-39	SP-1-4-H	36	1.15	9.95	9.19	91.4
J4442-41	SP-1-5	37	1.12	9.82	8.91	89.5
J4442-41	SP-1-5	37	1.12	9.82	8.91	89.5
J4442-42	SP-1-5-A	38	1.12	9.82	8.91	89.5
J4442-42	SP-1-5-A	38	1.12	9.82	8.91	89.5
J4442-43	SP-1-5-B	39	1.12	9.82	8.91	89.5
J4442-43	SP-1-5-B	39	1.12	9.82	8.91	89.5



PERCENT SOLID

Supervisor: apatel
Analyst: Jignesh
Date: 8/28/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 15:40
In Date: 08/12/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 07:30
Out Date: 08/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB97240

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4442-44	SP-1-5-C	40	1.12	9.82	8.91	89.5
J4442-44	SP-1-5-C	40	1.12	9.82	8.91	89.5
J4442-45	SP-1-5-D	41	1.12	9.82	8.91	89.5
J4442-45	SP-1-5-D	41	1.12	9.82	8.91	89.5
J4442-46	SP-1-5-E	42	1.12	9.82	8.91	89.5
J4442-46	SP-1-5-E	42	1.12	9.82	8.91	89.5
J4442-47	SP-1-5-F	43	1.12	9.82	8.91	89.5
J4442-47	SP-1-5-F	43	1.12	9.82	8.91	89.5
J4442-48	SP-1-5-G	44	1.12	9.82	8.91	89.5
J4442-48	SP-1-5-G	44	1.12	9.82	8.91	89.5
J4442-49	SP-1-5-H	45	1.12	9.82	8.91	89.5
J4442-49	SP-1-5-H	45	1.12	9.82	8.91	89.5
J4442-51	SP-1-6	46	1.11	9.92	9.53	95.6
J4442-51	SP-1-6	46	1.11	9.92	9.53	95.6
J4442-52	SP-1-6-A	47	1.11	9.92	9.53	95.6
J4442-52	SP-1-6-A	47	1.11	9.92	9.53	95.6
J4442-53	SP-1-6-B	48	1.11	9.92	9.53	95.6
J4442-53	SP-1-6-B	48	1.11	9.92	9.53	95.6
J4442-54	SP-1-6-C	49	1.11	9.92	9.53	95.6
J4442-54	SP-1-6-C	49	1.11	9.92	9.53	95.6
J4442-55	SP-1-6-D	50	1.11	9.92	9.53	95.6
J4442-55	SP-1-6-D	50	1.11	9.92	9.53	95.6
J4443-01	SALEM-RD-SP	51	1.12	9.78	8.79	88.6
J4443-01	SALEM-RD-SP	51	1.12	9.78	8.79	88.6
J4443-02	SALEM-RD-SP-A	52	1.12	9.78	8.79	88.6
J4443-02	SALEM-RD-SP-A	52	1.12	9.78	8.79	88.6
J4443-03	SALEM-RD-SP-B	53	1.12	9.78	8.79	88.6
J4443-03	SALEM-RD-SP-B	53	1.12	9.78	8.79	88.6
J4443-04	SALEM-RD-SP-C	54	1.12	9.78	8.79	88.6
J4443-04	SALEM-RD-SP-C	54	1.12	9.78	8.79	88.6
J4443-05	SALEM-RD-SP-D	55	1.12	9.78	8.79	88.6
J4443-05	SALEM-RD-SP-D	55	1.12	9.78	8.79	88.6
J4443-06	SALEM-RD-SP-E	56	1.12	9.78	8.79	88.6
J4443-06	SALEM-RD-SP-E	56	1.12	9.78	8.79	88.6
J4443-07	SALEM-RD-SP-F	57	1.12	9.78	8.79	88.6
J4443-07	SALEM-RD-SP-F	57	1.12	9.78	8.79	88.6
J4443-08	SALEM-RD-SP-G	58	1.12	9.78	8.79	88.6
J4443-08	SALEM-RD-SP-G	58	1.12	9.78	8.79	88.6
J4443-09	SALEM-RD-SP-H	59	1.12	9.78	8.79	88.6



PERCENT SOLID

Supervisor: apatel
Analyst: Jignesh
Date: 8/28/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 15:40
In Date: 08/12/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 07:30
Out Date: 08/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB97240

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4443-09	SALEM-RD-SP-H	59	1.12	9.78	8.79	88.6
J4446-01	A464120	60	1.00	2.00	2.00	100.0
J4446-01	A464120	60	1.00	2.00	2.00	100.0
J4446-02	B464174	61	1.00	2.00	2.00	100.0
J4446-02	B464174	61	1.00	2.00	2.00	100.0
J4447-01	SP-1-6-E	62	1.19	9.77	9.22	93.6
J4447-01	SP-1-6-E	62	1.19	9.77	9.22	93.6
J4447-02	SP-1-6-F	63	1.19	9.77	9.22	93.6
J4447-02	SP-1-6-F	63	1.19	9.77	9.22	93.6
J4447-03	SP-1-6-G	64	1.19	9.77	9.22	93.6
J4447-03	SP-1-6-G	64	1.19	9.77	9.22	93.6
J4447-04	SP-1-6-H	65	1.19	9.77	9.22	93.6
J4447-04	SP-1-6-H	65	1.19	9.77	9.22	93.6
J4447-06	SP-1-7	66	1.1	9.82	8.92	89.7
J4447-06	SP-1-7	66	1.1	9.82	8.92	89.7
J4447-07	SP-1-7-A	67	1.1	9.82	8.92	89.7
J4447-07	SP-1-7-A	67	1.1	9.82	8.92	89.7
J4447-08	SP-1-7-B	68	1.1	9.82	8.92	89.7
J4447-08	SP-1-7-B	68	1.1	9.82	8.92	89.7
J4447-09	SP-1-7-C	69	1.1	9.82	8.92	89.7
J4447-09	SP-1-7-C	69	1.1	9.82	8.92	89.7
J4447-10	SP-1-7-D	70	1.1	9.82	8.92	89.7
J4447-10	SP-1-7-D	70	1.1	9.82	8.92	89.7
J4447-11	SP-1-7-E	71	1.1	9.82	8.92	89.7
J4447-11	SP-1-7-E	71	1.1	9.82	8.92	89.7
J4447-12	SP-1-7-F	72	1.1	9.82	8.92	89.7
J4447-12	SP-1-7-F	72	1.1	9.82	8.92	89.7
J4447-13	SP-1-7-G	73	1.1	9.82	8.92	89.7
J4447-13	SP-1-7-G	73	1.1	9.82	8.92	89.7
J4447-14	SP-1-7-H	74	1.1	9.82	8.92	89.7
J4447-14	SP-1-7-H	74	1.1	9.82	8.92	89.7
J4447-16	SP-1-8	75	1.13	9.66	8.99	92.1
J4447-16	SP-1-8	75	1.13	9.66	8.99	92.1
J4447-17	SP-1-8-A	76	1.13	9.66	8.99	92.1
J4447-17	SP-1-8-A	76	1.13	9.66	8.99	92.1
J4447-18	SP-1-8-B	77	1.13	9.66	8.99	92.1
J4447-18	SP-1-8-B	77	1.13	9.66	8.99	92.1
J4447-19	SP-1-8-C	78	1.13	9.66	8.99	92.1
J4447-19	SP-1-8-C	78	1.13	9.66	8.99	92.1



PERCENT SOLID

Supervisor: apatel
Analyst: Jignesh
Date: 8/28/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 15:40
In Date: 08/12/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 07:30
Out Date: 08/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB97240

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4447-20	SP-1-8-D	79	1.13	9.66	8.99	92.1
J4447-20	SP-1-8-D	79	1.13	9.66	8.99	92.1
J4447-21	SP-1-8-E	80	1.13	9.66	8.99	92.1
J4447-21	SP-1-8-E	80	1.13	9.66	8.99	92.1
J4447-22	SP-1-8-F	81	1.13	9.66	8.99	92.1
J4447-22	SP-1-8-F	81	1.13	9.66	8.99	92.1
J4447-23	SP-1-8-G	82	1.13	9.66	8.99	92.1
J4447-23	SP-1-8-G	82	1.13	9.66	8.99	92.1
J4447-24	SP-1-8-H	83	1.13	9.66	8.99	92.1
J4447-24	SP-1-8-H	83	1.13	9.66	8.99	92.1
J4447-26	SP-1-9	84	1.13	9.97	9.59	95.7
J4447-26	SP-1-9	84	1.13	9.97	9.59	95.7
J4447-27	SP-1-9-A	85	1.13	9.97	9.59	95.7
J4447-27	SP-1-9-A	85	1.13	9.97	9.59	95.7
J4447-28	SP-1-9-B	86	1.13	9.97	9.59	95.7
J4447-28	SP-1-9-B	86	1.13	9.97	9.59	95.7
J4447-29	SP-1-9-C	87	1.13	9.97	9.59	95.7
J4447-29	SP-1-9-C	87	1.13	9.97	9.59	95.7
J4447-30	SP-1-9-D	88	1.13	9.97	9.59	95.7
J4447-30	SP-1-9-D	88	1.13	9.97	9.59	95.7
J4447-31	SP-1-9-E	89	1.13	9.97	9.59	95.7
J4447-31	SP-1-9-E	89	1.13	9.97	9.59	95.7
J4447-32	SP-1-9-F	90	1.13	9.97	9.59	95.7
J4447-32	SP-1-9-F	90	1.13	9.97	9.59	95.7
J4447-33	SP-1-9-G	91	1.13	9.97	9.59	95.7
J4447-33	SP-1-9-G	91	1.13	9.97	9.59	95.7
J4447-34	SP-1-9-H	92	1.13	9.97	9.59	95.7
J4447-34	SP-1-9-H	92	1.13	9.97	9.59	95.7
J4447-36	SP-1-10	93	1.11	9.85	9.03	90.6
J4447-36	SP-1-10	93	1.11	9.85	9.03	90.6
J4447-37	SP-1-10-A	94	1.11	9.85	9.03	90.6
J4447-37	SP-1-10-A	94	1.11	9.85	9.03	90.6
J4447-38	SP-1-10-B	95	1.11	9.85	9.03	90.6
J4447-38	SP-1-10-B	95	1.11	9.85	9.03	90.6
J4447-39	SP-1-10-C	96	1.11	9.85	9.03	90.6
J4447-39	SP-1-10-C	96	1.11	9.85	9.03	90.6
J4447-40	SP-1-10-D	97	1.11	9.85	9.03	90.6
J4447-40	SP-1-10-D	97	1.11	9.85	9.03	90.6
J4447-41	SP-1-10-E	98	1.11	9.85	9.03	90.6



PERCENT SOLID

Supervisor: apatel
Analyst: Jignesh
Date: 8/28/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 15:40
In Date: 08/12/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 07:30
Out Date: 08/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB97240

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Dish#</u>	<u>Dish Wt(g)</u> <u>(A)</u>	<u>Dish +</u> <u>Sample Wt(g)</u> <u>(B)</u>	<u>Dish + Dry</u> <u>Sample Wt(g)</u> <u>(C)</u>	<u>% Solid</u>
J4447-41	SP-1-10-E	98	1.11	9.85	9.03	90.6
J4447-42	SP-1-10-F	99	1.11	9.85	9.03	90.6
J4447-42	SP-1-10-F	99	1.11	9.85	9.03	90.6
J4447-43	SP-1-10-G	100	1.11	9.85	9.03	90.6
J4447-43	SP-1-10-G	100	1.11	9.85	9.03	90.6
J4447-44	SP-1-10-H	101	1.11	9.85	9.03	90.6
J4447-44	SP-1-10-H	101	1.11	9.85	9.03	90.6

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

1397240

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081218

WorkList ID : 115522

Date : 8/12/2018 8:56:44 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/15/2018	Solid	J4442-01	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-02	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-03	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-04	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-05	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-06	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-07	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-08	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-09	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-1-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-11	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-12	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-13	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-14	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-15	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-16	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-17	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-18	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-19	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-2-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-21	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-22	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-23	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-B	08/10/2018	Chemtech -SO

Date/Time 08/12/18 2:30 PM

Date/Time 08/12/18 4:00 PM

Received by: JD

Received by: JD

Relinquished by: CDR

Relinquished by: JD

18 97240

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081218

WorkList ID : 115522

Date : 8/12/2018 8:56:44 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/15/2018	Solid	J4442-24	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-25	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-26	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-27	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-28	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-29	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-3-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-31	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-32	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-33	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-34	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-35	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-36	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-37	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-38	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-39	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-4-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-41	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-42	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-43	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-44	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-45	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-46	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-E	08/10/2018	Chemtech -SO

Date/Time 08.12.18 2:30 PM

Received by: JP

Relinquished by: JP

Date/Time 08.12.18 4:00 PM

Received by: JP

Relinquished by: JP

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081218

WorkList ID : 115522

Date : 8/12/2018 8:56:44 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/15/2018	Solid	J4442-47	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-48	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-49	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-5-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-51	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-52	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-53	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-54	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4442-55	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-01	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-02	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-03	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-04	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-05	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-06	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-07	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-08	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4443-09	Percent Solids	Cool 4 deg C	PSEG01	K63	SALEM-RD-SP-H	08/10/2018	Chemtech -SO
08/10/2018	Solid	J4446-01	Percent Solids	Cool 4 deg C	CLEA07	K63	A464120	08/10/2018	Chemtech -SO
08/10/2018	Solid	J4446-02	Percent Solids	Cool 4 deg C	CLEA07	K63	B464174	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-01	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-02	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-F	08/10/2018	Chemtech -SO

Date/Time 08/12/18 2:30 PM

Received by: SP

Relinquished by: SP

Date/Time

Received by:

Relinquished by:

08/12/18 4:00 PM

SP

SP

2897240

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081218

WorkList ID : 115522

Date : 8/12/2018 8:56:44 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/15/2018	Solid	J4447-03	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-04	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-6-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-06	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-07	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-08	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-09	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-10	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-11	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-12	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-13	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-14	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-7-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-16	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-17	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-18	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-19	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-20	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-21	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-22	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-23	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-24	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-8-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-26	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9	08/10/2018	Chemtech -SO

Date/Time 08/12/18 2:20 PM
 Received by: SP
 Relinquished by: SP

Date/Time 08/12/18 3:00 PM
 Received by: SP
 Relinquished by: SP

1247240

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081218

WorkList ID : 115522

Date : 8/12/2018 8:56:44 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/15/2018	Solid	J4447-27	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-28	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-29	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-30	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-31	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-32	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-33	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-34	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-9-H	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-36	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-37	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-A	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-38	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-B	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-39	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-C	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-40	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-D	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-41	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-E	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-42	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-F	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-43	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-G	08/10/2018	Chemtech -SO
08/15/2018	Solid	J4447-44	Percent Solids	Cool 4 deg C	PSEG01	K63	SP-1-10-H	08/10/2018	Chemtech -SO

Date/Time 08/12/18 2:30 PM
 Received by: JS
 Relinquished by: JS

Date/Time 08/12/18 4:00 PM
 Received by: JS
 Relinquished by: JS