



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97405

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4274-03	HD-02-081718	1	100.02	0.00	08/20/2018	13:40
2	J4274-03DUP	HD-02-081718DUP	1	100.01	0.00	08/20/2018	13:46
3	J4277-05	OR-03-081718-A	1	100.02	0.00	08/20/2018	13:51
4	J4277-07	OR-03-081718-B	1	100.03	0.00	08/20/2018	13:56
5	J4282-09	SU-04-081718	1	100.02	0.00	08/20/2018	14:02
6	J4539-02	MS-RO-27186	1	100.03	0.00	08/20/2018	14:07
7	J4555-03	SB-01-COMP	1	100.01	0.00	08/20/2018	14:13
8	J4555-05	SB-02-COMP	1	100.03	0.00	08/20/2018	14:19

WORKLIST(Hardcopy Internal Chain)

LB 97405

WorkList Name : PF082018

WorkList ID : 115831

Date : 8/20/2018 12:34:52 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/17/2018	Solid	J4274-03	Paint Filter	Cool 4 deg C	PSEG05		HD-02-081718	08/17/2018	9095B
08/17/2018	Solid	J4277-05	Paint Filter	Cool 4 deg C	PSEG05		OR-03-081718-A	08/17/2018	9095B
08/17/2018	Solid	J4277-07	Paint Filter	Cool 4 deg C	PSEG05		OR-03-081718-B	08/17/2018	9095B
08/17/2018	Solid	J4282-09	Paint Filter	Cool 4 deg C	PSEG05		SU-04-081718	08/17/2018	9095B
08/17/2018	Solid	J4539-02	Paint Filter	Cool 4 deg C	PSEG01	K63	MS-RO-27186	08/17/2018	9095B
08/17/2018	Solid	J4555-03	Paint Filter	Cool 4 deg C	LIRO01	P63	SB-01-COMP	08/17/2018	9095B
08/17/2018	Solid	J4555-05	Paint Filter	Cool 4 deg C	LIRO01	P63	SB-02-COMP	08/17/2018	9095B

Date/Time 08/20/18 12:35

Received by: SP

Relinquished by: CJD

Date/Time 08/20/18 2:25

Received by: SP

Relinquished by: SP