



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97539

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4270-01	BU-03-082318	1	100.02	0.00	08/24/2018	14:15
2	J4270-01DUP	BU-03-082318DUP	1	100.03	0.00	08/24/2018	14:21
3	J4270-03	BU-01-082318	1	100.02	0.00	08/24/2018	14:26
4	J4273-01	NB-07-082318	1	100.03	0.00	08/24/2018	14:31
5	J4282-11	SU-02-082318-A	1	100.01	0.00	08/24/2018	14:37
6	J4282-13	SU-02-082318-B	1	100.03	0.00	08/24/2018	14:42
7	J4621-02	SP-1	1	100.03	0.00	08/24/2018	14:47
8	J4621-06	SP-2	1	100.01	0.00	08/24/2018	14:53
9	J4652-01	SONO-S	1	100.02	0.00	08/24/2018	15:00

WORKLIST(Hardcopy Internal Chain)

LB 97539

WorkList Name : PF082418

WorkList ID : 116044

Date : 8/24/2018 1:53:01 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/23/2018	Solid	J4270-01 A	Paint Filter	Cool 4 deg C	PSEG05	E31	BU-03-082318	08/23/2018	9095B
08/23/2018	Solid	J4270-03 A	Paint Filter	Cool 4 deg C	PSEG05	E31	BU-01-082318	08/23/2018	9095B
08/23/2018	Solid	J4273-01 A	Paint Filter	Cool 4 deg C	PSEG05	E22	NB-07-082318	08/23/2018	9095B
08/23/2018	Solid	J4282-11 B	Paint Filter	Cool 4 deg C	PSEG05		SU-02-082318-A	08/23/2018	9095B
08/23/2018	Solid	J4282-13 A	Paint Filter	Cool 4 deg C	PSEG05		SU-02-082318-B	08/23/2018	9095B
08/23/2018	Solid	J4621-02 B	Paint Filter	Cool 4 deg C	PSEG01	E22	SP-1	08/23/2018	9095B
08/23/2018	Solid	J4621-06 A	Paint Filter	Cool 4 deg C	PSEG01	E22	SP-2	08/23/2018	9095B
08/24/2018	Solid	J4652-01	Paint Filter	Cool 4 deg C	PSEG01	E22	SONO-S	08/24/2018	9095B

Date/Time 08/24/18 2:00

Received by: SP

Relinquished by: CP

Date/Time 08/24/18 3:15

Received by: CP

Relinquished by: SP