



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97557

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4280-01	PL-05-082418-A	1	100.02	0.00	08/27/2018	10:15
2	J4280-01DUP	PL-05-082418-ADUP	1	100.03	0.00	08/27/2018	10:21
3	J4280-03	PL-05-082418-B	1	100.02	0.00	08/27/2018	10:26

WORKLIST(Hardcopy Internal Chain)

LB97557

WorkList Name : PF082718

WorkList ID : 116074

Date : 8/27/2018 9:20:11 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/24/2018	Solid	J4280-01	Paint Filter	Cool 4 deg C	PSEG05	E22	PL-05-082418-A	08/24/2018	9095B
08/24/2018	Solid	J4280-03	Paint Filter	Cool 4 deg C	PSEG05	E22	PL-05-082418-B	08/24/2018	9095B

Date/Time 08/27/18 9:40
 Received by: SP
 Relinquished by: CP

Date/Time 08/27/18 10:30
 Received by: CP
 Relinquished by: SP